



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification ⁷ : C12N 15/31, C07K 14/295, C12N 1/21, 1/19, 5/10, C07K 19/00, C12N 15/62, C07K 16/02, A61K 39/118, 31/70, G01N 33/569, C12Q 1/68, A61K 48/00</p>	A2	<p>(11) International Publication Number: WO 00/34483</p> <p>(43) International Publication Date: 15 June 2000 (15.06.00)</p>												
<p>(21) International Application Number: PCT/US99/29012</p> <p>(22) International Filing Date: 8 December 1999 (08.12.99)</p> <p>(30) Priority Data:</p> <table border="0"> <tr> <td>09/208,277</td> <td>8 December 1998 (08.12.98)</td> <td>US</td> </tr> <tr> <td>09/288,594</td> <td>8 April 1999 (08.04.99)</td> <td>US</td> </tr> <tr> <td>09/410,568</td> <td>1 October 1999 (01.10.99)</td> <td>US</td> </tr> <tr> <td>09/426,571</td> <td>22 October 1999 (22.10.99)</td> <td>US</td> </tr> </table> <p>(71) Applicant (for all designated States except US): CORIXA CORPORATION [US/US]; Suite 200, 1124 Columbia Street, Seattle, WA 98104 (US).</p> <p>(72) Inventors; and</p> <p>(75) Inventors/Applicants (for US only): PROBST, Peter [DE/US]; 3282 - 21st Avenue West, #101, Seattle, WA 98199 (US). BHATIA, Ajay [IN/US]; 1120 Spring Street, #803, Seattle, WA 98104 (US). SKEIKY, Yasir, A., W. [CA/US]; 8327 - 25th Avenue N.W., Seattle, WA 98107 (US). FLING, Steven, P. [US/US]; 11414 Pinyon Avenue Northeast, Bainbridge Island, WA 98110 (US). JEN, Shyian [US/US]; 1610 - 16th Avenue, #32, Seattle, WA 98122 (US).</p>		09/208,277	8 December 1998 (08.12.98)	US	09/288,594	8 April 1999 (08.04.99)	US	09/410,568	1 October 1999 (01.10.99)	US	09/426,571	22 October 1999 (22.10.99)	US	<p>STROMBERG, Erica, Jean [US/US]; 3800 Aurora Avenue N, Apt. 206, Seattle, WA 98103 (US).</p> <p>(74) Agents: MAKI, David, J. et al.; Seed And Berry LLP, Suite 6300, 701 Fifth Avenue, Seattle, WA 98104-7092 (US).</p> <p>(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).</p> <p>Published Without international search report and to be republished upon receipt of that report.</p>
09/208,277	8 December 1998 (08.12.98)	US												
09/288,594	8 April 1999 (08.04.99)	US												
09/410,568	1 October 1999 (01.10.99)	US												
09/426,571	22 October 1999 (22.10.99)	US												
<p>(54) Title: COMPOUNDS AND METHODS FOR TREATMENT AND DIAGNOSIS OF CHLAMYDIAL INFECTION</p> <p>(57) Abstract</p> <p>Compounds and methods for the diagnosis and treatment of Chlamydial infection are disclosed. The compounds provided include polypeptides that contain at least one antigenic portion of a <i>Chlamydia</i> antigen and DNA sequences encoding such polypeptides. Pharmaceutical compositions and vaccines comprising such polypeptides or DNA sequences are also provided, together with antibodies directed against such polypeptides. Diagnostic kits containing such polypeptides or DNA sequences and a suitable detection reagent may be used for the detection of Chlamydial infection in patients and in biological samples.</p>														
<p>ATTORNEY DOCKET NUMBER: 7969-087-999 SERIAL NUMBER: 09/677,752 REFERENCE: AG</p>														

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

COMPOUNDS AND METHODS FOR TREATMENT AND DIAGNOSIS OF CHLAMYDIAL INFECTION

TECHNICAL FIELD

The present invention relates generally to the detection and treatment of Chlamydial infection. In particular, the invention is related to polypeptides comprising a *Chlamydia* antigen and the use of such polypeptides for the serodiagnosis and treatment of Chlamydial infection.

BACKGROUND OF THE INVENTION

Chlamydiae are intracellular bacterial pathogens that are responsible for a wide variety of important human and animal infections. *Chlamydia trachomatis* is one of the most common causes of sexually transmitted diseases and can lead to pelvic inflammatory disease (PID), resulting in tubal obstruction and infertility. *Chlamydia trachomatis* may also play a role in male infertility. In 1990, the cost of treating PID in the US was estimated to be \$4 billion. Trachoma, due to ocular infection with *Chlamydia trachomatis*, is the leading cause of preventable blindness worldwide. *Chlamydia pneumonia* is a major cause of acute respiratory tract infections in humans and is also believed to play a role in the pathogenesis of atherosclerosis and, in particular, coronary heart disease. Individuals with a high titer of antibodies to *Chlamydia pneumonia* have been shown to be at least twice as likely to suffer from coronary heart disease as seronegative individuals. Chlamydial infections thus constitute a significant health problem both in the US and worldwide.

Chlamydial infection is often asymptomatic. For example, by the time a woman seeks medical attention for PID, irreversible damage may have already occurred resulting in infertility. There thus remains a need in the art for improved vaccines and pharmaceutical

compositions for the prevention and treatment of *Chlamydia* infections. The present invention fulfills this need and further provides other related advantages.

SUMMARY OF THE INVENTION

The present invention provides compositions and methods for the diagnosis and therapy of *Chlamydia* infection. In one aspect, the present invention provides polypeptides comprising an immunogenic portion of a *Chlamydia* antigen, or a variant of such an antigen. Certain portions and other variants are immunogenic, such that the ability of the variant to react with antigen-specific antisera is not substantially diminished. Within certain embodiments, the polypeptide comprises an amino acid sequence encoded by a polynucleotide sequence selected from the group consisting of (a) a sequence of SEQ ID NO: 1, 15, 21-25, 44-64, 66-76, 79-88, 110-119, 120, 122, 124, 126, 128, 130, 132, 134, 136, 169-174, 181-188, 263, 265 and 267-290; (b) the complements of said sequences; and (c) sequences that hybridize to a sequence of (a) or (b) under moderately stringent conditions. In specific embodiments, the polypeptides of the present invention comprise at least a portion of a *Chlamydial* protein that includes an amino acid sequence selected from the group consisting of sequences recited in SEQ ID NO: 5-14, 17-20, 26, 28, 30-32, 34, 39-43, 65, 89-109, 138-158, 167, 168, 224-262, 246, 247, 254-256, 292, and variants thereof.

The present invention further provides polynucleotides that encode a polypeptide as described above, or a portion thereof (such as a portion encoding at least 15 amino acid residues of a *Chlamydial* protein), expression vectors comprising such polynucleotides and host cells transformed or transfected with such expression vectors.

In a related aspect, polynucleotide sequences encoding the above polypeptides, recombinant expression vectors comprising one or more of these polynucleotide sequences and host cells transformed or transfected with such expression vectors are also provided.

In another aspect, the present invention provides fusion proteins comprising an inventive polypeptide, or, alternatively, an inventive polypeptide and a known *Chlamydia* antigen, as well as polynucleotides encoding such fusion proteins, in combination with a physiologically acceptable carrier or immunostimulant for use as pharmaceutical compositions and vaccines thereof.

The present invention further provides pharmaceutical compositions that comprise: (a) an antibody, both polyclonal and monoclonal, or antigen-binding fragment thereof that specifically binds to a *Chlamydial* protein; and (b) a physiologically acceptable carrier. Within other aspects, the present invention provides pharmaceutical compositions that comprise one or more *Chlamydia* polypeptides disclosed herein, or a polynucleotide molecule encoding such a polypeptide, and a physiologically acceptable carrier. The invention also provides vaccines for prophylactic and therapeutic purposes comprising one or more of the disclosed polypeptides and an immunostimulant, as defined herein, together with vaccines comprising one or more polynucleotide sequences encoding such polypeptides and an immunostimulant.

In yet another aspect, methods are provided for inducing protective immunity in a patient, comprising administering to a patient an effective amount of one or more of the above pharmaceutical compositions or vaccines.

In yet a further aspect, methods for the treatment of *Chlamydia* infection in a patient are provided, the methods comprising obtaining peripheral blood mononuclear cells (PBMC) from the patient, incubating the PBMC with a polypeptide of the present invention (or a polynucleotide that encodes such a polypeptide) to provide incubated T cells and administering the incubated T cells to the patient. The present invention additionally provides methods for the treatment of *Chlamydia* infection that comprise incubating antigen presenting cells with a polypeptide of the present invention (or a polynucleotide that encodes such a polypeptide) to provide incubated antigen presenting cells and administering the incubated antigen presenting cells to the patient. Proliferated cells may, but need not, be cloned prior to administration to the patient. In certain embodiments, the antigen presenting cells are selected from the group consisting of dendritic cells, macrophages, monocytes, B-cells, and fibroblasts. Compositions for the treatment of *Chlamydia* infection comprising T cells or antigen presenting cells that have been incubated with a polypeptide or polynucleotide of the present invention are also provided. Within related aspects, vaccines are provided that comprise: (a) an antigen presenting cell that expresses a polypeptide as described above and (b) an immunostimulant.

The present invention further provides, within other aspects, methods for

removing *Chlamydial*-infected cells from a biological sample, comprising contacting a biological sample with T cells that specifically react with a *Chlamydial* protein, wherein the step of contacting is performed under conditions and for a time sufficient to permit the removal of cells expressing the protein from the sample.

Within related aspects, methods are provided for inhibiting the development of *Chlamydial* infection in a patient, comprising administering to a patient a biological sample treated as described above. In further aspects of the subject invention, methods and diagnostic kits are provided for detecting *Chlamydia* infection in a patient. In one embodiment, the method comprises: (a) contacting a biological sample with at least one of the polypeptides or fusion proteins disclosed herein; and (b) detecting in the sample the presence of binding agents that bind to the polypeptide or fusion protein, thereby detecting *Chlamydia* infection in the biological sample. Suitable biological samples include whole blood, sputum, serum, plasma, saliva, cerebrospinal fluid and urine. In one embodiment, the diagnostic kits comprise one or more of the polypeptides or fusion proteins disclosed herein in combination with a detection reagent. In yet another embodiment, the diagnostic kits comprise either a monoclonal antibody or a polyclonal antibody that binds with a polypeptide of the present invention.

The present invention also provides methods for detecting *Chlamydia* infection comprising: (a) obtaining a biological sample from a patient; (b) contacting the sample with at least two oligonucleotide primers in a polymerase chain reaction, at least one of the oligonucleotide primers being specific for a polynucleotide sequence disclosed herein; and (c) detecting in the sample a polynucleotide sequence that amplifies in the presence of the oligonucleotide primers. In one embodiment, the oligonucleotide primer comprises at least about 10 contiguous nucleotides of a polynucleotide sequence peptide disclosed herein, or of a sequence that hybridizes thereto.

In a further aspect, the present invention provides a method for detecting *Chlamydia* infection in a patient comprising: (a) obtaining a biological sample from the patient; (b) contacting the sample with an oligonucleotide probe specific for a polynucleotide sequence disclosed herein; and (c) detecting in the sample a polynucleotide sequence that hybridizes to the oligonucleotide probe. In one embodiment, the oligonucleotide probe

comprises at least about 15 contiguous nucleotides of a polynucleotide sequence disclosed herein, or a sequence that hybridizes thereto.

These and other aspects of the present invention will become apparent upon reference to the following detailed description. All references disclosed herein are hereby incorporated by reference in their entirety as if each was incorporated individually.

SEQUENCE IDENTIFIERS

SEQ ID NO: 1 is the determined DNA sequence for the *C. trachomatis* clone 1-B1-66.

SEQ ID NO: 2 is the determined DNA sequence for the *C. trachomatis* clone 4-D7-28.

SEQ ID NO: 3 is the determined DNA sequence for the *C. trachomatis* clone 3-G3-10.

SEQ ID NO: 4 is the determined DNA sequence for the *C. trachomatis* clone 10-C10-31.

SEQ ID NO: 5 is the predicted amino acid sequence for 1-B1-66.

SEQ ID NO: 6 is the predicted amino acid sequence for 4-D7-28.

SEQ ID NO: 7 is a first predicted amino acid sequence for 3-G3-10.

SEQ ID NO: 8 is a second predicted amino acid sequence for 3-G3-10.

SEQ ID NO: 9 is a third predicted amino acid sequence for 3-G3-10.

SEQ ID NO: 10 is a fourth predicted amino acid sequence for 3-G3-10.

SEQ ID NO: 11 is a fifth predicted amino acid sequence for 3-G3-10.

SEQ ID NO: 12 is the predicted amino acid sequence for 10-C10-31.

SEQ ID NO: 13 is the amino acid sequence of the synthetic peptide 1-B1-66/48-67.

SEQ ID NO: 14 is the amino acid sequence of the synthetic peptide 1-B1-66/58-77.

SEQ ID NO: 15 is the determined DNA sequence for the *C. trachomatis* serovar LGV II clone 2C7-8

SEQ ID NO: 16 is the determined DNA sequence for a first putative open reading frame from *C. trachomatis* serovar D

SEQ ID NO: 17 is the predicted amino acid sequence encoded by the first putative open reading frame from *C. trachomatis* serovar D

SEQ ID NO: 18 is the amino acid sequence of the synthetic peptide CtC7.8-12

SEQ ID NO: 19 is the amino acid sequence of the synthetic peptide CtC7.8-13

SEQ ID NO: 20 is the predicted amino acid sequence encoded by a second putative open reading from *C. trachomatis* serovar D

SEQ ID NO: 21 is the determined DNA sequence for clone 4C9-18 from *C. trachomatis* LGV II

SEQ ID NO: 22 is the determined DNA sequence homologous to Lipoamide Dehydrogenase from *C. trachomatis* LGV II

SEQ ID NO: 23 is the determined DNA sequence homologous to Hypothetical protein from *C. trachomatis* LGV II

SEQ ID NO: 24 is the determined DNA sequence homologous to Ubiquinone Methyltransferase from *C. trachomatis* LGV II

SEQ ID NO: 25 is the determined DNA sequence for clone 4C9-18#2 BL21 pLysS from *C. trachomatis* LGV II

SEQ ID NO: 26 is the predicted amino acid sequence for 4C9-18#2 from *C. trachomatis* LGV II

SEQ ID NO: 27 is the determined DNA sequence for Cp-SWIB from *C. pneumonia* strain TWAR

SEQ ID NO: 28 is the predicted amino acid sequence for Cp-SWIB from *C. pneumonia* strain TWAR

SEQ ID NO: 29 is the determined DNA sequence for Cp-S13 from *C. pneumonia* strain TWAR

SEQ ID NO: 30 is the predicted amino acid sequence for Cp-S13 from *C. pneumonia* strain TWAR

SEQ ID NO: 31 is the amino acid sequence for a 10mer consensus peptide from CtC7.8-12 and CtC7.8-13

SEQ ID NO: 32 is the predicted amino acid sequence for clone 2C7-8 from *C. trachomatis* LGV II

SEQ ID NO: 33 is the determined DNA sequence of a clone from *C. trachomatis* serovar D which shows homology to clone 2C7-8

SEQ ID NO: 34 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 33

SEQ ID NO: 35 is the DNA sequence for C.p. SWIB Nde (5' primer) from *C. pneumonia*

SEQ ID NO: 36 is the DNA sequence for C.p. SWIB EcoRI (3' primer) from *C. pneumonia*

SEQ ID NO : 37 is the DNA sequence for C.p. S13 Nde (5' primer) from *C. pneumonia*

SEQ ID NO: 38 is the DNA sequence for C.p. S13 EcoRI (3' primer) from *C. pneumonia*

SEQ ID NO: 39 is the amino acid sequence for CtSwib 52-67 peptide from *C. trachomatis* LGV II

SEQ ID NO: 40 is the amino acid sequence for CpSwib 53-68 peptide from *C. pneumonia*

SEQ ID NO: 41 is the amino acid sequence for HuSwib 288-302 peptide from Human SWI domain

SEQ ID NO: 42 is the amino acid sequence for CtSWI-T 822-837 peptide from the topoisomerase-SWIB fusion of *C. trachomatis*

SEQ ID NO: 43 is the amino acid sequence for CpSWI-T 828-842 peptide from the topoisomerase-SWIB fusion of *C. pneumonia*

SEQ ID NO: 44 is a first determined DNA sequence for the *C. trachomatis* LGV II clone 19783.3.jen.seq(1>509)CTL2#11-3', representing the 3' end.

SEQ ID NO: 45 is a second determined DNA sequence for the *C. trachomatis* LGV II clone 19783.4.jen.seq(1>481)CTL2#11-5', representing the 5' end.

SEQ ID NO: 46 is the determined DNA sequence for the C. trachomatis LGV II clone 19784CTL2_12consensus.seq(1>427)CTL2#12.

SEQ ID NO: 47 is the determined DNA sequence for the C. trachomatis LGV II clone 19785.4.jen.seq(1>600)CTL2#16-5', representing the 5' end.

SEQ ID NO: 48 is a first determined DNA sequence for the C. trachomatis LGV II clone 19786.3.jen.seq(1>600)CTL2#18-3', representing the 3' end.

SEQ ID NO: 49 is a second determined DNA sequence for the C. trachomatis LGV II clone 19786.4.jen.seq(1>600)CTL2#18-5', representing the 5' end.

SEQ ID NO: 50 is the determined DNA sequence for the C. trachomatis LGV II clone 19788CTL2_21consensus.seq(1>406)CTL2#21.

SEQ ID NO: 51 is the determined DNA sequence for the C. trachomatis LGV II clone 19790CTL2_23consensus.seq(1>602)CTL2#23.

SEQ ID NO: 52 is the determined DNA sequence for the C. trachomatis LGV II clone 19791CTL2_24consensus.seq(1>145)CTL2#24.

SEQ ID NO: 53 is the determined DNA sequence for the C. trachomatis LGV II clone CTL2#4.

SEQ ID NO: 54 is the determined DNA sequence for the C. trachomatis LGV II clone CTL2#8b.

SEQ ID NO: 55 is the determined DNA sequence for the C. trachomatis LGV II clone 15-G1-89, sharing homology to the lipoamide dehydrogenase gene CT557.

SEQ ID NO: 56 is the determined DNA sequence for the C. trachomatis LGV II clone 14-H1-4, sharing homology to the thiol specific antioxidant gene CT603.

SEQ ID NO: 57 is the determined DNA sequence for the C. trachomatis LGV II clone 12-G3-83, sharing homology to the hypothetical protein CT622.

SEQ ID NO: 58 is the determined DNA sequence for the C. trachomatis LGV II clone 12-B3-95, sharing homology to the lipoamide dehydrogenase gene CT557.

SEQ ID NO: 59 is the determined DNA sequence for the C. trachomatis LGV II clone 11-H4-28, sharing homology to the dnaK gene CT396.

SEQ ID NO: 60 is the determined DNA sequence for the C. trachomatis LGV II clone 11-H3-68, sharing partial homology to the PGP6-D virulence protein and L1 ribosomal gene CT318.

SEQ ID NO: 61 is the determined DNA sequence for the C. trachomatis LGV II clone 11-G1-34, sharing partial homology to the malate dehydrogenase gene CT376 and to the glycogen hydrolase gene CT042.

SEQ ID NO: 62 is the determined DNA sequence for the C. trachomatis LGV II clone 11-G10-46, sharing homology to the hypothetical protein CT610.

SEQ ID NO: 63 is the determined DNA sequence for the C. trachomatis LGV II clone 11-C12-91, sharing homology to the OMP2 gene CT443.

SEQ ID NO: 64 is the determined DNA sequence for the C. trachomatis LGV II clone 11-A3-93, sharing homology to the HAD superfamily gene CT103.

SEQ ID NO: 65 is the determined amino acid sequence for the C. trachomatis LGV II clone 14-H1-4, sharing homology to the thiol specific antioxidant gene CT603.

SEQ ID NO: 66 is the determined DNA sequence for the C. trachomatis LGV II clone CtL2#9.

SEQ ID NO: 67 is the determined DNA sequence for the C. trachomatis LGV II clone CtL2#7.

SEQ ID NO: 68 is the determined DNA sequence for the C. trachomatis LGV II clone CtL2#6.

SEQ ID NO: 69 is the determined DNA sequence for the C. trachomatis LGV II clone CtL2#5.

SEQ ID NO: 70 is the determined DNA sequence for the C. trachomatis LGV II clone CtL2#2.

SEQ ID NO: 71 is the determined DNA sequence for the C. trachomatis LGV II clone CtL2#1.

SEQ ID NO: 72 is a first determined DNA sequence for the C. trachomatis LGV II clone 23509.2CtL2#3-5', representing the 5' end.

SEQ ID NO: 73 is a second determined DNA sequence for the C. trachomatis LGV II clone 23509.1CtL2#3-3', representing the 3' end.

SEQ ID NO: 74 is a first determined DNA sequence for the C. trachomatis LGV II clone 22121.2CtL2#10-5', representing the 5' end.

SEQ ID NO: 75 is a second determined DNA sequence for the C. trachomatis LGV II clone 22121.1CtL2#10-3', representing the 3' end.

SEQ ID NO: 76 is the determined DNA sequence for the C. trachomatis LGV II clone 19787.6CtL2#19-5', representing the 5' end.

SEQ ID NO: 77 is the determined DNA sequence for the C. pneumoniae LGV II clone CpS13-His.

SEQ ID NO: 78 is the determined DNA sequence for the C. pneumoniae LGV II clone Cp_SWIB-His.

SEQ ID NO: 79 is the determined DNA sequence for the C. trachomatis LGV II clone 23-G7-68, sharing partial homology to the L11, L10 and L1 ribosomal protein.

SEQ ID NO: 80 is the determined DNA sequence for the C. trachomatis LGV II clone 22-F8-91, sharing homology to the pmpC gene.

SEQ ID NO: 81 is the determined DNA sequence for the C. trachomatis LGV II clone 21-E8-95, sharing homology to the CT610-CT613 genes.

SEQ ID NO: 82 is the determined DNA sequence for the C. trachomatis LGV II clone 19-F12-57, sharing homology to the CT858 and recA genes.

SEQ ID NO: 83 is the determined DNA sequence for the C. trachomatis LGV II clone 19-F12-53, sharing homology to the CT445 gene encoding glutamyl tRNA synthetase.

SEQ ID NO: 84 is the determined DNA sequence for the C. trachomatis LGV II clone 19-A5-54, sharing homology to the cryptic plasmid gene.

SEQ ID NO: 85 is the determined DNA sequence for the C. trachomatis LGV II clone 17-E11-72, sharing partial homology to the OppC_2 and pmpD genes.

SEQ ID NO: 86 is the determined DNA sequence for the C. trachomatis LGV II clone 17-C1-77, sharing partial homology to the CT857 and CT858 open reading frames.

SEQ ID NO: 87 is the determined DNA sequence for the C. trachomatis LGV II clone 15-H2-76, sharing partial homology to the pmpD and SycE genes, and to the CT089 ORF.

SEQ ID NO: 88 is the determined DNA sequence for the *C. trachomatis* LGV II clone 15-A3-26, sharing homology to the CT858 ORF.

SEQ ID NO: 89 is the determined amino acid sequence for the *C. pneumoniae* clone Cp_SWIB-His.

SEQ ID NO: 90 is the determined amino acid sequence for the *C. trachomatis* LGV II clone CtL2_LPDA_FL.

SEQ ID NO: 91 is the determined amino acid sequence for the *C. pneumoniae* clone CpS13-His.

SEQ ID NO: 92 is the determined amino acid sequence for the *C. trachomatis* LGV II clone CtL2_TSA_FL.

SEQ ID NO: 93 is the amino acid sequence for Ct-Swib 43-61 peptide from *C. trachomatis* LGV II.

SEQ ID NO: 94 is the amino acid sequence for Ct-Swib 48-67 peptide from *C. trachomatis* LGV II.

SEQ ID NO: 95 is the amino acid sequence for Ct-Swib 52-71 peptide from *C. trachomatis* LGV II.

SEQ ID NO: 96 is the amino acid sequence for Ct-Swib 58-77 peptide from *C. trachomatis* LGV II.

SEQ ID NO: 97 is the amino acid sequence for Ct-Swib 63-82 peptide from *C. trachomatis* LGV II.

SEQ ID NO: 98 is the amino acid sequence for Ct-Swib 51-66 peptide from *C. trachomatis* LGV II.

SEQ ID NO: 99 is the amino acid sequence for Cp-Swib 52-67 peptide from *C. pneumoniae*.

SEQ ID NO: 100 is the amino acid sequence for Cp-Swib 37-51 peptide from *C. pneumoniae*.

SEQ ID NO: 101 is the amino acid sequence for Cp-Swib 32-51 peptide from *C. pneumoniae*.

SEQ ID NO: 102 is the amino acid sequence for Cp-Swib 37-56 peptide from *C. pneumoniae*.

SEQ ID NO: 103 is the amino acid sequence for Ct-Swib 36-50 peptide from *C. trachomatis*.

SEQ ID NO: 104 is the amino acid sequence for Ct-S13 46-65 peptide from *C. trachomatis*.

SEQ ID NO: 105 is the amino acid sequence for Ct-S13 60-80 peptide from *C. trachomatis*.

SEQ ID NO: 106 is the amino acid sequence for Ct-S13 1-20 peptide from *C. trachomatis*.

SEQ ID NO: 107 is the amino acid sequence for Ct-S13 46-65 peptide from *C. trachomatis*.

SEQ ID NO: 108 is the amino acid sequence for Ct-S13 56-75 peptide from *C. trachomatis*.

SEQ ID NO: 109 is the amino acid sequence for Cp-S13 56-75 peptide from *C. pneumoniae*.

SEQ ID NO: 110 is the determined DNA sequence for the *C. trachomatis* LGV II clone 21-G12-60, containing partial open reading frames for hypothetical proteins CT875, CT229 and CT228.

SEQ ID NO: 111 is the determined DNA sequence for the *C. trachomatis* LGV II clone 22-B3-53, sharing homology to the CT110 ORF of GroEL.

SEQ ID NO: 112 is the determined DNA sequence for the *C. trachomatis* LGV II clone 22-A1-49, sharing partial homology to the CT660 and CT659 ORFs.

SEQ ID NO: 113 is the determined DNA sequence for the *C. trachomatis* LGV II clone 17-E2-9, sharing partial homology to the CT611 and CT 610 ORFs.

SEQ ID NO: 114 is the determined DNA sequence for the *C. trachomatis* LGV II clone 17-C10-31, sharing partial homology to the CT858 ORF.

SEQ ID NO: 115 is the determined DNA sequence for the *C. trachomatis* LGV II clone 21-C7-66, sharing homology to the dnaK-like gene.

SEQ ID NO: 116 is the determined DNA sequence for the *C. trachomatis* LGV II clone 20-G3-45, containing part of the pmpB gene CT413.

SEQ ID NO: 117 is the determined DNA sequence for the C. trachomatis LGV II clone 18-C5-2, sharing homology to the S1 ribosomal protein ORF.

SEQ ID NO: 118 is the determined DNA sequence for the C. trachomatis LGV II clone 17-C5-19, containing part of the ORFs for CT431 and CT430.

SEQ ID NO: 119 is the determined DNA sequence for the C. trachomatis LGV II clone 16-D4-22, contains partial sequences of ORF3 and ORF4 of the plasmid for growth within mammalian cells.

SEQ ID NO: 120 is the determined full-length DNA sequence for the C. trachomatis serovar LGV II Cap1 gene CT529.

SEQ ID NO: 121 is the predicted full-length amino acid sequence for the C. trachomatis serovar LGV II Cap1 gene CT529.

SEQ ID NO: 122 is the determined full-length DNA sequence for the C. trachomatis serovar E Cap1 gene CT529.

SEQ ID NO: 123 is the predicted full-length amino acid sequence for the C. trachomatis serovar E Cap1 gene CT529.

SEQ ID NO: 124 is the determined full-length DNA sequence for the C. trachomatis serovar 1A Cap1 gene CT529.

SEQ ID NO: 125 is the predicted full-length amino acid sequence for the C. trachomatis serovar 1A Cap1 gene CT529.

SEQ ID NO: 126 is the determined full-length DNA sequence for the C. trachomatis serovar G Cap1 gene CT529.

SEQ ID NO: 127 is the predicted full-length amino acid sequence for the C. trachomatis serovar G Cap1 gene CT529.

SEQ ID NO: 128 is the determined full-length DNA sequence for the C. trachomatis serovar F1 NII Cap1 gene CT529.

SEQ ID NO: 129 is the predicted full-length amino acid sequence for the C. trachomatis serovar F1 NII Cap1 gene CT529.

SEQ ID NO: 130 is the determined full-length DNA sequence for the C. trachomatis serovar L1 Cap1 gene CT529.

SEQ ID NO: 131 is the predicted full-length amino acid sequence for the C. trachomatis serovar L1 Cap1 gene CT529.

SEQ ID NO: 132 is the determined full-length DNA sequence for the C. trachomatis serovar L3 Cap1 gene CT529.

SEQ ID NO: 133 is the predicted full-length amino acid sequence for the C. trachomatis serovar L3 Cap1 gene CT529.

SEQ ID NO: 134 is the determined full-length DNA sequence for the C. trachomatis serovar Ba Cap1 gene CT529.

SEQ ID NO: 135 is the predicted full-length amino acid sequence for the C. trachomatis serovar Ba Cap1 gene CT529.

SEQ ID NO: 136 is the determined full-length DNA sequence for the C. trachomatis serovar MOPN Cap1 gene CT529.

SEQ ID NO: 137 is the predicted full-length amino acid sequence for the C. trachomatis serovar MOPN Cap1 gene CT529.

SEQ ID NO: 138 is the determined amino acid sequence for the Cap1 CT529 ORF peptide #124-139 of *C. trachomatis* serovar L2.

SEQ ID NO: 139 is the determined amino acid sequence for the Cap1 CT529 ORF peptide #132-147 of *C. trachomatis* serovar L2.

SEQ ID NO: 140 is the determined amino acid sequence for the Cap1 CT529 ORF peptide #138-155 of *C. trachomatis* serovar L2.

SEQ ID NO: 141 is the determined amino acid sequence for the Cap1 CT529 ORF peptide #146-163 of *C. trachomatis* serovar L2.

SEQ ID NO: 142 is the determined amino acid sequence for the Cap1 CT529 ORF peptide #154-171 of *C. trachomatis* serovar L2.

SEQ ID NO: 143 is the determined amino acid sequence for the Cap1 CT529 ORF peptide #162-178 of *C. trachomatis* serovar L2.

SEQ ID NO: 144 is the determined amino acid sequence for the Cap1 CT529 ORF peptide #138-147 of *C. trachomatis* serovar L2.

SEQ ID NO: 145 is the determined amino acid sequence for the Cap1 CT529 ORF peptide #139-147 of *C. trachomatis* serovar L2.

SEQ ID NO: 146 is the determined amino acid sequence for the Cap1 CT529 ORF peptide #140-147 of *C. trachomatis* serovar L2.

SEQ ID NO: 147 is the determined amino acid sequence for the Cap1 CT529 ORF peptide #138-146 of *C. trachomatis* serovar L2.

SEQ ID NO: 148 is the determined amino acid sequence for the Cap1 CT529 ORF peptide #138-145 of *C. trachomatis* serovar L2.

SEQ ID NO: 149 is the determined amino acid sequence for the Cap1 CT529 ORF peptide # F140->I of *C. trachomatis* serovar L2.

SEQ ID NO: 150 is the determined amino acid sequence for the Cap1 CT529 ORF peptide # #S139>Ga of *C. trachomatis* serovar L2.

SEQ ID NO: 151 is the determined amino acid sequence for the Cap1 CT529 ORF peptide # #S139>Gb of *C. trachomatis* serovar L2.

SEQ ID NO: 152 is the determined amino acid sequence for the peptide # 2 C7.8-6 of the 216aa ORF of *C. trachomatis* serovar L2.

SEQ ID NO: 153 is the determined amino acid sequence for the peptide # 2 C7.8-7 of the 216aa ORF of *C. trachomatis* serovar L2.

SEQ ID NO: 154 is the determined amino acid sequence for the peptide # 2 C7.8-8 of the 216aa ORF of *C. trachomatis* serovar L2.

SEQ ID NO: 155 is the determined amino acid sequence for the peptide # 2 C7.8-9 of the 216aa ORF of *C. trachomatis* serovar L2.

SEQ ID NO: 156 is the determined amino acid sequence for the peptide # 2 C7.8-10 of the 216aa ORF of *C. trachomatis* serovar L2.

SEQ ID NO: 157 is the determined amino acid sequence for the 53 amino acid residue peptide of the 216aa ORF within clone 2C7.8 of *C. trachomatis* serovar L2.

SEQ ID NO: 158 is the determined amino acid sequence for the 52 amino acid residue peptide of the CT529 ORF within clone 2C7.8 of *C. trachomatis* serovar L2.

SEQ ID NO: 159 is the determined DNA sequence for the 5' (forward) primer for cloning full-length CT529 serovar L2.

SEQ ID NO: 160 is the determined DNA sequence for the 5' (reverse) primer for cloning full-length CT529 serovar L2.

SEQ ID NO: 161 is the determined DNA sequence for the 5' (forward) primer for cloning full-length CT529 for serovars other than L2 and MOPN.

SEQ ID NO: 162 is the determined DNA sequence for the 5' (reverse) primer for cloning full-length CT529 serovars other than L2 and MOPN.

SEQ ID NO: 163 is the determined DNA sequence for the 5' (forward) primer for cloning full-length CT529 serovar MOPN.

SEQ ID NO: 164 is the determined DNA sequence for the 5' (reverse) primer for cloning full-length CT529 serovar MOPN.

SEQ ID NO: 165 is the determined DNA sequence for the 5' (forward) primer for pBIB-KS.

SEQ ID NO: 166 is the determined DNA sequence for the 5' (reverse) primer for pBIB-KS.

SEQ ID NO: 167 is the determined amino acid sequence for the 9-mer epitope peptide Cap1#139-147 from serovar L2.

SEQ ID NO: 168 is the determined amino acid sequence for the 9-mer epitope peptide Cap1#139-147 from serovar D.

SEQ ID NO: 169 is the determined full-length DNA sequence for the *C. trachomatis* pmpI gene.

SEQ ID NO: 170 is the determined full-length DNA sequence for the *C. trachomatis* pmpG gene.

SEQ ID NO: 171 is the determined full-length DNA sequence for the *C. trachomatis* pmpE gene.

SEQ ID NO: 172 is the determined full-length DNA sequence for the *C. trachomatis* pmpD gene.

SEQ ID NO: 173 is the determined full-length DNA sequence for the *C. trachomatis* pmpC gene.

SEQ ID NO: 174 is the determined full-length DNA sequence for the *C. trachomatis* pmpB gene.

SEQ ID NO: 175 is the predicted full-length amino acid sequence for the *C. trachomatis* pmpI gene.

SEQ ID NO: 176 is the predicted full-length amino acid sequence for the *C. trachomatis* pmpG gene.

SEQ ID NO: 177 is the predicted full-length amino acid sequence for the *C. trachomatis* pmpE gene.

SEQ ID NO: 178 is the predicted full-length amino acid sequence for the *C. trachomatis* pmpD gene.

SEQ ID NO: 179 is the predicted full-length amino acid sequence for the *C. trachomatis* pmpC gene.

SEQ ID NO: 180 is the predicted full-length amino acid sequence for the *C. trachomatis* pmpB gene.

SEQ ID NO: 181 is the determined DNA sequence minus the signal sequence for the *C. trachomatis* pmpI gene.

SEQ ID NO: 182 is a subsequently determined full-length DNA sequence for the *C. trachomatis* pmpG gene.

SEQ ID NO: 183 is the determined DNA sequence minus the signal sequence for the *C. trachomatis* pmpE gene.

SEQ ID NO: 184 is a first determined DNA sequence representing the carboxy terminus for the *C. trachomatis* pmpD gene.

SEQ ID NO: 185 is a second determined DNA sequence representing the amino terminus minus the signal sequence for the *C. trachomatis* pmpD gene.

SEQ ID NO: 186 is a first determined DNA sequence representing the carboxy terminus for the *C. trachomatis* pmpC gene.

SEQ ID NO: 187 is a second determined DNA sequence representing the amino terminus minus the signal sequence for the *C. trachomatis* pmpC gene.

SEQ ID NO: 188 is the determined DNA sequence representing the *C. pneumoniae* serovar MOMPS pmp gene in a fusion molecule with Ra12.

SEQ ID NO: 189 is the predicted amino acid sequence minus the signal sequence for the *C. trachomatis* pmpI gene.

SEQ ID NO: 190 is subsequently predicted amino acid sequence for the *C. trachomatis* pmpG gene.

SEQ ID NO: 191 is the predicted amino acid sequence minus the signal sequence for the *C. trachomatis* pmpE gene.

SEQ ID NO: 192 is a first predicted amino acid sequence representing the carboxy terminus for the *C. trachomatis* pmpD gene.

SEQ ID NO: 193 is a second predicted amino acid sequence representing the Amino terminus minus the signal sequence for the *C. trachomatis* pmpD gene.

SEQ ID NO: 194 is a first predicted amino acid sequence representing the Carboxy terminus for the *C. trachomatis* pmpC gene.

SEQ ID NO: 195 is a second predicted amino acid sequence representing the Amino terminus for the *C. trachomatis* pmpC gene.

SEQ ID NO: 196 is the predicted amino acid sequence representing the *C. pneumoniae* serovar MOMPS pmp gene in a fusion molecule with Ra12.

SEQ ID NO: 197 is the determined DNA sequence for the 5' oligo primer for cloning the *C. trachomatis* pmpC gene in the SKB vaccine vector.

SEQ ID NO: 198 is the determined DNA sequence for the 3' oligo primer for cloning the *C. trachomatis* pmpC gene in the SKB vaccine vector.

SEQ ID NO: 199 is the determined DNA sequence for the insertion sequence for cloning the *C. trachomatis* pmpC gene in the SKB vaccine vector.

SEQ ID NO: 200 is the determined DNA sequence for the 5' oligo primer for cloning the *C. trachomatis* pmpD gene in the SKB vaccine vector.

SEQ ID NO: 201 is the determined DNA sequence for the 3' oligo primer for cloning the *C. trachomatis* pmpD gene in the SKB vaccine vector.

SEQ ID NO: 202 is the determined DNA sequence for the insertion sequence for cloning the *C. trachomatis* pmpD gene in the SKB vaccine vector.

SEQ ID NO: 203 is the determined DNA sequence for the 5' oligo primer for cloning the *C. trachomatis* pmpE gene in the SKB vaccine vector.

SEQ ID NO: 204 is the determined DNA sequence for the 3' oligo primer for cloning the *C. trachomatis* pmpE gene in the SKB vaccine vector.

SEQ ID NO: 205 is the determined DNA sequence for the 5' oligo primer for cloning the *C. trachomatis* pmpG gene in the SKB vaccine vector.

SEQ ID NO: 206 is the determined DNA sequence for the 3' oligo primer for cloning the *C. trachomatis* pmpG gene in the SKB vaccine vector.

SEQ ID NO: 207 is the determined DNA sequence for the 5' oligo primer for cloning the amino terminus portion of the *C. trachomatis* pmpC gene in the pET17b vector.

SEQ ID NO: 208 is the determined DNA sequence for the 3' oligo primer for cloning the amino terminus portion of the *C. trachomatis* pmpC gene in the pET17b vector.

SEQ ID NO: 209 is the determined DNA sequence for the 5' oligo primer for cloning the carboxy terminus portion of the *C. trachomatis* pmpC gene in the pET17b vector.

SEQ ID NO: 210 is the determined DNA sequence for the 3' oligo primer for cloning the carboxy terminus portion of the *C. trachomatis* pmpC gene in the pET17b vector.

SEQ ID NO: 211 is the determined DNA sequence for the 5' oligo primer for cloning the amino terminus portion of the *C. trachomatis* pmpD gene in the pET17b vector.

SEQ ID NO: 212 is the determined DNA sequence for the 3' oligo primer for cloning the amino terminus portion of the *C. trachomatis* pmpD gene in the pET17b vector.

SEQ ID NO: 213 is the determined DNA sequence for the 5' oligo primer for cloning the carboxy terminus portion of the *C. trachomatis* pmpD gene in the pET17b vector.

SEQ ID NO: 214 is the determined DNA sequence for the 3' oligo primer for cloning the carboxy terminus portion of the *C. trachomatis* pmpD gene in the pET17b vector.

SEQ ID NO: 215 is the determined DNA sequence for the 5' oligo primer for cloning the *C. trachomatis* pmpE gene in the pET17b vector.

SEQ ID NO: 216 is the determined DNA sequence for the 3' oligo primer for cloning the *C. trachomatis* pmpE gene in the pET17b vector.

SEQ ID NO: 217 is the determined DNA sequence for the insertion sequence for cloning the *C. trachomatis* pmpE gene in the pET17b vector.

SEQ ID NO: 218 is the amino acid sequence for the insertion sequence for cloning the *C. trachomatis* pmpE gene in the pET17b vector.

SEQ ID NO: 219 is the determined DNA sequence for the 5' oligo primer for cloning the *C. trachomatis* pmpG gene in the pET17b vector.

SEQ ID NO: 220 is the determined DNA sequence for the 3' oligo primer for cloning the *C. trachomatis* pmpG gene in the pET17b vector.

SEQ ID NO: 221 is the amino acid sequence for the insertion sequence for cloning the *C. trachomatis* pmpG gene in the pET17b vector.

SEQ ID NO: 222 is the determined DNA sequence for the 5' oligo primer for cloning the *C. trachomatis* pmpI gene in the pET17b vector.

SEQ ID NO: 223 is the determined DNA sequence for the 3' oligo primer for cloning the *C. trachomatis* pmpI gene in the pET17b vector.

SEQ ID NO: 224 is the determined amino acid sequence for the *C. pneumoniae* Swib peptide 1-20.

SEQ ID NO: 225 is the determined amino acid sequence for the *C. pneumoniae* Swib peptide 6-25.

SEQ ID NO: 226 is the determined amino acid sequence for the *C. pneumoniae* Swib peptide 12-31.

SEQ ID NO: 227 is the determined amino acid sequence for the *C. pneumoniae* Swib peptide 17-36.

SEQ ID NO: 228 is the determined amino acid sequence for the *C. pneumoniae* Swib peptide 22-41.

SEQ ID NO: 229 is the determined amino acid sequence for the *C. pneumoniae* Swib peptide 27-46.

SEQ ID NO: 230 is the determined amino acid sequence for the *C. pneumoniae* Swib peptide 42-61.

SEQ ID NO: 231 is the determined amino acid sequence for the *C. pneumoniae* Swib peptide 46-65.

SEQ ID NO: 232 is the determined amino acid sequence for the *C. pneumoniae* Swib peptide 51-70.

SEQ ID NO: 233 is the determined amino acid sequence for the *C. pneumoniae* Swib peptide 56-75.

SEQ ID NO: 234 is the determined amino acid sequence for the *C. pneumoniae* Swib peptide 61-80.

SEQ ID NO: 235 is the determined amino acid sequence for the *C. pneumoniae* Swib peptide 66-87.

SEQ ID NO: 236 is the determined amino acid sequence for the *C. trachomatis* OMCB peptide 103-122.

SEQ ID NO: 237 is the determined amino acid sequence for the *C. trachomatis* OMCB peptide 108-127.

SEQ ID NO: 238 is the determined amino acid sequence for the *C. trachomatis* OMCB peptide 113-132.

SEQ ID NO: 239 is the determined amino acid sequence for the *C. trachomatis* OMCB peptide 118-137.

SEQ ID NO: 240 is the determined amino acid sequence for the *C. trachomatis* OMCB peptide 123-143.

SEQ ID NO: 241 is the determined amino acid sequence for the *C. trachomatis* OMCB peptide 128-147.

SEQ ID NO: 242 is the determined amino acid sequence for the *C. trachomatis* OMCB peptide 133-152.

SEQ ID NO: 243 is the determined amino acid sequence for the *C. trachomatis* OMCB peptide 137-156.

SEQ ID NO: 244 is the determined amino acid sequence for the *C. trachomatis* OMCB peptide 142-161.

SEQ ID NO: 245 is the determined amino acid sequence for the *C. trachomatis* OMCB peptide 147-166.

SEQ ID NO: 246 is the determined amino acid sequence for the *C. trachomatis* OMCB peptide 152-171.

SEQ ID NO: 247 is the determined amino acid sequence for the *C. trachomatis* OMCB peptide 157-176.

SEQ ID NO: 248 is the determined amino acid sequence for the *C. trachomatis* OMCB peptide 162-181.

SEQ ID NO: 249 is the determined amino acid sequence for the *C. trachomatis* OMCB peptide 167-186.

SEQ ID NO: 250 is the determined amino acid sequence for the *C. trachomatis* OMCB peptide 171-190.

SEQ ID NO: 251 is the determined amino acid sequence for the *C. trachomatis* OMCB peptide 171-186.

SEQ ID NO: 252 is the determined amino acid sequence for the *C. trachomatis* OMCB peptide 175-186.

SEQ ID NO: 252 is the determined amino acid sequence for the *C. trachomatis* OMCB peptide 175-186.

SEQ ID NO: 253 is the determined amino acid sequence for the *C. pneumoniae* OMCB peptide 185-198.

SEQ ID NO: 254 is the determined amino acid sequence for the *C. trachomatis* TSA peptide 96-115.

SEQ ID NO: 255 is the determined amino acid sequence for the *C. trachomatis* TSA peptide 101-120.

SEQ ID NO: 256 is the determined amino acid sequence for the *C. trachomatis* TSA peptide 106-125.

SEQ ID NO: 257 is the determined amino acid sequence for the *C. trachomatis* TSA peptide 111-130.

SEQ ID NO: 258 is the determined amino acid sequence for the *C. trachomatis* TSA peptide 116-135.

SEQ ID NO: 259 is the determined amino acid sequence for the *C. trachomatis* TSA peptide 121-140.

SEQ ID NO: 260 is the determined amino acid sequence for the *C. trachomatis* TSA peptide 126-145.

SEQ ID NO: 261 is the determined amino acid sequence for the *C. trachomatis* TSA peptide 131-150.

SEQ ID NO: 262 is the determined amino acid sequence for the *C. trachomatis* TSA peptide 136-155.

SEQ ID NO: 263 is the determined full-length DNA sequence for the *C. trachomatis* CT529/Cap 1 gene serovar I.

SEQ ID NO: 264 is the predicted full-length amino sequence for the *C. trachomatis* CT529/Cap 1 gene serovar I.

SEQ ID NO: 265 is the determined full-length DNA sequence for the *C. trachomatis* CT529/Cap 1 gene serovar K.

SEQ ID NO: 266 is the predicted full-length amino sequence for the *C. trachomatis* CT529/Cap 1 gene serovar K.

SEQ ID NO: 267 is the determined DNA sequence for the *C. trachomatis* clone 17-G4-36 sharing homology to part of the ORF of DNA-directed RNA polymerase beta subunit- CT315 in serD.

SEQ ID NO: 268 is the determined DNA sequence for the partial sequence of the *C. trachomatis* CT016 gene in clone 2E10.

SEQ ID NO: 269 is the determined DNA sequence for the partial sequence of the *C. trachomatis* tRNA synthase gene in clone 2E10.

SEQ ID NO: 270 is the determined DNA sequence for the partial sequence for the *C. trachomatis* clpX gene in clone 2E10.

SEQ ID NO: 271 is a first determined DNA sequence for the *C. trachomatis* clone CtL2gam-30 representing the 5'end.

SEQ ID NO: 272 is a second determined DNA sequence for the *C. trachomatis* clone CtL2gam-30 representing the 3'end.

SEQ ID NO: 273 is the determined DNA sequence for the *C. trachomatis* clone CtL2gam-28.

SEQ ID NO: 274 is the determined DNA sequence for the *C. trachomatis* clone CtL2gam-27.

SEQ ID NO: 275 is the determined DNA sequence for the *C. trachomatis* clone CtL2gam-26.

SEQ ID NO: 276 is the determined DNA sequence for the *C. trachomatis* clone CtL2gam-24.

SEQ ID NO: 277 is the determined DNA sequence for the *C. trachomatis* clone CtL2gam-23.

SEQ ID NO: 278 is the determined DNA sequence for the *C. trachomatis* clone CtL2gam-21.

SEQ ID NO: 279 is the determined DNA sequence for the *C. trachomatis*

clone CtL2gam-18.

SEQ ID NO: 280 is the determined DNA sequence for the *C. trachomatis* clone CtL2gam-17.

SEQ ID NO: 281 is a first determined DNA sequence for the *C. trachomatis* clone CtL2gam-15 representing the 5' end.

SEQ ID NO: 282 is a second determined DNA sequence for the *C. trachomatis* clone CtL2gam-15 representing the 3' end.

SEQ ID NO: 283 is the determined DNA sequence for the *C. trachomatis* clone CtL2gam-13.

SEQ ID NO: 284 is the determined DNA sequence for the *C. trachomatis* clone CtL2gam-10.

SEQ ID NO: 285 is the determined DNA sequence for the *C. trachomatis* clone CtL2gam-8.

SEQ ID NO: 286 is a first determined DNA sequence for the *C. trachomatis* clone CtL2gam-6 representing the 5' end.

SEQ ID NO: 287 is a second determined DNA sequence for the *C. trachomatis* clone CtL2gam-6 representing the 3' end.

SEQ ID NO: 288 is the determined DNA sequence for the *C. trachomatis* clone CtL2gam-5.

SEQ ID NO: 289 is the determined DNA sequence for the *C. trachomatis* clone CtL2gam-2.

SEQ ID NO: 290 is the determined DNA sequence for the *C. trachomatis* clone CtL2gam-1.

SEQ ID NO: 291 is the determined full-length DNA sequence for the *C. pneumoniae* homologue of the CT529 gene.

SEQ ID NO: 292 is the predicted full-length amino acid sequence for the *C. pneumoniae* homologue of the CT529 gene.

SEQ ID NO: 293 is the determined DNA sequence for the insertion sequence for cloning the *C. trachomatis* pmpG gene in the SKB vaccine vector.

DESCRIPTION OF THE FIGURES

Fig. 1 illustrates induction of INF- γ from a *Chlamydia*-specific T cell line activated by target cells expressing clone 4C9-18#2.

Fig. 2 illustrates retroviral vectors pBIB-KS1,2,3 modified to contain a Kosak translation initiation site and stop codons.

Fig. 3 shows specific lysis in a chromium release assay of P815 cells pulsed with *Chlamydia* peptides CtC7.8-12 (SEQ ID NO: 18) and CtC7.8-13 (SEQ ID NO: 19).

Fig. 4 shows antibody isotype titers in C57Bl/6 mice immunized with *C. trachomatis* SWIB protein.

Fig. 5 shows *Chlamydia*-specific T-cell proliferative responses in splenocytes from C3H mice immunized with *C. trachomatis* SWIB protein.

Fig. 6 illustrates the 5' and 3' primer sequences designed from *C. pneumoniae* which were used to isolate the SWIB and S13 genes from *C. pneumoniae*.

Figs. 7A and 7B show induction of IFN- γ from a human anti-*chlamydia* T-cell line (TCL-8) capable of cross-reacting to *C. trachomatis* and *C. pneumonia* upon activation by monocyte-derived dendritic cells expressing chlamydial proteins.

Fig. 8 shows the identification of T cell epitopes in Chlamydial ribosomal S13 protein with T-cell line TCL 8 EB/DC.

Fig. 9 illustrates the proliferative response of CP-21 T-cells generated against *C. pneumoniae*-infected dendritic cells to recombinant *C. pneumonia*-SWIBprotein, but not *C. trachomatis* SWIB protein.

Fig. 10 shows the *C. trachomatis*-specific SWIB proliferative responses of a primary T-cell line (TCT-10 EB) from an asymptomatic donor.

Fig. 11 illustrates the identification of T-cell epitope in *C. trachomatis* SWIB with an antigen specific T-cell line (TCL-10 EB).

DETAILED DESCRIPTION OF THE INVENTION

As noted above, the present invention is generally directed to compositions and methods for the diagnosis and treatment of Chlamydial infection. In one aspect, the compositions of the subject invention include polypeptides that comprise at least one immunogenic portion of a *Chlamydia* antigen, or a variant thereof.

In specific embodiments, the subject invention discloses polypeptides comprising an immunogenic portion of a *Chlamydia* antigen, wherein the *Chlamydia* antigen comprises an amino acid sequence encoded by a polynucleotide molecule including a sequence selected from the group consisting of (a) nucleotide sequences recited in SEQ ID NO: 1, 15, 21-25, 44-64, 66-76, 79-88, 110-119, 120, 122, 124, 126, 128, 130, 132, 134, 136, 169-174, 181-188, 263, 265 and 267-290 (b) the complements of said nucleotide sequences, and (c) variants of such sequences.

As used herein, the term "polypeptide" encompasses amino acid chains of any length, including full length proteins (*i.e.*, antigens), wherein the amino acid residues are linked by covalent peptide bonds. Thus, a polypeptide comprising an immunogenic portion of one of the inventive antigens may consist entirely of the immunogenic portion, or may contain additional sequences. The additional sequences may be derived from the native *Chlamydia* antigen or may be heterologous, and such sequences may (but need not) be immunogenic.

The term "polynucleotide(s)," as used herein, means a single or double-stranded polymer of deoxyribonucleotide or ribonucleotide bases and includes DNA and corresponding RNA molecules, including HnRNA and mRNA molecules, both sense and anti-sense strands, and comprehends cDNA, genomic DNA and recombinant DNA, as well as wholly or partially synthesized polynucleotides. An HnRNA molecule contains introns and corresponds to a DNA molecule in a generally one-to-one manner. An mRNA molecule corresponds to an HnRNA and DNA molecule from which the introns have been excised. A polynucleotide may consist of an entire gene, or any portion thereof. Operable anti-sense polynucleotides may comprise a fragment of the corresponding polynucleotide, and the definition of "polynucleotide" therefore includes all such operable anti-sense fragments.

An "immunogenic portion" of an antigen is a portion that is capable of reacting with sera obtained from a *Chlamydia*-infected individual (*i.e.*, generates an absorbance reading with sera from infected individuals that is at least three standard deviations above the absorbance obtained with sera from uninfected individuals, in a representative ELISA assay described herein). Such immunogenic portions generally comprise at least about 5 amino acid residues, more preferably at least about 10, and most

preferably at least about 20 amino acid residues. Methods for preparing and identifying immunogenic portions of antigens of known sequence are well known in the art and include those summarized in Paul, *Fundamental Immunology*, 3rd ed., Raven Press, 1993, pp. 243-247 and references cited therein. Such techniques include screening polypeptides for the ability to react with antigen-specific antibodies, antisera and/or T-cell lines or clones. As used herein, antisera and antibodies are "antigen-specific" if they specifically bind to an antigen (*i.e.*, they react with the protein in an ELISA or other immunoassay, and do not react detectably with unrelated proteins). Such antisera and antibodies may be prepared as described herein, and using well known techniques. An immunogenic portion of a native *Chlamydia* protein is a portion that reacts with such antisera and/or T-cells at a level that is not substantially less than the reactivity of the full length polypeptide (*e.g.*, in an ELISA and/or T-cell reactivity assay). Such immunogenic portions may react within such assays at a level that is similar to or greater than the reactivity of the full length polypeptide. Such screens may generally be performed using methods well known to those of ordinary skill in the art, such as those described in Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. For example, a polypeptide may be immobilized on a solid support and contacted with patient sera to allow binding of antibodies within the sera to the immobilized polypeptide. Unbound sera may then be removed and bound antibodies detected using, for example, ¹²⁵I-labeled Protein A.

Examples of immunogenic portions of antigens contemplated by the present invention include, for example, the T cell stimulating epitopes provided in SEQ ID NO: 9, 10, 18, 19, 31, 39, 93-96, 98, 100-102, 106, 108, 138-140, 158, 167, 168, 246, 247 and 254-256. Polypeptides comprising at least an immunogenic portion of one or more *Chlamydia* antigens as described herein may generally be used, alone or in combination, to detect Chlamydial infection in a patient.

The compositions and methods of the present invention also encompass variants of the above polypeptides and polynucleotide molecules. Such variants include, but are not limited to, naturally occurring allelic variants of the inventive sequences. In particular, variants include other *Chlamydiae* serovars, such as serovars D, E and F, as well as the several LGV serovars which share homology to the inventive polypeptide and

polynucleotide molecules described herein. Preferably, the serovar homologues show 95-99% homology to the corresponding polypeptide sequence(s) described herein.

A polypeptide "variant," as used herein, is a polypeptide that differs from the recited polypeptide only in conservative substitutions and/or modifications, such that the antigenic properties of the polypeptide are retained. In a preferred embodiment, variant polypeptides differ from an identified sequence by substitution, deletion or addition of five amino acids or fewer. Such variants may generally be identified by modifying one of the above polypeptide sequences, and evaluating the antigenic properties of the modified polypeptide using, for example, the representative procedures described herein. In other words, the ability of a variant to react with antigen-specific antisera may be enhanced or unchanged, relative to the native protein, or may be diminished by less than 50%, and preferably less than 20%, relative to the native protein. Such variants may generally be identified by modifying one of the above polypeptide sequences and evaluating the reactivity of the modified polypeptide with antigen-specific antibodies or antisera as described herein. Preferred variants include those in which one or more portions, such as an N-terminal leader sequence or transmembrane domain, have been removed. Other preferred variants include variants in which a small portion (*e.g.*, 1-30 amino acids, preferably 5-15 amino acids) has been removed from the N- and/or C-terminal of the mature protein. Polypeptide variants preferably exhibit at least about 70%, more preferably at least about 90% and most preferably at least about 95% identity (determined as described below) to the identified polypeptides.

As used herein, a "conservative substitution" is one in which an amino acid is substituted for another amino acid that has similar properties, such that one skilled in the art of peptide chemistry would expect the secondary structure and hydropathic nature of the polypeptide to be substantially unchanged. Amino acid substitutions may generally be made on the basis of similarity in polarity, charge, solubility, hydrophobicity, hydrophilicity and/or the amphipathic nature of the residues. For example, negatively charged amino acids include aspartic acid and glutamic acid; positively charged amino acids include lysine and arginine; and amino acids with uncharged polar head groups having similar hydrophilicity values include leucine, isoleucine and valine; glycine and alanine; asparagine and glutamine; and serine, threonine, phenylalanine and tyrosine. Other groups of amino acids that may represent

conservative changes include: (1) ala, pro, gly, glu, asp, gln, asn, ser, thr; (2) cys, ser, tyr, thr; (3) val, ile, leu, met, ala, phe; (4) lys, arg, his; and (5) phe, tyr, trp, his. A variant may also, or alternatively, contain nonconservative changes. In a preferred embodiment, variant polypeptides differ from a native sequence by substitution, deletion or addition of five amino acids or fewer. Variants may also (or alternatively) be modified by, for example, the deletion or addition of amino acids that have minimal influence on the immunogenicity, secondary structure and hydrophobic nature of the polypeptide. Variants may also, or alternatively, contain other modifications, including the deletion or addition of amino acids that have minimal influence on the antigenic properties, secondary structure and hydrophobic nature of the polypeptide. For example, a polypeptide may be conjugated to a signal (or leader) sequence at the N-terminal end of the protein which co-translationally or post-translationally directs transfer of the protein. The polypeptide may also be conjugated to a linker or other sequence for ease of synthesis, purification or identification of the polypeptide (e.g., poly-His), or to enhance binding of the polypeptide to a solid support. For example, a polypeptide may be conjugated to an immunoglobulin Fc region.

A polynucleotide "variant" is a sequence that differs from the recited nucleotide sequence in having one or more nucleotide deletions, substitutions or additions such that the immunogenicity of the encoded polypeptide is not diminished, relative to the native protein. The effect on the immunogenicity of the encoded polypeptide may generally be assessed as described herein. Such modifications may be readily introduced using standard mutagenesis techniques, such as oligonucleotide-directed site-specific mutagenesis as taught, for example, by Adelman et al. (*DNA*, 2:183, 1983). Nucleotide variants may be naturally occurring allelic variants as discussed below, or non-naturally occurring variants. Variant nucleotide sequences preferably exhibit at least about 70%, more preferably at least about 80% and most preferably at least about 90% identity (determined as described below) to the recited sequence.

The polypeptides provided by the present invention include variants that are encoded by polynucleotide sequences which are substantially homologous to one or more of the polynucleotide sequences specifically recited herein. "Substantial homology," as used herein, refers to polynucleotide sequences that are capable of hybridizing under moderately

stringent conditions. Suitable moderately stringent conditions include prewashing in a solution of 5X SSC, 0.5% SDS, 1.0 mM EDTA (pH 8.0); hybridizing at 50°C-65°C, 5X SSC, overnight or, in the event of cross-species homology, at 45°C with 0.5X SSC; followed by washing twice at 65°C for 20 minutes with each of 2X, 0.5X and 0.2X SSC containing 0.1% SDS. Such hybridizing polynucleotide sequences are also within the scope of this invention, as are nucleotide sequences that, due to code degeneracy, encode a polypeptide that is the same as a polypeptide of the present invention.

Two nucleotide or polypeptide sequences are said to be "identical" if the sequence of nucleotides or amino acid residues in the two sequences is the same when aligned for maximum correspondence as described below. Comparisons between two sequences are typically performed by comparing the sequences over a comparison window to identify and compare local regions of sequence similarity. A "comparison window" as used herein, refers to a segment of at least about 20 contiguous positions, usually 30 to about 75, 40 to about 50, in which a sequence may be compared to a reference sequence of the same number of contiguous positions after the two sequences are optimally aligned.

Optimal alignment of sequences for comparison may be conducted using the Megalign program in the Lasergene suite of bioinformatics software (DNASTAR, Inc., Madison, WI), using default parameters. This program embodies several alignment schemes described in the following references: Dayhoff, M.O. (1978) A model of evolutionary change in proteins – Matrices for detecting distant relationships. In Dayhoff, M.O. (ed.) *Atlas of Protein Sequence and Structure*, National Biomedical Research Foundation, Washington DC Vol. 5, Suppl. 3, pp. 345-358; Hein J. (1990) Unified Approach to Alignment and Phylogenies pp. 626-645 *Methods in Enzymology* vol. 183, Academic Press, Inc., San Diego, CA; Higgins, D.G. and Sharp, P.M. (1989) Fast and sensitive multiple sequence alignments on a microcomputer *CABIOS* 5:151-153; Myers, E.W. and Muller W. (1988) Optimal alignments in linear space *CABIOS* 4:11-17; Robinson, E.D. (1971) *Comb. Theor* 11:105; Santou, N. Nes, M. (1987) The neighbor joining method. A new method for reconstructing phylogenetic trees *Mol. Biol. Evol.* 4:406-425; Sneath, P.H.A. and Sokal, R.R. (1973) *Numerical Taxonomy – the Principles and Practice of Numerical Taxonomy*, Freeman Press, San

Francisco, CA; Wilbur, W.J. and Lipman, D.J. (1983) Rapid similarity searches of nucleic acid and protein data banks *Proc. Natl. Acad., Sci. USA* 80:726-730.

Preferably, the "percentage of sequence identity" is determined by comparing two optimally aligned sequences over a window of comparison of at least 20 positions, wherein the portion of the polynucleotide sequence in the comparison window may comprise additions or deletions (i.e. gaps) of 20 percent or less, usually 5 to 15 percent, or 10 to 12 percent, as compared to the reference sequences (which does not comprise additions or deletions) for optimal alignment of the two sequences. The percentage is calculated by determining the number of positions at which the identical nucleic acid bases or amino acid residue occurs in both sequences to yield the number of matched positions, dividing the number of matched positions by the total number of positions in the reference sequence (i.e. the window size) and multiplying the results by 100 to yield the percentage of sequence identity.

Also included in the scope of the present invention are alleles of the genes encoding the nucleotide sequences recited herein. As used herein, an "allele" or "allelic sequence" is an alternative form of the gene which may result from at least one mutation in the nucleic acid sequence. Alleles may result in altered mRNAs or polypeptides whose structure or function may or may not be altered. Any given gene may have none, one, or many allelic forms. Common mutational changes which give rise to alleles are generally ascribed to natural deletions, additions, or substitutions of nucleotides. Each of these types of changes may occur alone or in combination with the others, one or more times in a given sequence. In specific embodiments, the subject invention discloses polypeptides comprising at least an immunogenic portion of a *Chlamydia* antigen (or a variant of such an antigen), that comprises one or more of the amino acid sequences encoded by (a) a polynucleotide sequence selected from the group consisting of SEQ ID NO: 1-4, 15 21-25, 44-64, 66-76 and 79-88; (b) the complements of such DNA sequences or (c) DNA sequences substantially homologous to a sequence in (a) or (b). As discussed in the Examples below, several of the *Chlamydia* antigens disclosed herein recognize a T cell line that recognizes both *Chlamydia trachomatis* and *Chlamydia pneumoniae* infected monocyte-derived dendritic cells, indicating that they may represent an immunoreactive epitope shared by *Chlamydia trachomatis* and

Chlamydia pneumoniae. The antigens may thus be employed in a vaccine for both *C. trachomatis* genital tract infections and for *C. pneumonia* infections. Further characterization of these *Chlamydia* antigens from *Chlamydia trachomatis* and *Chlamydia pneumonia* to determine the extent of cross-reactivity is provided in Example 6. Additionally, Example 4 describes cDNA fragments (SEQ ID NO: 15, 16 and 33) isolated from *C. trachomatis* which encode proteins (SEQ ID NO: 17-19 and 32) capable of stimulating a *Chlamydia*-specific murine CD8+ T cell line.

In general, *Chlamydia* antigens, and polynucleotide sequences encoding such antigens, may be prepared using any of a variety of procedures. For example, polynucleotide molecules encoding *Chlamydia* antigens may be isolated from a *Chlamydia* genomic or cDNA expression library by screening with a *Chlamydia*-specific T cell line as described below, and sequenced using techniques well known to those of skill in the art. Additionally, a polynucleotide may be identified, as described in more detail below, by screening a microarray of cDNAs for *Chlamydia*-associated expression (*i.e.*, expression that is at least two fold greater in *Chlamydia*-infected cells than in controls, as determined using a representative assay provided herein). Such screens may be performed using a Synteni microarray (Palo Alto, CA) according to the manufacturer's instructions (and essentially as described by Schena et al., *Proc. Natl. Acad. Sci. USA* 93:10614-10619, 1996 and Heller et al., *Proc. Natl. Acad. Sci. USA* 94:2150-2155, 1997). Alternatively, polypeptides may be amplified from cDNA prepared from cells expressing the proteins described herein.. Such polynucleotides may be amplified via polymerase chain reaction (PCR). For this approach, sequence-specific primers may be designed based on the sequences provided herein, and may be purchased or synthesized.

Antigens may be produced recombinantly, as described below, by inserting a polynucleotide sequence that encodes the antigen into an expression vector and expressing the antigen in an appropriate host. Antigens may be evaluated for a desired property, such as the ability to react with sera obtained from a *Chlamydia*-infected individual as described herein, and may be sequenced using, for example, traditional Edman chemistry. See Edman and Berg, *Eur. J. Biochem.* 80:116-132, 1967.

Polynucleotide sequences encoding antigens may also be obtained by screening an appropriate *Chlamydia* cDNA or genomic DNA library for polynucleotide sequences that hybridize to degenerate oligonucleotides derived from partial amino acid sequences of isolated antigens. Degenerate oligonucleotide sequences for use in such a screen may be designed and synthesized, and the screen may be performed, as described (for example) in Sambrook et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratories, Cold Spring Harbor, NY (and references cited therein). Polymerase chain reaction (PCR) may also be employed, using the above oligonucleotides in methods well known in the art, to isolate a nucleic acid probe from a cDNA or genomic library. The library screen may then be performed using the isolated probe.

An amplified portion may be used to isolate a full length gene from a suitable library (e.g., a *Chlamydia* cDNA library) using well known techniques. Within such techniques, a library (cDNA or genomic) is screened using one or more polynucleotide probes or primers suitable for amplification. Preferably, a library is size-selected to include larger molecules. Random primed libraries may also be preferred for identifying 5' and upstream regions of genes. Genomic libraries are preferred for obtaining introns and extending 5' sequences.

For hybridization techniques, a partial sequence may be labeled (e.g., by nick-translation or end-labeling with ^{32}P) using well known techniques. A bacterial or bacteriophage library is then screened by hybridizing filters containing denatured bacterial colonies (or lawns containing phage plaques) with the labeled probe (see Sambrook et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratories, Cold Spring Harbor, NY, 1989). Hybridizing colonies or plaques are selected and expanded, and the DNA is isolated for further analysis. cDNA clones may be analyzed to determine the amount of additional sequence by, for example, PCR using a primer from the partial sequence and a primer from the vector. Restriction maps and partial sequences may be generated to identify one or more overlapping clones. The complete sequence may then be determined using standard techniques, which may involve generating a series of deletion clones. The resulting overlapping sequences are then assembled into a single contiguous sequence. A full length cDNA molecule can be generated by ligating suitable fragments, using well known

techniques.

Alternatively, there are numerous amplification techniques for obtaining a full length coding sequence from a partial cDNA sequence. Within such techniques, amplification is generally performed via PCR. Any of a variety of commercially available kits may be used to perform the amplification step. Primers may be designed using techniques well known in the art (*see, for example, Mullis et al., Cold Spring Harbor Symp. Quant. Biol. 51:263, 1987; Erlich ed., PCR Technology, Stockton Press, NY, 1989*), and software well known in the art may also be employed. Primers are preferably 22-30 nucleotides in length, have a GC content of at least 50% and anneal to the target sequence at temperatures of about 68°C to 72°C. The amplified region may be sequenced as described above, and overlapping sequences assembled into a contiguous sequence.

One such amplification technique is inverse PCR (*see Triglia et al., Nucl. Acids Res. 16:8186, 1988*), which uses restriction enzymes to generate a fragment in the known region of the gene. The fragment is then circularized by intramolecular ligation and used as a template for PCR with divergent primers derived from the known region. Within an alternative approach, sequences adjacent to a partial sequence may be retrieved by amplification with a primer to a linker sequence and a primer specific to a known region. The amplified sequences are typically subjected to a second round of amplification with the same linker primer and a second primer specific to the known region. A variation on this procedure, which employs two primers that initiate extension in opposite directions from the known sequence, is described in WO 96/38591. Additional techniques include capture PCR (Lagerstrom et al., *PCR Methods Applic. 1:111-19, 1991*) and walking PCR (Parker et al., *Nucl. Acids. Res. 19:3055-60, 1991*). Transcription-Mediated Amplification, or TMA is another method that may be utilized for the amplification of DNA, rRNA, or mRNA, as described in Patent No. PCT/US91/03184. This autocatalytic and isothermic non-PCR based method utilizes two primers and two enzymes: RNA polymerase and reverse transcriptase. One primer contains a promoter sequence for RNA polymerase. In the first amplification, the promoter-primer hybridizes to the target rRNA at a defined site. Reverse transcriptase creates a DNA copy of the target rRNA by extension from the 3' end of the promoter-primer. The RNA in the resulting complex is degraded and a second primer binds to the DNA copy. A

new strand of DNA is synthesized from the end of the primer by reverse transcriptase creating double stranded DNA. RNA polymerase recognizes the promoter sequence in the DNA template and initiates transcription. Each of the newly synthesized RNA amplicons re-enters the TMA process and serves as a template for a new round of replication leading to the exponential expansion of the RNA amplicon. Other methods employing amplification may also be employed to obtain a full length cDNA sequence.

In certain instances, it is possible to obtain a full length cDNA sequence by analysis of sequences provided in an expressed sequence tag (EST) database, such as that available from GenBank. Searches for overlapping ESTs may generally be performed using well known programs (*e.g.*, NCBI BLAST searches), and such ESTs may be used to generate a contiguous full length sequence. Full length cDNA sequences may also be obtained by analysis of genomic fragments.

Polynucleotide variants may generally be prepared by any method known in the art, including chemical synthesis by, for example, solid phase phosphoramidite chemical synthesis. Modifications in a polynucleotide sequence may also be introduced using standard mutagenesis techniques, such as oligonucleotide-directed site-specific mutagenesis (*see* Adelman et al., *DNA* 2:183, 1983). Alternatively, RNA molecules may be generated by *in vitro* or *in vivo* transcription of DNA sequences encoding a *Chlamydial* protein, or portion thereof, provided that the DNA is incorporated into a vector with a suitable RNA polymerase promoter (such as T7 or SP6). Certain portions may be used to prepare an encoded polypeptide, as described herein. In addition, or alternatively, a portion may be administered to a patient such that the encoded polypeptide is generated *in vivo* (*e.g.*, by transfecting antigen-presenting cells, such as dendritic cells, with a cDNA construct encoding a *Chlamydial* polypeptide, and administering the transfected cells to the patient).

A portion of a sequence complementary to a coding sequence (*i.e.*, an antisense polynucleotide) may also be used as a probe or to modulate gene expression. cDNA constructs that can be transcribed into antisense RNA may also be introduced into cells of tissues to facilitate the production of antisense RNA. An antisense polynucleotide may be used, as described herein, to inhibit expression of a *Chlamydial* protein. Antisense technology can be used to control gene expression through triple-helix formation, which

compromises the ability of the double helix to open sufficiently for the binding of polymerases, transcription factors or regulatory molecules (*see* Gee et al., *In Huber and Carr, Molecular and Immunologic Approaches*, Futura Publishing Co. (Mt. Kisco, NY; 1994)). Alternatively, an antisense molecule may be designed to hybridize with a control region of a gene (*e.g.*, promoter, enhancer or transcription initiation site), and block transcription of the gene; or to block translation by inhibiting binding of a transcript to ribosomes.

A portion of a coding sequence, or of a complementary sequence, may also be designed as a probe or primer to detect gene expression. Probes may be labeled with a variety of reporter groups, such as radionuclides and enzymes, and are preferably at least 10 nucleotides in length, more preferably at least 20 nucleotides in length and still more preferably at least 30 nucleotides in length. Primers, as noted above, are preferably 22-30 nucleotides in length.

Any polynucleotide may be further modified to increase stability *in vivo*. Possible modifications include, but are not limited to, the addition of flanking sequences at the 5' and/or 3' ends; the use of phosphorothioate or 2' O-methyl rather than phosphodiesterase linkages in the backbone; and/or the inclusion of nontraditional bases such as inosine, queosine and wybutosine, as well as acetyl-, methyl-, thio- and other modified forms of adenine, cytidine, guanine, thymine and uridine.

Nucleotide sequences as described herein may be joined to a variety of other nucleotide sequences using established recombinant DNA techniques. For example, a polynucleotide may be cloned into any of a variety of cloning vectors, including plasmids, phagemids, lambda phage derivatives and cosmids. Vectors of particular interest include expression vectors, replication vectors, probe generation vectors and sequencing vectors. In general, a vector will contain an origin of replication functional in at least one organism, convenient restriction endonuclease sites and one or more selectable markers. Other elements will depend upon the desired use, and will be apparent to those of ordinary skill in the art.

Synthetic polypeptides having fewer than about 100 amino acids, and generally fewer than about 50 amino acids, may be generated using techniques well known in the art. For example, such polypeptides may be synthesized using any of the commercially available solid-phase techniques, such as the Merrifield solid-phase synthesis method, where

amino acids are sequentially added to a growing amino acid chain. See Merrifield, *J. Am. Chem. Soc.* 85:2149-2146, 1963. Equipment for automated synthesis of polypeptides is commercially available from suppliers such as Perkin Elmer/Applied BioSystems Division, Foster City, CA, and may be operated according to the manufacturer's instructions.

As noted above, immunogenic portions of *Chlamydia* antigens may be prepared and identified using well known techniques, such as those summarized in Paul, *Fundamental Immunology*, 3d ed., Raven Press, 1993, pp. 243-247 and references cited therein. Such techniques include screening polypeptide portions of the native antigen for immunogenic properties. The representative ELISAs described herein may generally be employed in these screens. An immunogenic portion of a polypeptide is a portion that, within such representative assays, generates a signal in such assays that is substantially similar to that generated by the full length antigen. In other words, an immunogenic portion of a *Chlamydia* antigen generates at least about 20%, and preferably about 100%, of the signal induced by the full length antigen in a model ELISA as described herein.

Portions and other variants of *Chlamydia* antigens may be generated by synthetic or recombinant means. Variants of a native antigen may generally be prepared using standard mutagenesis techniques, such as oligonucleotide-directed site-specific mutagenesis. Sections of the polynucleotide sequence may also be removed using standard techniques to permit preparation of truncated polypeptides.

Recombinant polypeptides containing portions and/or variants of a native antigen may be readily prepared from a polynucleotide sequence encoding the polypeptide using a variety of techniques well known to those of ordinary skill in the art. For example, supernatants from suitable host/vector systems which secrete recombinant protein into culture media may be first concentrated using a commercially available filter. Following concentration, the concentrate may be applied to a suitable purification matrix such as an affinity matrix or an ion exchange resin. Finally, one or more reverse phase HPLC steps can be employed to further purify a recombinant protein.

Any of a variety of expression vectors known to those of ordinary skill in the art may be employed to express recombinant polypeptides as described herein. Expression may be achieved in any appropriate host cell that has been transformed or transfected with an

expression vector containing a polynucleotide molecule that encodes a recombinant polypeptide. Suitable host cells include prokaryotes, yeast and higher eukaryotic cells. Preferably, the host cells employed are *E. coli*, yeast or a mammalian cell line, such as COS or CHO. The DNA sequences expressed in this manner may encode naturally occurring antigens, portions of naturally occurring antigens, or other variants thereof.

In general, regardless of the method of preparation, the polypeptides disclosed herein are prepared in an isolated, substantially pure, form. Preferably, the polypeptides are at least about 80% pure, more preferably at least about 90% pure and most preferably at least about 99% pure.

Within certain specific embodiments, a polypeptide may be a fusion protein that comprises multiple polypeptides as described herein, or that comprises at least one polypeptide as described herein and an unrelated sequence, such as a known *Chlamydial* protein. A fusion partner may, for example, assist in providing T helper epitopes (an immunological fusion partner), preferably T helper epitopes recognized by humans, or may assist in expressing the protein (an expression enhancer) at higher yields than the native recombinant protein. Certain preferred fusion partners are both immunological and expression enhancing fusion partners. Other fusion partners may be selected so as to increase the solubility of the protein or to enable the protein to be targeted to desired intracellular compartments. Still further fusion partners include affinity tags, which facilitate purification of the protein. A DNA sequence encoding a fusion protein of the present invention may be constructed using known recombinant DNA techniques to assemble separate DNA sequences encoding, for example, the first and second polypeptides, into an appropriate expression vector. The 3' end of a DNA sequence encoding the first polypeptide is ligated, with or without a peptide linker, to the 5' end of a DNA sequence encoding the second polypeptide so that the reading frames of the sequences are in phase to permit mRNA translation of the two DNA sequences into a single fusion protein that retains the biological activity of both the first and the second polypeptides.

A peptide linker sequence may be employed to separate the first and the second polypeptides by a distance sufficient to ensure that each polypeptide folds into its secondary and tertiary structures. Such a peptide linker sequence is incorporated into the

fusion protein using standard techniques well known in the art. Suitable peptide linker sequences may be chosen based on the following factors: (1) their ability to adopt a flexible extended conformation; (2) their inability to adopt a secondary structure that could interact with functional epitopes on the first and second polypeptides; and (3) the lack of hydrophobic or charged residues that might react with the polypeptide functional epitopes. Preferred peptide linker sequences contain Gly, Asn and Ser residues. Other near neutral amino acids, such as Thr and Ala may also be used in the linker sequence. Amino acid sequences which may be usefully employed as linkers include those disclosed in Maratea et al., *Gene* 40:39-46, 1985; Murphy et al., *Proc. Natl. Acad. Sci. USA* 83:8258-8562, 1986; U.S. Patent No. 4,935,233 and U.S. Patent No. 4,751,180. The linker sequence may be from 1 to about 50 amino acids in length. As an alternative to the use of a peptide linker sequence (when desired), one can utilize non-essential N-terminal amino acid regions (when present) on the first and second polypeptides to separate the functional domains and prevent steric hindrance.

The ligated DNA sequences are operably linked to suitable transcriptional or translational regulatory elements. The regulatory elements responsible for expression of DNA are located only 5' to the DNA sequence encoding the first polypeptides. Similarly, stop codons required to end translation and transcription termination signals are only present 3' to the DNA sequence encoding the second polypeptide.

Fusion proteins are also provided that comprise a polypeptide of the present invention together with an unrelated immunogenic protein. Preferably the immunogenic protein is capable of eliciting a recall response. Examples of such proteins include tetanus, tuberculosis and hepatitis proteins (*see, for example, Stoute et al. New Engl. J. Med.*, 336:86-91, 1997).

Within preferred embodiments, an immunological fusion partner is derived from protein D, a surface protein of the gram-negative bacterium *Haemophilus influenza B* (WO 91/18926). Preferably, a protein D derivative comprises approximately the first third of the protein (*e.g.*, the first N-terminal 100-110 amino acids), and a protein D derivative may be lipidated. Within certain preferred embodiments, the first 109 residues of a Lipoprotein D fusion partner is included on the N-terminus to provide the polypeptide with additional exogenous T-cell epitopes and to increase the expression level in *E. coli* (thus functioning as

an expression enhancer). The lipid tail ensures optimal presentation of the antigen to antigen presenting cells. Other fusion partners include the non-structural protein from influenzae virus, NS1 (hemagglutinin). Typically, the N-terminal 81 amino acids are used, although different fragments that include T-helper epitopes may be used.

In another embodiment, the immunological fusion partner is the protein known as LYTA, or a portion thereof (preferably a C-terminal portion). LYTA is derived from *Streptococcus pneumoniae*, which synthesizes an N-acetyl-L-alanine amidase known as amidase LYTA (encoded by the *LytA* gene; *Gene* 43:265-292, 1986). LYTA is an autolysin that specifically degrades certain bonds in the peptidoglycan backbone. The C-terminal domain of the LYTA protein is responsible for the affinity to the choline or to some choline analogues such as DEAE. This property has been exploited for the development of *E. coli* C-LYTA expressing plasmids useful for expression of fusion proteins. Purification of hybrid proteins containing the C-LYTA fragment at the amino terminus has been described (*see Biotechnology* 10:795-798, 1992). Within a preferred embodiment, a repeat portion of LYTA may be incorporated into a fusion protein. A repeat portion is found in the C-terminal region starting at residue 178. A particularly preferred repeat portion incorporates residues 188-305. Additionally, the fusion protein Ra12 may be linked to the inventive polynucleotides to facilitate protein expression.

In another aspect, the present invention provides methods for using one or more of the above polypeptides or fusion proteins (or polynucleotides encoding such polypeptides or fusion proteins) to induce protective immunity against Chlamydial infection in a patient. As used herein, a "patient" refers to any warm-blooded animal, preferably a human. A patient may be afflicted with a disease, or may be free of detectable disease and/or infection. In other words, protective immunity may be induced to prevent or treat Chlamydial infection.

In this aspect, the polypeptide, fusion protein or polynucleotide molecule is generally present within a pharmaceutical composition or a vaccine. Pharmaceutical compositions may comprise one or more polypeptides, each of which may contain one or more of the above sequences (or variants thereof), and a physiologically acceptable carrier. Vaccines may comprise one or more of the above polypeptides and an immunostimulant,

such as an adjuvant or a liposome (into which the polypeptide is incorporated). Such pharmaceutical compositions and vaccines may also contain other *Chlamydia* antigens, either incorporated into a combination polypeptide or present within a separate polypeptide.

Alternatively, a vaccine may contain polynucleotides encoding one or more polypeptides or fusion proteins as described above, such that the polypeptide is generated *in situ*. In such vaccines, the polynucleotides may be present within any of a variety of delivery systems known to those of ordinary skill in the art, including nucleic acid expression systems, bacterial and viral expression systems. Appropriate nucleic acid expression systems contain the necessary polynucleotide sequences for expression in the patient (such as a suitable promoter and terminating signal). Bacterial delivery systems involve the administration of a bacterium (such as *Bacillus-Calmette-Guerrin*) that expresses an immunogenic portion of the polypeptide on its cell surface. In a preferred embodiment, the polynucleotides may be introduced using a viral expression system (e.g., vaccinia or other pox virus, retrovirus, or adenovirus), which may involve the use of a non-pathogenic (defective) virus. Techniques for incorporating polynucleotides into such expression systems are well known to those of ordinary skill in the art. The polynucleotides may also be administered as "naked" plasmid vectors as described, for example, in Ulmer et al., *Science* 259:1745-1749, 1993 and reviewed by Cohen, *Science* 259:1691-1692, 1993. Techniques for incorporating DNA into such vectors are well known to those of ordinary skill in the art. A retroviral vector may additionally transfer or incorporate a gene for a selectable marker (to aid in the identification or selection of transduced cells) and/or a targeting moiety, such as a gene that encodes a ligand for a receptor on a specific target cell, to render the vector target specific. Targeting may also be accomplished using an antibody, by methods known to those of ordinary skill in the art.

Other formulations for therapeutic purposes include colloidal dispersion systems, such as macromolecule complexes, nanocapsules, microspheres, beads, and lipid-based systems including oil-in-water emulsions, micelles, mixed micelles, and liposomes. A preferred colloidal system for use as a delivery vehicle *in vitro* and *in vivo* is a liposome (i.e., an artificial membrane vesicle). The uptake of naked polynucleotides may be increased by incorporating the polynucleotides into and/or onto biodegradable beads, which are efficiently transported into the cells. The preparation and use of such systems is well known in the art.

In a related aspect, a polynucleotide vaccine as described above may be administered simultaneously with or sequentially to either a polypeptide of the present invention or a known *Chlamydia* antigen. For example, administration of polynucleotides encoding a polypeptide of the present invention, either "naked" or in a delivery system as described above, may be followed by administration of an antigen in order to enhance the protective immune effect of the vaccine.

Polypeptides and polynucleotides disclosed herein may also be employed in adoptive immunotherapy for the treatment of *Chlamydial* infection. Adoptive immunotherapy may be broadly classified into either active or passive immunotherapy. In active immunotherapy, treatment relies on the *in vivo* stimulation of the endogenous host immune system with the administration of immune response-modifying agents (for example, vaccines, bacterial adjuvants, and/or cytokines).

In passive immunotherapy, treatment involves the delivery of biologic reagents with established immune reactivity (such as effector cells or antibodies) that can directly or indirectly mediate anti-*Chlamydia* effects and does not necessarily depend on an intact host immune system. Examples of effector cells include T lymphocytes (for example, CD8+ cytotoxic T-lymphocyte, CD4+ T-helper), killer cells (such as Natural Killer cells, lymphokine-activated killer cells), B cells, or antigen presenting cells (such as dendritic cells and macrophages) expressing the disclosed antigens. The polypeptides disclosed herein may also be used to generate antibodies or anti-idiotypic antibodies (as in U.S. Patent No. 4,918,164), for passive immunotherapy.

The predominant method of procuring adequate numbers of T-cells for adoptive immunotherapy is to grow immune T-cells *in vitro*. Culture conditions for expanding single antigen-specific T-cells to several billion in number with retention of antigen recognition *in vivo* are well known in the art. These *in vitro* culture conditions typically utilize intermittent stimulation with antigen, often in the presence of cytokines, such as IL-2, and non-dividing feeder cells. As noted above, the immunoreactive polypeptides described herein may be used to rapidly expand antigen-specific T cell cultures in order to generate sufficient number of cells for immunotherapy. In particular, antigen-presenting cells, such as dendritic, macrophage, monocyte, fibroblast, or B-cells, may be pulsed with

immunoreactive polypeptides, or polynucleotide sequence(s) may be introduced into antigen presenting cells, using a variety of standard techniques well known in the art. For example, antigen presenting cells may be transfected or transduced with a polynucleotide sequence, wherein said sequence contains a promoter region appropriate for increasing expression, and can be expressed as part of a recombinant virus or other expression system. Several viral vectors may be used to transduce an antigen presenting cell, including pox virus, vaccinia virus, and adenovirus; also, antigen presenting cells may be transfected with polynucleotide sequences disclosed herein by a variety of means, including gene-gun technology, lipid-mediated delivery, electroporation, osmotic shock, and particulate delivery mechanisms, resulting in efficient and acceptable expression levels as determined by one of ordinary skill in the art. For cultured T-cells to be effective in therapy, the cultured T-cells must be able to grow and distribute widely and to survive long term *in vivo*. Studies have demonstrated that cultured T-cells can be induced to grow *in vivo* and to survive long term in substantial numbers by repeated stimulation with antigen supplemented with IL-2 (see, for example, Cheever, M., *et al*, "Therapy With Cultured T Cells: Principles Revisited," *Immunological Reviews*, 157:177, 1997).

The polypeptides disclosed herein may also be employed to generate and/or isolate chlamydial-reactive T-cells, which can then be administered to the patient. In one technique, antigen-specific T-cell lines may be generated by *in vivo* immunization with short peptides corresponding to immunogenic portions of the disclosed polypeptides. The resulting antigen specific CD8⁺ or CD4⁺ T-cell clones may be isolated from the patient, expanded using standard tissue culture techniques, and returned to the patient.

Alternatively, peptides corresponding to immunogenic portions of the polypeptides may be employed to generate *Chlamydia* reactive T cell subsets by selective *in vitro* stimulation and expansion of autologous T cells to provide antigen-specific T cells which may be subsequently transferred to the patient as described, for example, by Chang *et al*, (*Crit. Rev. Oncol. Hematol.*, 22(3), 213, 1996). Cells of the immune system, such as T cells, may be isolated from the peripheral blood of a patient, using a commercially available cell separation system, such as Isolex™ System, available from Nexell Therapeutics, Inc. Irvine, CA. The separated cells are stimulated with one or more of the immunoreactive

polypeptides contained within a delivery vehicle, such as a microsphere, to provide antigen-specific T cells. The population of antigen-specific T cells is then expanded using standard techniques and the cells are administered back to the patient.

In other embodiments, T-cell and/or antibody receptors specific for the polypeptides disclosed herein can be cloned, expanded, and transferred into other vectors or effector cells for use in adoptive immunotherapy. In particular, T cells may be transfected with the appropriate genes to express the variable domains from chlamydia specific monoclonal antibodies as the extracellular recognition elements and joined to the T cell receptor signaling chains, resulting in T cell activation, specific lysis, and cytokine release. This enables the T cell to redirect its specificity in an MHC-independent manner. See for example, Eshhar, Z., *Cancer Immunol Immunother*, 45(3-4):131-6, 1997 and Hwu, P., et al, *Cancer Res*, 55(15):3369-73, 1995. Another embodiment may include the transfection of chlamydia antigen specific alpha and beta T cell receptor chains into alternate T cells, as in Cole, DJ, et al, *Cancer Res*, 55(4):748-52, 1995.

In a further embodiment, syngeneic or autologous dendritic cells may be pulsed with peptides corresponding to at least an immunogenic portion of a polypeptide disclosed herein. The resulting antigen-specific dendritic cells may either be transferred into a patient, or employed to stimulate T cells to provide antigen-specific T cells which may, in turn, be administered to a patient. The use of peptide-pulsed dendritic cells to generate antigen-specific T cells and the subsequent use of such antigen-specific T cells to eradicate disease in a murine model has been demonstrated by Cheever et al, *Immunological Reviews*, 157:177, 1997). Additionally, vectors expressing the disclosed polynucleotides may be introduced into stem cells taken from the patient and clonally propagated *in vitro* for autologous transplant back into the same patient.

Within certain aspects, polypeptides, polynucleotides, T cells and/or binding agents disclosed herein may be incorporated into pharmaceutical compositions or immunogenic compositions (*i.e.*, vaccines). Pharmaceutical compositions comprise one or more such compounds and a physiologically acceptable carrier. Vaccines may comprise one or more such compounds and an immunostimulant. An immunostimulant may be any substance that enhances or potentiates an immune response to an exogenous antigen.

Examples of immunostimulants include adjuvants, biodegradable microspheres (*e.g.*, polylactic galactide) and liposomes (into which the compound is incorporated; *see e.g.*, Fullerton, U.S. Patent No. 4,235,877). Vaccine preparation is generally described in, for example, M.F. Powell and M.J. Newman, eds., "Vaccine Design (the subunit and adjuvant approach)," Plenum Press (NY, 1995). Pharmaceutical compositions and vaccines within the scope of the present invention may also contain other compounds, which may be biologically active or inactive. For example, one or more immunogenic portions of other *Chlamydial* antigens may be present, either incorporated into a fusion polypeptide or as a separate compound, within the composition or vaccine.

A pharmaceutical composition or vaccine may contain DNA encoding one or more of the polypeptides as described above, such that the polypeptide is generated *in situ*. As noted above, the DNA may be present within any of a variety of delivery systems known to those of ordinary skill in the art, including nucleic acid expression systems, bacteria and viral expression systems. Numerous gene delivery techniques are well known in the art, such as those described by Rolland, *Crit. Rev. Therap. Drug Carrier Systems* 15:143-198, 1998, and references cited therein. Appropriate nucleic acid expression systems contain the necessary DNA sequences for expression in the patient (such as a suitable promoter and terminating signal). Bacterial delivery systems involve the administration of a bacterium (such as *Bacillus-Calmette-Guerrin*) that expresses an immunogenic portion of the polypeptide on its cell surface or secretes such an epitope. In a preferred embodiment, the DNA may be introduced using a viral expression system (*e.g.*, vaccinia or other pox virus, retrovirus, or adenovirus), which may involve the use of a non-pathogenic (defective), replication competent virus. Suitable systems are disclosed, for example, in Fisher-Hoch et al., *Proc. Natl. Acad. Sci. USA* 86:317-321, 1989; Flexner et al., *Ann. N.Y. Acad. Sci.* 569:86-103, 1989; Flexner et al., *Vaccine* 8:17-21, 1990; U.S. Patent Nos. 4,603,112, 4,769,330, and 5,017,487; WO 89/01973; U.S. Patent No. 4,777,127; GB 2,200,651; EP 0,345,242; WO 91/02805; Berkner, *Biotechniques* 6:616-627, 1988; Rosenfeld et al., *Science* 252:431-434, 1991; Kolls et al., *Proc. Natl. Acad. Sci. USA* 91:215-219, 1994; Kass-Eisler et al., *Proc. Natl. Acad. Sci. USA* 90:11498-11502, 1993; Guzman et al., *Circulation* 88:2838-2848, 1993; and Guzman et al., *Cir. Res.* 73:1202-1207, 1993.

Techniques for incorporating DNA into such expression systems are well known to those of ordinary skill in the art. The DNA may also be "naked," as described, for example, in Ulmer et al., *Science* 259:1745-1749, 1993 and reviewed by Cohen, *Science* 259:1691-1692, 1993. The uptake of naked DNA may be increased by coating the DNA onto biodegradable beads, which are efficiently transported into the cells.

While any suitable carrier known to those of ordinary skill in the art may be employed in the pharmaceutical compositions of this invention, the type of carrier will vary depending on the mode of administration. Compositions of the present invention may be formulated for any appropriate manner of administration, including for example, topical, oral, nasal, intravenous, intracranial, intraperitoneal, subcutaneous or intramuscular administration. For parenteral administration, such as subcutaneous injection, the carrier preferably comprises water, saline, alcohol, a fat, a wax or a buffer. For oral administration, any of the above carriers or a solid carrier, such as mannitol, lactose, starch, magnesium stearate, sodium saccharine, talcum, cellulose, glucose, sucrose, and magnesium carbonate, may be employed. Biodegradable microspheres (e.g., polylactate polyglycolate) may also be employed as carriers for the pharmaceutical compositions of this invention. Suitable biodegradable microspheres are disclosed, for example, in U.S. Patent Nos. 4,897,268 and 5,075,109.

Such compositions may also comprise buffers (e.g., neutral buffered saline or phosphate buffered saline), carbohydrates (e.g., glucose, mannose, sucrose or dextrans), mannitol, proteins, polypeptides or amino acids such as glycine, antioxidants, chelating agents such as EDTA or glutathione, adjuvants (e.g., aluminum hydroxide) and/or preservatives. Alternatively, compositions of the present invention may be formulated as a lyophilizate. Compounds may also be encapsulated within liposomes using well known technology.

Any of a variety of immunostimulants may be employed in the vaccines of this invention. For example, an adjuvant may be included. Most adjuvants contain a substance designed to protect the antigen from rapid catabolism, such as aluminum hydroxide or mineral oil, and a stimulator of immune responses, such as lipid A, *Bordetella pertussis* or *Mycobacterium tuberculosis* derived proteins. Suitable adjuvants are commercially available

as, for example, Freund's Incomplete Adjuvant and Complete Adjuvant (Difco Laboratories, Detroit, MI); Merck Adjuvant 65 (Merck and Company, Inc., Rahway, NJ); aluminum salts such as aluminum hydroxide gel (alum) or aluminum phosphate; salts of calcium, iron or zinc; an insoluble suspension of acylated tyrosine; acylated sugars; cationically or anionically derivatized polysaccharides; polyphosphazenes; biodegradable microspheres; monophosphoryl lipid A and quil A. Cytokines, such as GM-CSF or interleukin-2, -7, or -12, may also be used as adjuvants.

Within the vaccines provided herein, under select circumstances, the adjuvant composition may be designed to induce an immune response predominantly of the Th1 type or Th2 type. High levels of Th1-type cytokines (*e.g.*, IFN- γ , TNF α , IL-2 and IL-12) tend to favor the induction of cell mediated immune responses to an administered antigen. In contrast, high levels of Th2-type cytokines (*e.g.*, IL-4, IL-5, IL-6 and IL-10) tend to favor the induction of humoral immune responses. Following application of a vaccine as provided herein, a patient will support an immune response that includes Th1- and Th2-type responses. Within a preferred embodiment, in which a response is predominantly Th1-type, the level of Th1-type cytokines will increase to a greater extent than the level of Th2-type cytokines. The levels of these cytokines may be readily assessed using standard assays. For a review of the families of cytokines, see Mosmann and Coffman, *Ann. Rev. Immunol.* 7:145-173, 1989.

Preferred adjuvants for use in eliciting a predominantly Th1-type response include, for example, a combination of monophosphoryl lipid A, preferably 3-de-O-acylated monophosphoryl lipid A (3D-MPL), together with an aluminum salt. MPL adjuvants are available from Ribi ImmunoChem Research Inc. (Hamilton, MT) (*see* US Patent Nos. 4,436,727; 4,877,611; 4,866,034 and 4,912,094). CpG-containing oligonucleotides (in which the CpG dinucleotide is unmethylated) also induce a predominantly Th1 response. Such oligonucleotides are well known and are described, for example, in WO 96/02555. Another preferred adjuvant is a saponin, preferably QS21, which may be used alone or in combination with other adjuvants. For example, an enhanced system involves the combination of a monophosphoryl lipid A and saponin derivative, such as the combination of QS21 and 3D-MPL as described in WO 94/00153, or a less reactogenic composition where the QS21 is quenched with cholesterol, as described in WO 96/33739. Other preferred formulations

comprises an oil-in-water emulsion and tocopherol. A particularly potent adjuvant formulation involving QS21, 3D-MPL and tocopherol in an oil-in-water emulsion is described in WO 95/17210. Any vaccine provided herein may be prepared using well known methods that result in a combination of antigen, immune response enhancer and a suitable carrier or excipient.

The compositions described herein may be administered as part of a sustained release formulation (*i.e.*, a formulation such as a capsule, sponge or gel (composed of polysaccharides, for example) that effects a slow release of compound following administration). Such formulations may generally be prepared using well known technology and administered by, for example, oral, rectal or subcutaneous implantation, or by implantation at the desired target site. Sustained-release formulations may contain a polypeptide, polynucleotide or antibody dispersed in a carrier matrix and/or contained within a reservoir surrounded by a rate controlling membrane. Carriers for use within such formulations are biocompatible, and may also be biodegradable; preferably the formulation provides a relatively constant level of active component release. The amount of active compound contained within a sustained release formulation depends upon the site of implantation, the rate and expected duration of release and the nature of the condition to be treated or prevented.

Any of a variety of delivery vehicles may be employed within pharmaceutical compositions and vaccines to facilitate production of an antigen-specific immune response that targets *Chlamydia*-infected cells. Delivery vehicles include antigen presenting cells (APCs), such as dendritic cells, macrophages, B cells, monocytes and other cells that may be engineered to be efficient APCs. Such cells may, but need not, be genetically modified to increase the capacity for presenting the antigen, to improve activation and/or maintenance of the T cell response, to have anti-*Chlamydia* effects *per se* and/or to be immunologically compatible with the receiver (*i.e.*, matched HLA haplotype). APCs may generally be isolated from any of a variety of biological fluids and organs, and may be autologous, allogeneic, syngeneic or xenogeneic cells.

Certain preferred embodiments of the present invention use dendritic cells or progenitors thereof as antigen-presenting cells. Dendritic cells are highly potent APCs

(Banchereau and Steinman, *Nature* 392:245-251, 1998) and have been shown to be effective as a physiological adjuvant for eliciting prophylactic or therapeutic immunity (*see* Timmerman and Levy, *Ann. Rev. Med.* 50:507-529, 1999). In general, dendritic cells may be identified based on their typical shape (stellate *in situ*, with marked cytoplasmic processes (dendrites) visible *in vitro*), their ability to take up, process and present antigens with high efficiency, and their ability to activate naïve T cell responses. Dendritic cells may, of course, be engineered to express specific cell-surface receptors or ligands that are not commonly found on dendritic cells *in vivo* or *ex vivo*, and such modified dendritic cells are contemplated by the present invention. As an alternative to dendritic cells, secreted vesicles antigen-loaded dendritic cells (called exosomes) may be used within a vaccine (*see* Zitvogel et al., *Nature Med.* 4:594-600, 1998).

Dendritic cells and progenitors may be obtained from peripheral blood, bone marrow, lymph nodes, spleen, skin, umbilical cord blood or any other suitable tissue or fluid. For example, dendritic cells may be differentiated *ex vivo* by adding a combination of cytokines such as GM-CSF, IL-4, IL-13 and/or TNF α to cultures of monocytes harvested from peripheral blood. Alternatively, CD34 positive cells harvested from peripheral blood, umbilical cord blood or bone marrow may be differentiated into dendritic cells by adding to the culture medium combinations of GM-CSF, IL-3, TNF α , CD40 ligand, LPS, flt3 ligand and/or other compound(s) that induce differentiation, maturation and proliferation of dendritic cells.

Dendritic cells are conveniently categorized as "immature" and "mature" cells, which allows a simple way to discriminate between two well characterized phenotypes. However, this nomenclature should not be construed to exclude all possible intermediate stages of differentiation. Immature dendritic cells are characterized as APC with a high capacity for antigen uptake and processing, which correlates with the high expression of Fc γ receptor and mannose receptor. The mature phenotype is typically characterized by a lower expression of these markers, but a high expression of cell surface molecules responsible for T cell activation such as class I and class II MHC, adhesion molecules (*e.g.*, CD54 and CD11) and costimulatory molecules (*e.g.*, CD40, CD80, CD86 and 4-1BB).

APCs may generally be transfected with a polynucleotide encoding a

Chlamydial protein (or portion or other variant thereof) such that the *Chlamydial* polypeptide, or an immunogenic portion thereof, is expressed on the cell surface. Such transfection may take place *ex vivo*, and a composition or vaccine comprising such transfected cells may then be used for therapeutic purposes, as described herein. Alternatively, a gene delivery vehicle that targets a dendritic or other antigen presenting cell may be administered to a patient, resulting in transfection that occurs *in vivo*. *In vivo* and *ex vivo* transfection of dendritic cells, for example, may generally be performed using any methods known in the art, such as those described in WO 97/24447, or the gene gun approach described by Mahvi et al., *Immunology and cell Biology* 75:456-460, 1997. Antigen loading of dendritic cells may be achieved by incubating dendritic cells or progenitor cells with the *Chlamydial* polypeptide, DNA (naked or within a plasmid vector) or RNA; or with antigen-expressing recombinant bacterium or viruses (*e.g.*, vaccinia, fowlpox, adenovirus or lentivirus vectors). Prior to loading, the polypeptide may be covalently conjugated to an immunological partner that provides T cell help (*e.g.*, a carrier molecule). Alternatively, a dendritic cell may be pulsed with a non-conjugated immunological partner, separately or in the presence of the polypeptide.

Routes and frequency of administration of pharmaceutical compositions and vaccines, as well as dosage, will vary from individual to individual. In general, the pharmaceutical compositions and vaccines may be administered by injection (*e.g.*, intracutaneous, intramuscular, intravenous or subcutaneous), intranasally (*e.g.*, by aspiration) or orally. Between 1 and 3 doses may be administered for a 1-36 week period. Preferably, 3 doses are administered, at intervals of 3-4 months, and booster vaccinations may be given periodically thereafter. Alternate protocols may be appropriate for individual patients. A suitable dose is an amount of polypeptide or DNA that, when administered as described above, is capable of raising an immune response in an immunized patient sufficient to protect the patient from *Chlamydial* infection for at least 1-2 years. In general, the amount of polypeptide present in a dose (or produced *in situ* by the DNA in a dose) ranges from about 1 pg to about 100 mg per kg of host, typically from about 10 pg to about 1 mg, and preferably from about 100 pg to about 1 μ g. Suitable dose sizes will vary with the size of the patient, but will typically range from about 0.1 mL to about 5 mL.

While any suitable carrier known to those of ordinary skill in the art may be employed in the pharmaceutical compositions of this invention, the type of carrier will vary depending on the mode of administration. For parenteral administration, such as subcutaneous injection, the carrier preferably comprises water, saline, alcohol, a fat, a wax or a buffer. For oral administration, any of the above carriers or a solid carrier, such as mannitol, lactose, starch, magnesium stearate, sodium saccharine, talcum, cellulose, glucose, sucrose, and magnesium carbonate, may be employed. Biodegradable microspheres (*e.g.*, polylactic galactide) may also be employed as carriers for the pharmaceutical compositions of this invention. Suitable biodegradable microspheres are disclosed, for example, in U.S. Patent Nos. 4,897,268 and 5,075,109.

In general, an appropriate dosage and treatment regimen provides the active compound(s) in an amount sufficient to provide therapeutic and/or prophylactic benefit. Such a response can be monitored by establishing an improved clinical outcome in treated patients as compared to non-treated patients. Increases in preexisting immune responses to a *Chlamydial* protein generally correlate with an improved clinical outcome. Such immune responses may generally be evaluated using standard proliferation, cytotoxicity or cytokine assays, which may be performed using samples obtained from a patient before and after treatment.

In another aspect, the present invention provides methods for using the polypeptides described above to diagnose Chlamydial infection. In this aspect, methods are provided for detecting Chlamydial infection in a biological sample, using one or more of the above polypeptides, either alone or in combination. For clarity, the term "polypeptide" will be used when describing specific embodiments of the inventive diagnostic methods. However, it will be clear to one of skill in the art that the fusion proteins of the present invention may also be employed in such methods.

As used herein, a "biological sample" is any antibody-containing sample obtained from a patient. Preferably, the sample is whole blood, sputum, serum, plasma, saliva, cerebrospinal fluid or urine. More preferably, the sample is a blood, serum or plasma sample obtained from a patient. The polypeptides are used in an assay, as described below, to determine the presence or absence of antibodies to the polypeptide(s) in the sample, relative

to a predetermined cut-off value. The presence of such antibodies indicates previous sensitization to *Chlamydia* antigens which may be indicative of *Chlamydia*-infection.

In embodiments in which more than one polypeptide is employed, the polypeptides used are preferably complementary (*i.e.*, one component polypeptide will tend to detect infection in samples where the infection would not be detected by another component polypeptide). Complementary polypeptides may generally be identified by using each polypeptide individually to evaluate serum samples obtained from a series of patients known to be infected with *Chlamydia*. After determining which samples test positive (as described below) with each polypeptide, combinations of two or more polypeptides may be formulated that are capable of detecting infection in most, or all, of the samples tested.

A variety of assay formats are known to those of ordinary skill in the art for using one or more polypeptides to detect antibodies in a sample. *See, e.g.*, Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988, which is incorporated herein by reference. In a preferred embodiment, the assay involves the use of polypeptide immobilized on a solid support to bind to and remove the antibody from the sample. The bound antibody may then be detected using a detection reagent that contains a reporter group. Suitable detection reagents include antibodies that bind to the antibody/polypeptide complex and free polypeptide labeled with a reporter group (*e.g.*, in a semi-competitive assay). Alternatively, a competitive assay may be utilized, in which an antibody that binds to the polypeptide is labeled with a reporter group and allowed to bind to the immobilized antigen after incubation of the antigen with the sample. The extent to which components of the sample inhibit the binding of the labeled antibody to the polypeptide is indicative of the reactivity of the sample with the immobilized polypeptide.

The solid support may be any solid material known to those of ordinary skill in the art to which the antigen may be attached. For example, the solid support may be a test well in a microtiter plate, or a nitrocellulose or other suitable membrane. Alternatively, the support may be a bead or disc, such as glass, fiberglass, latex or a plastic material such as polystyrene or polyvinylchloride. The support may also be a magnetic particle or a fiber optic sensor, such as those disclosed, for example, in U.S. Patent No. 5,359,681.

The polypeptides may be bound to the solid support using a variety of techniques known to those of ordinary skill in the art. In the context of the present invention, the term "bound" refers to both noncovalent association, such as adsorption, and covalent attachment (which may be a direct linkage between the antigen and functional groups on the support or may be a linkage by way of a cross-linking agent). Binding by adsorption to a well in a microtiter plate or to a membrane is preferred. In such cases, adsorption may be achieved by contacting the polypeptide, in a suitable buffer, with the solid support for a suitable amount of time. The contact time varies with temperature, but is typically between about 1 hour and 1 day. In general, contacting a well of a plastic microtiter plate (such as polystyrene or polyvinylchloride) with an amount of polypeptide ranging from about 10 ng to about 1 μ g, and preferably about 100 ng, is sufficient to bind an adequate amount of antigen.

Covalent attachment of polypeptide to a solid support may generally be achieved by first reacting the support with a bifunctional reagent that will react with both the support and a functional group, such as a hydroxyl or amino group, on the polypeptide. For example, the polypeptide may be bound to supports having an appropriate polymer coating using benzoquinone or by condensation of an aldehyde group on the support with an amine and an active hydrogen on the polypeptide (*see, e.g.*, Pierce Immunotechnology Catalog and Handbook, 1991, at A12-A13).

In certain embodiments, the assay is an enzyme linked immunosorbent assay (ELISA). This assay may be performed by first contacting a polypeptide antigen that has been immobilized on a solid support, commonly the well of a microtiter plate, with the sample, such that antibodies to the polypeptide within the sample are allowed to bind to the immobilized polypeptide. Unbound sample is then removed from the immobilized polypeptide and a detection reagent capable of binding to the immobilized antibody-polypeptide complex is added. The amount of detection reagent that remains bound to the solid support is then determined using a method appropriate for the specific detection reagent.

More specifically, once the polypeptide is immobilized on the support as described above, the remaining protein binding sites on the support are typically blocked. Any suitable blocking agent known to those of ordinary skill in the art, such as bovine serum albumin (BSA) or Tween 20™ (Sigma Chemical Co., St. Louis, MO) may be employed. The

immobilized polypeptide is then incubated with the sample, and antibody is allowed to bind to the antigen. The sample may be diluted with a suitable diluent, such as phosphate-buffered saline (PBS) prior to incubation. In general, an appropriate contact time (*i.e.*, incubation time) is that period of time that is sufficient to detect the presence of antibody within an HGE-infected sample. Preferably, the contact time is sufficient to achieve a level of binding that is at least 95% of that achieved at equilibrium between bound and unbound antibody. Those of ordinary skill in the art will recognize that the time necessary to achieve equilibrium may be readily determined by assaying the level of binding that occurs over a period of time. At room temperature, an incubation time of about 30 minutes is generally sufficient.

Unbound sample may then be removed by washing the solid support with an appropriate buffer, such as PBS containing 0.1% Tween 20™. Detection reagent may then be added to the solid support. An appropriate detection reagent is any compound that binds to the immobilized antibody-polypeptide complex and that can be detected by any of a variety of means known to those in the art. Preferably, the detection reagent contains a binding agent (such as, for example, Protein A, Protein G, immunoglobulin, lectin or free antigen) conjugated to a reporter group. Preferred reporter groups include enzymes (such as horseradish peroxidase), substrates, cofactors, inhibitors, dyes, radionuclides, luminescent groups, fluorescent groups and biotin. The conjugation of binding agent to reporter group may be achieved using standard methods known to those of ordinary skill in the art. Common binding agents may also be purchased conjugated to a variety of reporter groups from many commercial sources (*e.g.*, Zymed Laboratories, San Francisco, CA, and Pierce, Rockford, IL).

The detection reagent is then incubated with the immobilized antibody-polypeptide complex for an amount of time sufficient to detect the bound antibody. An appropriate amount of time may generally be determined from the manufacturer's instructions or by assaying the level of binding that occurs over a period of time. Unbound detection reagent is then removed and bound detection reagent is detected using the reporter group. The method employed for detecting the reporter group depends upon the nature of the reporter group. For radioactive groups, scintillation counting or autoradiographic methods

are generally appropriate. Spectroscopic methods may be used to detect dyes, luminescent groups and fluorescent groups. Biotin may be detected using avidin, coupled to a different reporter group (commonly a radioactive or fluorescent group or an enzyme). Enzyme reporter groups may generally be detected by the addition of substrate (generally for a specific period of time), followed by spectroscopic or other analysis of the reaction products.

To determine the presence or absence of anti-*Chlamydia* antibodies in the sample, the signal detected from the reporter group that remains bound to the solid support is generally compared to a signal that corresponds to a predetermined cut-off value. In one preferred embodiment, the cut-off value is the average mean signal obtained when the immobilized antigen is incubated with samples from an uninfected patient. In general, a sample generating a signal that is three standard deviations above the predetermined cut-off value is considered positive for *Chlamydia*-infection. In an alternate preferred embodiment, the cut-off value is determined using a Receiver Operator Curve, according to the method of Sackett et al., *Clinical Epidemiology: A Basic Science for Clinical Medicine*, Little Brown and Co., 1985, pp. 106-107. Briefly, in this embodiment, the cut-off value may be determined from a plot of pairs of true positive rates (*i.e.*, sensitivity) and false positive rates (100%-specificity) that correspond to each possible cut-off value for the diagnostic test result. The cut-off value on the plot that is the closest to the upper left-hand corner (*i.e.*, the value that encloses the largest area) is the most accurate cut-off value, and a sample generating a signal that is higher than the cut-off value determined by this method may be considered positive. Alternatively, the cut-off value may be shifted to the left along the plot, to minimize the false positive rate, or to the right, to minimize the false negative rate. In general, a sample generating a signal that is higher than the cut-off value determined by this method is considered positive for Chlamydial infection.

In a related embodiment, the assay is performed in a rapid flow-through or strip test format, wherein the antigen is immobilized on a membrane, such as nitrocellulose. In the flow-through test, antibodies within the sample bind to the immobilized polypeptide as the sample passes through the membrane. A detection reagent (*e.g.*, protein A-colloidal gold) then binds to the antibody-polypeptide complex as the solution containing the detection reagent flows through the membrane. The detection of bound detection reagent may then be

performed as described above. In the strip test format, one end of the membrane to which polypeptide is bound is immersed in a solution containing the sample. The sample migrates along the membrane through a region containing detection reagent and to the area of immobilized polypeptide. Concentration of detection reagent at the polypeptide indicates the presence of anti-*Chlamydia* antibodies in the sample. Typically, the concentration of detection reagent at that site generates a pattern, such as a line, that can be read visually. The absence of such a pattern indicates a negative result. In general, the amount of polypeptide immobilized on the membrane is selected to generate a visually discernible pattern when the biological sample contains a level of antibodies that would be sufficient to generate a positive signal in an ELISA, as discussed above. Preferably, the amount of polypeptide immobilized on the membrane ranges from about 25 ng to about 1 μ g, and more preferably from about 50 ng to about 500 ng. Such tests can typically be performed with a very small amount (*e.g.*, one drop) of patient serum or blood.

Of course, numerous other assay protocols exist that are suitable for use with the polypeptides of the present invention. The above descriptions are intended to be exemplary only. One example of an alternative assay protocol which may be usefully employed in such methods is a Western blot, wherein the proteins present in a biological sample are separated on a gel, prior to exposure to a binding agent. Such techniques are well known to those of skill in the art.

The present invention further provides agents, such as antibodies and antigen-binding fragments thereof, that specifically bind to a *Chlamydial* protein. As used herein, an antibody, or antigen-binding fragment thereof, is said to "specifically bind" to a *Chlamydial* protein if it reacts at a detectable level (within, for example, an ELISA) with a *Chlamydial* protein, and does not react detectably with unrelated proteins under similar conditions. As used herein, "binding" refers to a noncovalent association between two separate molecules such that a complex is formed. The ability to bind may be evaluated by, for example, determining a binding constant for the formation of the complex. The binding constant is the value obtained when the concentration of the complex is divided by the product of the component concentrations. In general, two compounds are said to "bind," in the context of the present invention, when the binding constant for complex formation exceeds about 10^3

L/mol. The binding constant may be determined using methods well known in the art.

Binding agents may be further capable of differentiating between patients with and without a *Chlamydial* infection using the representative assays provided herein. In other words, antibodies or other binding agents that bind to a *Chlamydial* protein will generate a signal indicating the presence of a *Chlamydial* infection in at least about 20% of patients with the disease, and will generate a negative signal indicating the absence of the disease in at least about 90% of individuals without infection. To determine whether a binding agent satisfies this requirement, biological samples (*e.g.*, blood, sera, sputum urine and/or tissue biopsies) from patients with and without *Chlamydial* infection (as determined using standard clinical tests) may be assayed as described herein for the presence of polypeptides that bind to the binding agent. It will be apparent that a statistically significant number of samples with and without the disease should be assayed. Each binding agent should satisfy the above criteria; however, those of ordinary skill in the art will recognize that binding agents may be used in combination to improve sensitivity.

Any agent that satisfies the above requirements may be a binding agent. For example, a binding agent may be a ribosome, with or without a peptide component, an RNA molecule or a polypeptide. In a preferred embodiment, a binding agent is an antibody or an antigen-binding fragment thereof. Antibodies may be prepared by any of a variety of techniques known to those of ordinary skill in the art. *See, e.g.*, Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. In general, antibodies can be produced by cell culture techniques, including the generation of monoclonal antibodies as described herein, or via transfection of antibody genes into suitable bacterial or mammalian cell hosts, in order to allow for the production of recombinant antibodies. In one technique, an immunogen comprising the polypeptide is initially injected into any of a wide variety of mammals (*e.g.*, mice, rats, rabbits, sheep or goats). In this step, the polypeptides of this invention may serve as the immunogen without modification. Alternatively, particularly for relatively short polypeptides, a superior immune response may be elicited if the polypeptide is joined to a carrier protein, such as bovine serum albumin or keyhole limpet hemocyanin. The immunogen is injected into the animal host, preferably according to a predetermined schedule incorporating one or more booster immunizations, and

the animals are bled periodically. Polyclonal antibodies specific for the polypeptide may then be purified from such antisera by, for example, affinity chromatography using the polypeptide coupled to a suitable solid support.

Monoclonal antibodies specific for an antigenic polypeptide of interest may be prepared, for example, using the technique of Kohler and Milstein, *Eur. J. Immunol.* 6:511-519, 1976, and improvements thereto. Briefly, these methods involve the preparation of immortal cell lines capable of producing antibodies having the desired specificity (*i.e.*, reactivity with the polypeptide of interest). Such cell lines may be produced, for example, from spleen cells obtained from an animal immunized as described above. The spleen cells are then immortalized by, for example, fusion with a myeloma cell fusion partner, preferably one that is syngeneic with the immunized animal. A variety of fusion techniques may be employed. For example, the spleen cells and myeloma cells may be combined with a nonionic detergent for a few minutes and then plated at low density on a selective medium that supports the growth of hybrid cells, but not myeloma cells. A preferred selection technique uses HAT (hypoxanthine, aminopterin, thymidine) selection. After a sufficient time, usually about 1 to 2 weeks, colonies of hybrids are observed. Single colonies are selected and their culture supernatants tested for binding activity against the polypeptide. Hybridomas having high reactivity and specificity are preferred.

Monoclonal antibodies may be isolated from the supernatants of growing hybridoma colonies. In addition, various techniques may be employed to enhance the yield, such as injection of the hybridoma cell line into the peritoneal cavity of a suitable vertebrate host, such as a mouse. Monoclonal antibodies may then be harvested from the ascites fluid or the blood. Contaminants may be removed from the antibodies by conventional techniques, such as chromatography, gel filtration, precipitation, and extraction. The polypeptides of this invention may be used in the purification process in, for example, an affinity chromatography step.

Within certain embodiments, the use of antigen-binding fragments of antibodies may be preferred. Such fragments include Fab fragments, which may be prepared using standard techniques. Briefly, immunoglobulins may be purified from rabbit serum by affinity chromatography on Protein A bead columns (Harlow and Lane, *Antibodies: A*

Laboratory Manual, Cold Spring Harbor Laboratory, 1988) and digested by papain to yield Fab and Fc fragments. The Fab and Fc fragments may be separated by affinity chromatography on protein A bead columns.

Monoclonal antibodies of the present invention may be coupled to one or more therapeutic agents. Suitable agents in this regard include radionuclides, differentiation inducers, drugs, toxins, and derivatives thereof. Preferred radionuclides include ^{90}Y , ^{123}I , ^{125}I , ^{131}I , ^{186}Re , ^{188}Re , ^{211}At , and ^{212}Bi . Preferred drugs include methotrexate, and pyrimidine and purine analogs. Preferred differentiation inducers include phorbol esters and butyric acid. Preferred toxins include ricin, abrin, diphtheria toxin, cholera toxin, gelonin, *Pseudomonas* exotoxin, Shigella toxin, and pokeweed antiviral protein.

A therapeutic agent may be coupled (*e.g.*, covalently bonded) to a suitable monoclonal antibody either directly or indirectly (*e.g.*, via a linker group). A direct reaction between an agent and an antibody is possible when each possesses a substituent capable of reacting with the other. For example, a nucleophilic group, such as an amino or sulfhydryl group, on one may be capable of reacting with a carbonyl-containing group, such as an anhydride or an acid halide, or with an alkyl group containing a good leaving group (*e.g.*, a halide) on the other.

Alternatively, it may be desirable to couple a therapeutic agent and an antibody via a linker group. A linker group can function as a spacer to distance an antibody from an agent in order to avoid interference with binding capabilities. A linker group can also serve to increase the chemical reactivity of a substituent on an agent or an antibody, and thus increase the coupling efficiency. An increase in chemical reactivity may also facilitate the use of agents, or functional groups on agents, which otherwise would not be possible.

It will be evident to those skilled in the art that a variety of bifunctional or polyfunctional reagents, both homo- and hetero-functional (such as those described in the catalog of the Pierce Chemical Co., Rockford, IL), may be employed as the linker group. Coupling may be effected, for example, through amino groups, carboxyl groups, sulfhydryl groups or oxidized carbohydrate residues. There are numerous references describing such methodology, *e.g.*, U.S. Patent No. 4,671,958, to Rodwell et al.

Where a therapeutic agent is more potent when free from the antibody portion

of the immunoconjugates of the present invention, it may be desirable to use a linker group which is cleavable during or upon internalization into a cell. A number of different cleavable linker groups have been described. The mechanisms for the intracellular release of an agent from these linker groups include cleavage by reduction of a disulfide bond (*e.g.*, U.S. Patent No. 4,489,710, to Spitler), by irradiation of a photolabile bond (*e.g.*, U.S. Patent No. 4,625,014, to Senter et al.), by hydrolysis of derivatized amino acid side chains (*e.g.*, U.S. Patent No. 4,638,045, to Kohn et al.), by serum complement-mediated hydrolysis (*e.g.*, U.S. Patent No. 4,671,958, to Rodwell et al.), and acid-catalyzed hydrolysis (*e.g.*, U.S. Patent No. 4,569,789, to Blattler et al.).

It may be desirable to couple more than one agent to an antibody. In one embodiment, multiple molecules of an agent are coupled to one antibody molecule. In another embodiment, more than one type of agent may be coupled to one antibody. Regardless of the particular embodiment, immunoconjugates with more than one agent may be prepared in a variety of ways. For example, more than one agent may be coupled directly to an antibody molecule, or linkers which provide multiple sites for attachment can be used. Alternatively, a carrier can be used.

A carrier may bear the agents in a variety of ways, including covalent bonding either directly or via a linker group. Suitable carriers include proteins such as albumins (*e.g.*, U.S. Patent No. 4,507,234, to Kato et al.), peptides and polysaccharides such as aminodextran (*e.g.*, U.S. Patent No. 4,699,784, to Shih et al.). A carrier may also bear an agent by noncovalent bonding or by encapsulation, such as within a liposome vesicle (*e.g.*, U.S. Patent Nos. 4,429,008 and 4,873,088). Carriers specific for radionuclide agents include radiohalogenated small molecules and chelating compounds. For example, U.S. Patent No. 4,735,792 discloses representative radiohalogenated small molecules and their synthesis. A radionuclide chelate may be formed from chelating compounds that include those containing nitrogen and sulfur atoms as the donor atoms for binding the metal, or metal oxide, radionuclide. For example, U.S. Patent No. 4,673,562, to Davison et al. discloses representative chelating compounds and their synthesis.

A variety of routes of administration for the antibodies and immunoconjugates may be used. Typically, administration will be intravenous, intramuscular, subcutaneous or

in site-specific regions by appropriate methods. It will be evident that the precise dose of the antibody/immunoconjugate will vary depending upon the antibody used, the antigen density, and the rate of clearance of the antibody.

Antibodies may be used in diagnostic tests to detect the presence of *Chlamydia* antigens using assays similar to those detailed above and other techniques well known to those of skill in the art, thereby providing a method for detecting Chlamydial infection in a patient.

Diagnostic reagents of the present invention may also comprise DNA sequences encoding one or more of the above polypeptides, or one or more portions thereof. For example, at least two oligonucleotide primers may be employed in a polymerase chain reaction (PCR) based assay to amplify *Chlamydia*-specific cDNA derived from a biological sample, wherein at least one of the oligonucleotide primers is specific for a DNA molecule encoding a polypeptide of the present invention. The presence of the amplified cDNA is then detected using techniques well known in the art, such as gel electrophoresis. Similarly, oligonucleotide probes specific for a DNA molecule encoding a polypeptide of the present invention may be used in a hybridization assay to detect the presence of an inventive polypeptide in a biological sample.

As used herein, the term "oligonucleotide primer/probe specific for a DNA molecule" means an oligonucleotide sequence that has at least about 80%, preferably at least about 90% and more preferably at least about 95%, identity to the DNA molecule in question. Oligonucleotide primers and/or probes which may be usefully employed in the inventive diagnostic methods preferably have at least about 10-40 nucleotides. In a preferred embodiment, the oligonucleotide primers comprise at least about 10 contiguous nucleotides of a DNA molecule encoding one of the polypeptides disclosed herein. Preferably, oligonucleotide probes for use in the inventive diagnostic methods comprise at least about 15 contiguous oligonucleotides of a DNA molecule encoding one of the polypeptides disclosed herein. Techniques for both PCR based assays and hybridization assays are well known in the art (see, for example, Mullis *et al. Ibid*; Ehrlich, *Ibid*). Primers or probes may thus be used to detect *Chlamydia*-specific sequences in biological samples. DNA probes or primers

comprising oligonucleotide sequences described above may be used alone or in combination with each other.

The following Examples are offered by way of illustration and not by way of limitation.

EXAMPLE 1

ISOLATION OF DNA SEQUENCES ENCODING *CHLAMYDIA* ANTIGENS

Chlamydia antigens of the present invention were isolated by expression cloning of a genomic DNA library of *Chlamydia trachomatis* LGV II essentially as described by Sanderson et al. (*J. Exp. Med.*, 1995, 182:1751-1757) and were shown to induce PBMC proliferation and IFN- γ in an immunoreactive T cell line.

A *Chlamydia*-specific T cell line was generated by stimulating PBMCs from a normal donor with no history of chlamydial genital tract infection with elementary bodies of *Chlamydia trachomatis* LGV II. This T cell line, referred to as TCL-8, was found to recognize both *Chlamydia trachomatis* and *Chlamydia pneumonia* infected monocyte-derived dendritic cells.

A randomly sheared genomic library of *Chlamydia trachomatis* LGV II was constructed in Lambda ZAP (Stratagene, La Jolla, CA) and the amplified library plated out in 96 well microtiter plates at a density of 30 clones/well. Bacteria were induced to express recombinant protein in the presence of 2 mM IPTG for 3 h, then pelleted and resuspended in 200 μ l of RPMI 10% FBS. 10 μ l of the induced bacterial suspension was transferred to 96 well plates containing autologous monocyte-derived dendritic cells. After a 2 h incubation, dendritic cells were washed to remove free *E. coli* and *Chlamydia*-specific T cells were added. Positive *E. coli* pools were identified by determining IFN- γ production and proliferation of the T cells in response to the pools.

Four positive pools were identified, which were broken down to yield four pure clones (referred to as 1-B1-66, 4-D7-28, 3-G3-10 and 10-C10-31), with insert sizes of 481 bp, 183 bp, 110 bp and 1400 bp, respectively. The determined DNA sequences for 1-B1-66, 4-D7-28, 3-G3-10 and 10-C10-31 are provided in SEQ ID NO: 1-4, respectively. Clone 1-B1-66 is approximately in region 536690 of the *C. trachomatis* genome (NCBI C.

trachomatis database). Within clone 1-B1-66, an open reading frame (ORF) has been identified (nucleotides 115 - 375) that encodes a previously identified 9 kDa protein (Stephens, et al. Genbank Accession No. AE001320), the sequence of which is provided in SEQ ID NO: 5). Clone 4-D7-28 is a smaller region of the same ORF (amino acids 22-82 of 1-B1-66). Clone 3-G3-10 is approximately in region 74559 of the *C. trachomatis* genome. The insert is cloned in the antisense orientation with respect to its orientation in the genome. The clone 10-C10-31 contains an open reading frame that corresponds to a previously published sequence for S13 ribosomal protein from *Chlamydia trachomatis* (Gu, L. et al. *J. Bacteriology*, 177:2594-2601, 1995). The predicted protein sequences for 4-D7-28 and 10-C10-31 are provided in SEQ ID NO: 6 and 12, respectively. Predicted protein sequences for 3-G3-10 are provided in SEQ ID NO: 7-11.

In a related series of screening studies, an additional T cell line was used to screen the genomic DNA library of *Chlamydia trachomatis* LGV II described above. A *Chlamydia*-specific T cell line (TCT-1) was derived from a patient with a chlamydial genital tract infection by stimulating patient PBMC with autologous monocyte-derived dendritic cells infected with elementary bodies of *Chlamydia trachomatis* LGV II. One clone, 4C9-18 (SEQ ID NO: 21), containing a 1256 bp insert, elicited a specific immune response, as measured by standard proliferation assays, from the *Chlamydia*-specific T cell line TCT-1. Subsequent analysis revealed this clone to contain three known sequences: lipoamide dehydrogenase (Genbank Accession No. AE001326), disclosed in SEQ ID NO: 22; a hypothetical protein CT429 (Genbank Accession No. AE001316), disclosed in SEQ ID NO: 23; and part of an open reading frame of ubiquinone methyltransferase CT428 (Genbank Accession No. AE001316), disclosed in SEQ ID NO: 24.

In further studies involving clone 4C9-18 (SEQ ID NO: 21), the full-length amino acid sequence for lipoamide dehydrogenase (SEQ ID NO: 22) from *C. trachomatis* (LGV II) was expressed in clone CtL2-LPDA-FL, as disclosed in SEQ ID NO: 90.

To further characterize the open reading frame containing the T cell stimulating epitope(s), a cDNA fragment containing nucleotides 1-695 of clone 4C9-18 with a cDNA sequence encoding a 6X-Histidine tag on the amino terminus was subcloned into the NdeI/EcoRI site of the pET17b vector (Novagen, Madison, WI), referred to as clone 4C9-

18#2 BL21 pLysS (SEQ ID NO: 25, with the corresponding amino acid sequence provided in SEQ ID NO: 26) and transformed into *E. coli*. Selective induction of the transformed *E. coli* with 2 mM IPTG for three hours resulted in the expression of a 26 kDa protein from clone 4C9-18#2 BL21 pLysS, as evidenced by standard Coomassie-stained SDS-PAGE. To determine the immunogenicity of the protein encoded by clone 4C9-18#2 BL21 pLysS, *E. coli* expressing the 26 kDa protein were titrated onto 1×10^4 monocyte-derived dendritic cells and incubated for two hours. The dendritic cell cultures were washed and 2.5×10^4 T cells (TCT-1) added and allowed to incubate for an additional 72 hours, at which time the level of IFN- γ in the culture supernatant was determined by ELISA. As shown in Fig. 1, the T-cell line TCT-1 was found to respond to induced cultures as measured by IFN-g, indicating a *Chlamydia*-specific T-cell response against the lipamide dehydrogenase sequence. Similarly, the protein encoded by clone 4C9-18#2 BL21 pLysS was shown to stimulate the TCT-1 T-cell line by standard proliferation assays.

Subsequent studies to identify additional *Chlamydia trachomatis* antigens using the above-described CD4+ T-cell expression cloning technique yielded additional clones. The TCT-1 and TCL-8 *Chlamydia*-specific T-cell lines, as well as the TCP-21 T-cell line were utilized to screen the *Chlamydia trachomatis* LGVII genomic library. The TCP-21 T-cell line was derived from a patient having a humoral immune response to *Chlamydia pneumoniae*. The TCT-1 cell line identified 37 positive pools, the TCT-3 cell line identified 41 positive pools and the TCP-21 cell line identified 2 positive pools. The following clones were derived from 10 of these positive pools. Clone 11-A3-93 (SEQ ID NO: 64), identified by the TCP-21 cell line, is a 1339 bp genomic fragment sharing homology to the HAD superfamily (CT103). The second insert in the same clone shares homology with the fab I gene (CT104) present on the complementary strand. Clone 11-C12-91 (SEQ ID NO: 63), identified using the TCP-21 cell line, has a 269 bp insert that is part of the OMP2 gene (CT443) and shares homology with the 60 kDa cysteine rich outer membrane protein of *C. pneumoniae*.

Clone 11-G10-46, (SEQ ID NO: 62), identified using the TCT-3 cell line, contains a 688 bp insert that shares homology to the hypothetical protein CT610. Clone 11-G1-34, (SEQ ID NO: 61), identified using the TCT-3 cell line, has two partial open reading

frames (ORF) with an insert size of 1215 bp. One ORF shares homology to the malate dehydrogenase gene (CT376), and the other ORF shares homology to the glycogen hydrolase gene (CT042). Clone 11-H3-68, (SEQ ID NO: 60), identified using the TCT-3 cell line, has two ORFs with a total insert size of 1180 bp. One partial ORF encodes the plasmid-encoded PGP6-D virulence protein while the second ORF is a complete ORF for the L1 ribosomal gene (CT318). Clone 11-H4-28, (SEQ ID NO: 59), identified using the TCT-3 cell line, has an insert size of 552 bp and is part of the ORF for the dnaK gene (CT396). Clone 12-B3-95, (SEQ ID NO: 58), identified using the TCT-1 cell line, has an insert size of 463 bp and is a part of the ORF for the lipoamide dehydrogenase gene (CT557). Clones 15-G1-89 and 12-B3-95 are identical, (SEQ ID NO: 55 and 58, respectively), identified using the TCT-1 cell line, has an insert size of 463 bp and is part of the ORF for the lipoamide dehydrogenase gene (CT557). Clone 12-G3-83, (SEQ ID NO: 57), identified using the TCT-1 cell line, has an insert size of 1537 bp and has part of the ORF for the hypothetical protein CT622.

Clone 23-G7-68, (SEQ ID NO: 79), identified using the TCT-3 cell line, contains a 950 bp insert and contains a small part of the L11 ribosomal ORF, the entire ORF for L1 ribosomal protein and a part of the ORF for L10 ribosomal protein. Clone 22-F8-91, (SEQ ID NO: 80), identified using the TCT-1 cell line, contains a 395 bp insert that contains a part of the pmpC ORF on the complementary strand of the clone. Clone 21-E8-95, (SEQ ID NO: 81), identified using the TCT-3 cell line, contains a 2,085 bp insert which contains part of CT613 ORF, the complete ORF for CT612, the complete ORF for CT611 and part of the ORF for CT610. Clone 19-F12-57, (SEQ ID NO: 82), identified using the TCT-3 cell line, contains a 405 bp insert which contains part of the CT 858 ORF and a small part of the recA ORF. Clone 19-F12-53, (SEQ ID NO: 83), identified using the TCT-3 cell line, contains a 379 bp insert that is part of the ORF for CT455 encoding glutamyl tRNA synthetase. Clone 19-A5-54, (SEQ ID NO: 84), identified using the TCT-3 cell line, contains a 715 bp insert that is part of the ORF3 (complementary strand of the clone) of the cryptic plasmid. Clone 17-E11-72, (SEQ ID NO: 85), identified using the TCT-1 cell line, contains a 476 bp insert that is part of the ORF for Opp_2 and pmpD. The pmpD region of this clone is covered by the pmpD region of clone 15-H2-76. Clone 17-C1-77, (SEQ ID NO: 86), identified using the TCT-3 cell line, contains a 1551 bp insert that is part of the CT857 ORF, as well as part of

the CT858 ORF. Clone 15-H2-76, (SEQ ID NO: 87), identified using the TCT-1 cell line, contains a 3,031 bp insert that contains a large part of the pmpD ORF, part of the CT089 ORF, as well as part of the ORF for SycE. Clone 15-A3-26, (SEQ ID NO: 88), contains a 976 bp insert that contains part of the ORF for CT858. Clone 17-G4-36, (SEQ ID NO: 267), identified using the TCT-10 cell line, contains a 680 bp insert that is in frame with beta-gal in the plasmid and shares homology to part of the ORF for DNA-directed RNA polymerase beta subunit (CT315 in SerD).

Several of the clones described above share homology to various polymorphic membrane proteins. The genomic sequence of *Chlamydia trachomatis* contains a family of nine polymorphic membrane protein genes, referred to as pmp. These genes are designated pmpA, pmpB, pmpC, pmpD, pmpE, pmpF, pmpG, pmpH and pmpI. Proteins expressed from these genes are believed to be of biological relevance in generating a protective immune response to a *Chlamydial* infection. In particular, pmpC, pmpD, pmpE and pmpI contain predictable signal peptides, suggesting they are outer membrane proteins, and therefore, potential immunological targets.

Based on the *Chlamydia trachomatis* LGVII serovar sequence, primer pairs were designed to PCR amplify the full-length fragments of pmpC, pmpD, pmpE, pmpG, pmpH and pmpI. The resulting fragments were subcloned into the DNA vaccine vector JA4304 or JAL, which is JA4304 with a modified linker (SmithKline Beecham, London, England). Specifically, PmpC was subcloned into the JAL vector using the 5' oligo GAT AGG CGC GCC GCA ATC ATG AAA TTT ATG TCA GCT ACT GCT G and the 3' oligo CAG AAC GCG TTT AGA ATG TCA TAC GAG CAC CGC A, as provided in SEQ ID NO: 197 and 198, respectively. PCR amplification of the gene under conditions well known in the art and ligation into the 5' ASGI/3' MluI sites of the JAL vector was completed after inserting the short nucleotide sequence GCAATC (SEQ ID NO: 199) upstream of the ATG to create a Kozak-like sequence. The resulting expression vector contained the full-length pmpC gene comprising 5325 nucleotides (SEQ ID NO: 173) containing the hypothetical signal sequence, which encodes a 187 kD protein (SEQ ID NO: 179). The pmpD gene was subcloned into the JA4304 vaccine vector following PCR amplification of the gene using the following oligos: 5' oligo- TGC AAT CAT GAG TTC GCA GAA AGA TAT AAA AAG C

(SEQ ID NO: 200) and 3' oligo- CAG AGC TAG CTT AAA AGA TCA ATC GCA ATC CAG TAT TC (SEQ ID NO: 201). The gene was ligated into the a 5' blunted HIII/3' MluI site of the JA4304 vaccine vector using standard techniques well known in the art. The CAATC (SEQ ID NO: 202) was inserted upstream of the ATG to create a Kozak-like sequence. This clone is unique in that the last threonine of the HindIII site is missing due to the blunting procedure, as is the last glycine of the Kozak-like sequence. The insert, a 4593 nucleotide fragment (SEQ ID NO: 172) is the full-length gene for pmpD containing the hypothetical signal sequence, which encodes a 161 kD protein (SEQ ID NO: 178). PmpE was subcloned into the JA4304 vector using the 5' oligo- TGC AAT CAT GAA AAA AGC GTT TTT CTT TTT C (SEQ ID NO: 203), and the 3' oligo- CAG AAC GCG TCT AGA ATC GCA GAG CAA TTT C (SEQ ID NO: 204). Following PCR amplification, the gene was ligated into the 5' blunted HIII/3' MluI site of JA4304. To facilitate this, a short nucleotide sequence, TGCAATC (SEQ ID NO: 293), was added upstream of the initiation codon for creating a Kozak-like sequence and reconstituting the HindIII site. The insert is the full-length pmpE gene (SEQ ID NO: 171) containing the hypothetical signal sequence. The pmpE gene encodes a 105 kD protein (SEQ ID NO: 177). The pmpG gene was PCR amplified using the 5' oligo- GTG CAA TCA TGA TTC CTC AAG GAA TTT ACG (SEQ ID NO: 205), and the 3' oligo- CAG AAC GCG TTT AGA ACC GGA CTT TAC TTC C (SEQ ID NO: 206) and subcloned into the JA4304 vector. Similar cloning strategies were followed for the pmpI and pmpK genes. In addition, primer pairs were designed to PCR amplify the full-length or overlapping fragments of the pmp genes, which were then subcloned for protein expression in the pET17b vector (Novagen, Madison, WI) and transfected into E. coli BL21 pLysS for expression and subsequent purification utilizing the histidine-nickel chromatographic methodology provided by Novagen. Several of the genes encoding the recombinant proteins, as described below, lack the native signal sequence to facilitate expression of the protein. Full-length protein expression of pmpC was accomplished through expression of two overlapping fragments, representing the amino and carboxy termini. Subcloning of the pmpC-amino terminal portion, which lacks the signal sequence, (SEQ ID NO: 187, with the corresponding amino acid sequence provided in SEQ ID NO: 195) used the 5' oligo- CAG ACA TAT GCA TCA CCA TCA CCA TCA CGA

GGC GAG CTC GAT CCA AGA TC (SEQ ID NO: 207), and the 3' oligo- CAG AGG TAC CTC AGA TAG CAC TCT CTC CTA TTA AAG TAG G (SEQ ID NO: 208) into the 5' NdeI/3' KPN cloning site of the vector. The carboxy terminus portion of the gene, pmpC-carboxy terminal fragment (SEQ ID NO: 186, with the corresponding amino acid sequence provided in SEQ ID NO: 194), was subcloned into the 5' NheI/3' KPN cloning site of the expression vector using the following primers: 5' oligo- CAG AGC TAG CAT GCA TCA CCA TCA CCA TCA CGT TAA GAT TGA GAA CTT CTC TGG C (SEQ ID NO: 209), and 3' oligo- CAG AGG TAC CTT AGA ATG TCA TAC GAG CAC CGC AG (SEQ ID NO: 210). PmpD was also expressed as two overlapping proteins. The pmpD-amino terminal portion, which lacks the signal sequence, (SEQ ID NO: 185, with the corresponding amino acid sequence provided in SEQ ID NO: 193) contains the initiating codon of the pET17b and is expressed as a 80 kD protein. For protein expression and purification purposes, a six-histidine tag follows the initiation codon and is fused at the 28th amino acid (nucleotide 84) of the gene. The following primers were used, 5' oligo, CAG ACA TAT GCA TCA CCA TCA CCA TCA CGG GTT AGC (SEQ ID NO: 211), and the 3' oligo- CAG AGG TAC CTC AGC TCC TCC AGC ACA CTC TCT TC (SEQ ID NO: 212), to splice into the 5' NdeI/3' KPN cloning site of the vector. The pmpD-carboxy terminus portion (SEQ ID NO: 184) was expressed as a 92 kD protein (SEQ ID NO: 192). For expression and subsequent purification, an additional methionine, alanine and serine was included, which represent the initiation codon and the first two amino acids from the pET17b vector. A six-histidine tag downstream of the methionine, alanine and serine is fused at the 691st amino acid (nucleotide 2073) of the gene. The 5' oligo- CAG AGC TAG CCA TCA CCA TCA CCA TCA CGG TGC TAT TTC TTG CTT ACG TGG (SEQ ID NO: 213) and the 3' oligo- CAG AGG TAC TTn AAA AGA TCA ATC GCA ATC CAG TAT TCG (SEQ ID NO: 214) were used to subclone the insert into the 5' NheI/3' KPN cloning site of the expression vector. PmpE was expressed as a 106kD protein (SEQ ID NO: 183 with the corresponding amino acid sequence provided in SEQ ID NO: 191). The pmpE insert also lacks the native signal sequence. PCR amplification of the gene under conditions well known in the art was performed using the following oligo primers: 5' oligo- CAG AGG ATC CAC ATC ACC ATC ACC ATC ACG GAC TAG CTA GAG AGG TTC (SEQ ID NO: 215), and

the 3' oligo- CAG AGA ATT CCT AGA ATC GCA GAG CAA TTT C (SEQ ID NO: 216), and the amplified insert was ligated into a 5' BamHI/3' EcoRI site of JA4304. The short nucleotide sequence, as provided in SEQ ID NO: 217, was inserted upstream of the initiation codon for creating the Kozak-like sequence and reconstituting the HindIII site. The expressed protein contains the initiation codon and the downstream 21 amino acids from the pET17b expression vector, i.e., MASMTGGQQMGRDSSLVPSSDP (SEQ ID NO: 218). In addition, a six-histidine tag is included upstream of the sequence described above and is fused at the 28th amino acid (nucleotide 84) of the gene, which eliminates the hypothetical signal peptide. The sequences provided in SEQ ID NO: 183 with the corresponding amino acid sequence provided in SEQ ID NO: 191 do not include these additional sequences. The pmpG gene (SEQ ID NO: 182, with the corresponding amino acid sequence provided in SEQ ID No; 190) was PCR amplified under conditions well known in the art using the following oligo primers: 5' oligo- CAG AGG TAC CGC ATC ACC ATC ACC ATC ACA TGA TTC CTC AAG GAA TTT ACG (SEQ ID NO: 219), and the 3' oligo- CAG AGC GGC CGC TTA GAA CCG GAC TTT ACT TCC (SEQ ID NO: 220), and ligated into the 5' KPN/3' NotI cloning site of the expression vector. The expressed protein contains an additional amino acid sequence at the amino end, namely, MASMTGGQQNGRDSSLVPHHHHHH (SEQ ID NO: 221), which comprises the initiation codon and additional sequence from the pET17b expression vector. The pmpI gene (SEQ ID NO: 181, with the corresponding amino acid sequence provided in SEQ ID No; 189) was PCR amplified under conditions well known in the art using the following oligo primers: 5' oligo- CAG AGC TAG CCA TCA CCA TCA CCA TCA CCT CTT TGG CCA GGA TCC C (SEQ ID NO: 222), and the 3' oligo- CAG AAC TAG TCT AGA ACC TGT AAG TGG TCC (SEQ ID NO: 223), and ligated into the expression vector at the 5' NheI/3' SpeI cloning site. The 95 kD expressed protein contains the initiation codon plus an additional alanine and serine from the pET17b vector at the amino end of the protein. In addition, a six-histidine tag is fused at the 21st amino acid of the gene, which eliminates the hypothetical signal peptide.

Clone 14H1-4, (SEQ ID NO: 56), identified using the TCT-3 cell line, contains a complete ORF for the TSA gene, thiol specific antioxidant – CT603 (the CT603 ORF is a homolog of CPn0778 from *C. pneumoniae*). The TSA open reading frame in clone

14-H1-4 was amplified such that the expressed protein possess an additional methionine and a 6x histidine tag (amino terminal end). This amplified insert was sub-cloned into the Nde/EcoRI sites of the pET17b vector. Upon induction of this clone with IPTG, a 22.6 kDa protein was purified by Ni-NTA agarose affinity chromatography. The determined amino acid sequence for the 195 amino acid ORF of clone 14-H1-4 encoding the TSA gene is provided in SEQ ID NO: 65. Further analysis yielded a full-length clone for the TSA gene, referred to as CTL2-TSA-FL, with the full-length amino acid sequence provided in SEQ ID NO: 92.

Further studies yielded 10 additional clones identified by the TCT-1 and TCT-3 T-cell lines, as described above. The clones identified by the TCT-1 line are: 16-D4-22, 17-C5-19, 18-C5-2, 20-G3-45 and 21-C7-66; clones identified by the TCT-3 cell line are: 17-C10-31, 17-E2-9, 22-A1-49 and 22-B3-53. Clone 21-G12-60 was recognized by both the TCT-1 and TCT-3 T cell lines. Clone 16-D4-22 (SEQ ID NO: 119), identified using the TCT-1 cell line contains a 953 bp insert that contains two genes, parts of open reading frame 3 (ORF3) and ORF4 of the *C. trachomatis* plasmid for growth within mammalian cells. Clone 17-C5-19 (SEQ ID NO: 118), contains a 951 bp insert that contains part of the ORF for DT431, encoding for clpP_1 protease and part of the ORF for CT430 (diaminopimelate epimerase). Clone 18-C5-2 (SEQ ID NO: 117) is part of the ORF for S1 ribosomal protein with a 446 bp insert that was identified using the TCT-1 cell line. Clone 20-G3-45 (SEQ ID NO: 116), identified by the TCT-1 cell line, contains a 437 bp insert that is part of the pmpB gene (CT413). Clone 21-C7-66 (SEQ ID NO: 115), identified by the TCT-1 line, contains a 995bp insert that encodes part of the dnaK like protein. The insert of this clone does not overlap with the insert of the TCT-3 clone. 11-H4-28 (SEQ ID NO: 59), which was shown to be part of the dnaK gene CT396. Clone 17-C10-31 (SEQ ID NO: 114), identified by the TCT-3 cell line, contains a 976 bp insert. This clone contains part of the ORF for CT858, a protease containing IRBP and DHR domains. Clone 17-E2-9 (SEQ ID NO: 113) contains part of ORFs for two genes, CT611 and CT610, that span a 1142 bp insert. Clone 22-A1-49 (SEQ ID NO: 112), identified using the TCT-3 line, also contains two genes in a 698 bp insert. Part of the ORF for CT660 (DNA gyrase{gyrA_2}) is present on the top strand where as the complete ORF for a hypothetical protein CT659 is present on the complementary

strand. Clone 22-B3-53 (SEQ ID NO: 111), identified by the TCT-1 line, has a 267 bp insert that encodes part of the ORF for GroEL (CT110). Clone 21-G12-60 (SEQ ID NO: 110), identified by both the TCT-1 and TCT-3 cell lines contains a 1461 bp insert that contains partial ORFs for hypothetical proteins CT875, CT229 and CT228.

Additional *Chlamydia* antigens were obtained by screening a genomic expression library of *Chlamydia trachomatis* (LGV II serovar) in Lambda Screen-1 vector (Novagen, Madison, WI) with sera pooled from several *Chlamydia*-infected individuals using techniques well known in the art. The following immuno-reactive clones were identified and the inserts containing *Chlamydia* genes sequenced: CTL2#1 (SEQ ID NO: 71); CTL2#2 (SEQ ID NO: 70); CTL2#3-5' (SEQ ID NO: 72, a first determined genomic sequence representing the 5' end); CTL2#3-3' (SEQ ID NO: 73, a second determined genomic sequence representing the 3' end); CTL2#4 (SEQ ID NO: 53); CTL2#5 (SEQ ID NO: 69); CTL2#6 (SEQ ID NO: 68); CTL2#7 (SEQ ID NO: 67); CTL2#8b (SEQ ID NO: 54); CTL2#9 (SEQ ID NO: 66); CTL2#10-5' (SEQ ID NO: 74, a first determined genomic sequence representing the 5' end); CTL2#10-3' (SEQ ID NO: 75, a second determined genomic sequence representing the 3' end); CTL2#11-5' (SEQ ID NO: 45, a first determined genomic sequence representing the 5' end); CTL2#11-3' (SEQ ID NO: 44, a second determined genomic sequence representing the 3' end); CTL2#12 (SEQ ID NO: 46); CTL2#16-5' (SEQ ID NO: 47); CTL2#18-5' (SEQ ID NO: 49, a first determined genomic sequence representing the 5' end); CTL2#18-3' (SEQ ID NO: 48, a second determined genomic sequence representing the 3' end); CTL2#19-5' (SEQ ID NO: 76, the determined genomic sequence representing the 5' end); CTL2#21 (SEQ ID NO: 50); CTL2#23 (SEQ ID NO: 51); and CTL2#24 (SEQ ID NO: 52).

Additional *Chlamydia trachomatis* antigens were identified by serological expression cloning. These studies used sera pooled from several *Chlamydia*-infected individuals, as described above, but, IgA, and IgM antibodies were used in addition to IgG as a secondary antibody. Clones screened by this method enhance detection of antigens recognized by an early immune response to a *Chlamydia* infection, that is a mucosal humoral immune response. The following immunoreactive clones were characterized and the inserts containing *Chlamydia* genes sequenced: CTL2gam-1 (SEQ ID NO: 290), CTL2gam-2 (SEQ

ID NO: 289), CTL2gam-5 (SEQ ID NO: 288), CTL2gam-6-3' (SEQ ID NO: 287, a second determined genomic sequence representing the 3' end), CTL2gam-6-5' (SEQ ID NO: 286, a first determined genomic sequence representing the 5' end), CTL2gam-8 (SEQ ID NO: 285), CTL2gam-10 (SEQ ID NO: 284), CTL2gam-13 (SEQ ID NO: 283), CTL2gam-15-3' (SEQ ID NO: 282, a second determined genomic sequence representing the 3' end), CTL2gam-15-5' (SEQ ID NO: 281, a first determined genomic sequence representing the 5' end), CTL2gam-17 (SEQ ID NO: 280), CTL2gam-18 (SEQ ID NO: 279), CTL2gam-21 (SEQ ID NO: 278), CTL2gam-23 (SEQ ID NO: 277), CTL2gam-24 (SEQ ID NO: 276), CTL2gam-26 (SEQ ID NO: 275), CTL2gam-27 (SEQ ID NO: 274), CTL2gam-28 (SEQ ID NO: 273), CTL2gam-30-3' (SEQ ID NO: 272, a second determined genomic sequence representing the 3' end) and CTL2gam-30-5' (SEQ ID NO: 271, a first determined genomic sequence representing the 5' end).

EXAMPLE 2

INDUCTION OF T CELL PROLIFERATION AND INTERFERON- γ PRODUCTION BY *CHLAMYDIA TRACHOMATIS* ANTIGENS

The ability of recombinant *Chlamydia trachomatis* antigens to induce T cell proliferation and interferon- γ production is determined as follows.

Proteins are induced by IPTG and purified by Ni-NTA agarose affinity chromatograph (Webb et al., *J. Immunology* 157:5034-5041, 1996). The purified polypeptides are then screened for the ability to induce T-cell proliferation in PBMC preparations. PBMCs from *C. trachomatis* patients as well as from normal donors whose T-cells are known to proliferate in response to *Chlamydia* antigens, are cultured in medium comprising RPMI 1640 supplemented with 10% pooled human serum and 50 μ g/ml gentamicin. Purified polypeptides are added in duplicate at concentrations of 0.5 to 10 μ g/mL. After six days of culture in 96-well round-bottom plates in a volume of 200 μ l, 50 μ l of medium is removed from each well for determination of IFN- γ levels, as described below. The plates are then pulsed with 1 μ Ci/well of tritiated thymidine for a further 18 hours, harvested and tritium uptake determined using a gas scintillation counter. Fractions that

result in proliferation in both replicates three fold greater than the proliferation observed in cells cultured in medium alone are considered positive.

IFN- γ is measured using an enzyme-linked immunosorbent assay (ELISA). ELISA plates are coated with a mouse monoclonal antibody directed to human IFN- γ (PharMingen, San Diego, CA) in PBS for four hours at room temperature. Wells are then blocked with PBS containing 5% (W/V) non-fat dried milk for 1 hour at room temperature. The plates are washed six times in PBS/0.2% TWEEN-20 and samples diluted 1:2 in culture medium in the ELISA plates are incubated overnight at room temperature. The plates are again washed and a polyclonal rabbit anti-human IFN- γ serum diluted 1:3000 in PBS/10% normal goat serum is added to each well. The plates are then incubated for two hours at room temperature, washed and horseradish peroxidase-coupled anti-rabbit IgG (Sigma Chemical So., St. Louis, MO) is added at a 1:2000 dilution in PBS/5% non-fat dried milk. After a further two hour incubation at room temperature, the plates are washed and TMB substrate added. The reaction is stopped after 20 min with 1 N sulfuric acid. Optical density is determined at 450 nm using 570 nm as a reference wavelength. Fractions that result in both replicates giving an OD two fold greater than the mean OD from cells cultured in medium alone, plus 3 standard deviations, are considered positive.

Using the above methodology, recombinant 1B1-66 protein (SEQ ID NO: 5) as well as two synthetic peptides corresponding to amino acid residues 48-67 (SEQ ID NO: 13; referred to as 1-B1-66/48-67) and 58-77 (SEQ ID NO: 14, referred to as 1B1-66/58-77), respectively, of SEQ ID NO: 5, were found to induce a proliferative response and IFN- γ production in a *Chlamydia*-specific T cell line used to screen a genomic library of *C. trachomatis* LGV II.

Further studies have identified a *C. trachomatis*-specific T-cell epitope in the ribosomal S13 protein. Employing standard epitope mapping techniques well known in the art, two T-cell epitopes in the ribosomal S13 protein (rS13) were identified with a *Chlamydia*-specific T-cell line from donor CL-8 (T-cell line TCL-8 EB/DC). Fig. 8 illustrates that the first peptide, rS13 1-20 (SEQ ID NO: 106), is 100% identical with the corresponding *C. pneumoniae* sequence, explaining the cross-reactivity of the T-cell line to recombinant *C. trachomatis*- and *C. pneumoniae*-rS13. The response to the second peptide

rS13 56-75 (SEQ ID NO: 108) is *C. trachomatis*-specific, indicating that the rS13 response in this healthy asymptomatic donor was elicited by exposure to *C. trachomatis* and not to *C. pneumoniae*, or any other microbial infection.

As described in Example 1, Clone 11-C12-91 (SEQ ID NO: 63), identified using the TCP-21 cell line, has a 269 bp insert that is part of the OMP2 gene (CT443) and shares homology with the 60 kDa cysteine rich outer membrane protein of *C. pneumoniae*, referred to as OMCB. To further define the reactive epitope(s), epitope mapping was performed using a series of overlapping peptides and the immunoassay previously described. Briefly, proliferative responses were determined by stimulating 2.5×10^4 TCP-21 T-cells in the presence of 1×10^4 monocyte-derived dendritic cells with either non-infectious elementary bodies derived from *C. trachomatis* and *C. pneumoniae*, or peptides derived from the protein sequence of *C. trachomatis* or *C. pneumoniae* OMCB protein (0.1 μ g/ml). The TCP-21 T-cells responded to epitopes CT-OMCB #167-186, CT-OMCB #171-190, CT-OMCB #171-186, and to a lesser extent, CT-OMCB #175-186 (SEQ ID NO: 249-252, respectively). Notably, the TCP-21 T-cell line also gave a proliferative response to the homologous *C. pneumoniae* peptide CP-OMCB #171-186 (SEQ ID NO: 253), which was equal to or greater than the response to the *C. trachomatis* peptides. The amino acid substitutions in position two (i.e., Asp for Glu) and position four (i.e., Cys for Ser) did not alter the proliferative response of the T-cells and therefore demonstrating this epitope to be a cross-reactive epitope between *C. trachomatis* and *C. pneumoniae*.

To further define the epitope described above, an additional T-cell line, TCT-3, was used in epitope mapping experiments. The immunoassays were performed as described above, except that only peptides from *C. trachomatis* were tested. The T-cells gave a proliferative response to two peptides, CT-OMCB #152-171 and CT-OMCB #157-176 (SEQ ID NO: 246 and 247, respectively), thereby defining an additional immunogenic epitope in the cysteine rich outer membrane protein of *C. trachomatis*.

Clone 14H1-4, (SEQ ID NO: 56, with the corresponding full-length amino acid sequence provided in SEQ ID NO: 92), was identified using the TCT-3 cell line in the CD4 T-cell expression cloning system previously described, and was shown to contain a complete ORF for the, thiol specific antioxidant gene (CT603), referred to as TSA. Epitope

mapping immunoassays were performed, as described above, to further define the epitope. The TCT-3 T-cells line exhibited a strong proliferative response to the overlapping peptides CT-TSA #96-115, CT-TSA #101-120 and CT-TSA #106-125 (SEQ ID NO: 254-256, respectively) demonstrating an immunoreactive epitope in the thiol specific antioxidant gene of *C. trachomatis* serovar LGVII.

EXAMPLE 3

PREPARATION OF SYNTHETIC POLYPEPTIDES

Polypeptides may be synthesized on a Millipore 9050 peptide synthesizer using Fmoc chemistry with HPTU (O-Benzotriazole-N,N,N',N'-tetramethyluronium hexafluorophosphate) activation. A Gly-Cys-Gly sequence may be attached to the amino terminus of the peptide to provide a method of conjugating or labeling of the peptide. Cleavage of the peptides from the solid support may be carried out using the following cleavage mixture: trifluoroacetic acid:ethanedithiol:thioanisole:water:phenol (40:1:2:2:3). After cleaving for 2 hours, the peptides may be precipitated in cold methyl-t-butyl-ether. The peptide pellets may then be dissolved in water containing 0.1% trifluoroacetic acid (TFA) and lyophilized prior to purification by C18 reverse phase HPLC. A gradient of 0-60% acetonitrile (containing 0.1% TFA) in water (containing 0.1% TFA) may be used to elute the peptides. Following lyophilization of the pure fractions, the peptides may be characterized using electrospray mass spectrometry and by amino acid analysis.

EXAMPLE 4

ISOLATION AND CHARACTERIZATION OF DNA SEQUENCES ENCODING
CHLAMYDIA ANTIGENS USING RETROVIRAL EXPRESSION VECTOR SYSTEMS
AND SUBSEQUENT IMMUNOLOGICAL ANALYSIS

A genomic library of *Chlamydia trachomatis* LGV II was constructed by limited digests using BamHI, BglII, BstYI and MboI restriction enzymes. The restriction digest fragments were subsequently ligated into the BamHI site of the retroviral vectors pBIB-KS1,2,3. This vector set was modified to contain a Kosak translation initiation site and stop codons in order to allow expression of proteins from short DNA genomic fragments, as shown in Fig. 2. DNA pools of 80 clones were prepared and transfected into the retroviral packaging line Phoenix-Ampho, as described in Pear, W.S., Scott, M.L. and Nolan, G.P., Generation of High Titre, Helper-free Retroviruses by Transient Transfection. Methods in Molecular Medicine: Gene Therapy Protocols, Humana Press, Totowa, NJ, pp. 41-57. The *Chlamydia* library in retroviral form was then transduced into H2-Ld expressing P815 cells, which were then used as target cells to stimulate an antigen specific T-cell line.

A *Chlamydia*-specific, murine H2^d restricted CD8⁺ T-cell line was expanded in culture by repeated rounds of stimulation with irradiated *C. trachomatis*-infected J774 cells and irradiated syngeneic spleen cells, as described by Starnbach, M., in *J. Immunol.*, 153:5183, 1994. This *Chlamydia*-specific T-cell line was used to screen the above *Chlamydia* genomic library expressed by the retrovirally-transduced P815 cells. Positive DNA pools were identified by detection of IFN- γ production using Elispot analysis (SEE Lalvani et al., *J. Experimental Medicine* 186:859-865, 1997).

Two positive pools, referred to as 2C7 and 2E10, were identified by IFN- γ Elispot assays. Stable transductants of P815 cells from pool 2C7 were cloned by limiting dilution and individual clones were selected based upon their capacity to elicit IFN- γ production from the *Chlamydia*-specific CTL line. From this screening process, four positive clones were selected, referred to as 2C7-8, 2C7-9, 2C7-19 and 2C7-21. Similarly, the positive pool 2E10 was further screened, resulting in a an additional positive clone, which

contains three inserts. The three inserts are fragments of the CT016, tRNA synthase and clpX genes (SEQ ID NO: 268-270, respectively).

Transgenic DNA from these four positive 2C7.8 clones were PCR amplified using pBIB-KS specific primers to selectively amplify the *Chlamydia* DNA insert. Amplified inserts were gel purified and sequenced. One immunoreactive clone, 2C7-8 (SEQ ID NO: 15, with the predicted amino acid sequence provided in SEQ ID NO: 32), is a 160 bp fragment with homology to nucleotides 597304-597145 of *Chlamydia trachomatis*, serovar D (NCBI, BLASTN search; SEQ ID NO: 33, with the predicted amino acid sequence provided in SEQ ID NO: 34). The sequence of clone 2C7-8 maps within two putative open reading frames from the region of high homology described immediately above, and in particular, one of these putative open reading frames, consisting of a 298 amino acid fragment (SEQ ID NO: 16, with the predicted amino acid sequence provided in SEQ ID NO: 17), was demonstrated to exhibit immunological activity.

Full-length cloning of the 298 amino acid fragment (referred to as CT529 and/or the Cap1 gene) from serovar L2 was obtained by PCR amplification using 5'-ttttgaagcaggtaggtgaatatg (forward) (SEQ ID NO: 159) and 5'-ttaagaaatttaaaaaatccctta (reverse) (SEQ ID NO: 160) primers, using purified *C. trachomatis* L2 genomic DNA as template. This PCR product was gel-purified, cloned into pCRBlunt (Invitrogen, Carlsbad, CA) for sequencing, and then subcloned into the *EcoRI* site of pBIB-KMS, a derivative of pBIB-KS for expression. The *Chlamydia pneumoniae* homologue of CT529 is provided in SEQ ID NO: 291, with the corresponding amino acid sequence provided in SEQ ID NO: 292.

Full-length DNA encoding various CT529 serovars were amplified by PCR from bacterial lysates containing 10^5 IFU, essentially as described (Denamur, E., C. Sayada, A. Souriau, J. Orfila, A. Rodolakis and J. Elion. 1991. J. Gen. Microbiol. 137: 2525). The following serovars were amplified as described: Ba (SEQ ID NO: 134, with the corresponding predicted amino acid sequence provided in SEQ ID NO: 135); E (BOUR) and E (MTW447) (SEQ ID NO: 122, with the corresponding predicted amino acid sequence provided in SEQ ID NO: 123); F (NI1) (SEQ ID NO: 128, with the corresponding predicted amino acid sequence provided in SEQ ID NO: 129); G; (SEQ ID NO: 126, with the corresponding predicted amino acid sequence provided in SEQ ID NO: 127); Ia (SEQ ID

NO: 124, with the corresponding predicted amino acid sequence provided in SEQ ID NO: 125); L1 (SEQ ID NO: 130, with the corresponding predicted amino acid sequence provided in SEQ ID NO: 131); L3 (SEQ ID NO: 132, with the corresponding predicted amino acid sequence provided in SEQ ID NO: 133); I (SEQ ID NO: 263, with the corresponding predicted amino acid sequence provided in SEQ ID NO: 264); K (SEQ ID NO: 265, with the corresponding predicted amino acid sequence provided in SEQ ID NO: 266); and MoPn (SEQ ID NO: 136, with the corresponding predicted amino acid sequence provided in SEQ ID NO: 137). PCR reactions were performed with Advantage Genomic PCR Kit (Clontech, Palo Alto, CA) using primers specific for serovar L2 DNA (external to the ORF). Primers sequences were 5'-ggtataatatctctctaaatttg (forward-SEQ ID NO: 161) and 5'-agataaaaaaggctgtttc' (reverse-SEQ ID NO: 162) except for MoPn which required 5'-tttgaagcaggtaggtgaatatg (forward-SEQ ID NO: 163) and 5'-tttacaataagaaaagctaagcactttgt (reverse-SEQ ID NO: 164). PCR amplified DNA was purified with QIAquick PCR purification kit (Qiagen, Valencia, CA) and cloned in pCR2.1 (Invitrogen, Carlsbad, CA) for sequencing.

Sequencing of DNA derived from PCR amplified inserts of immunoreactive clones was done on an automated sequencer (ABI 377) using both a pBIB-KS specific forward primer 5'-ccttacacagtcctgctgac (SEQ ID NO: 165) and a reverse primer 3'-gtttccgggccctcacattg (SEQ ID NO: 166). PCRBlunt cloned DNA coding for CT529 serovar L2 and pCR2.1 cloned DNA coding for CT529 serovar Ba, E (BOUR), E (MTW447), F (NI1), G, Ia, K, L1, L3 and MoPn were sequenced using T7 promoter primer and universal M13 forward and M13 reverse primers.

To determine if these two putative open reading frames (SEQ ID NO: 16 and 20) encoded a protein with an associated immunological function, overlapping peptides (17-20 amino acid lengths) spanning the lengths of the two open reading frames were synthesized, as described in Example 3. A standard chromium release assay was utilized to determine the per cent specific lysis of peptide-pulsed H2^d restricted target cells. In this assay, aliquots of P815 cells (H2^d) were labeled at 37° C for one hour with 100 µCi of ⁵¹Cr in the presence or absence of 1 µg/ml of the indicated peptides. Following this incubation, labeled P815 cells were washed to remove excess ⁵¹Cr and peptide, and subsequently plated

in duplicate in microculture plates at a concentration of 1,000 cells/well. Effector CTL (*Chlamydia*-specific CD8 T cells) were added at the indicated effector:target ratios. Following a 4 hour incubation, supernatants were harvested and measured by gamma-counter for release of ^{51}Cr into the supernatant. Two overlapping peptides from the 298 amino acid open reading frame did specifically stimulate the CTL line. The peptides represented in SEQ ID NO: 138-156 were synthesized, representing the translation of the L2 homologue of the serovar D open reading frame for CT529 (Cap1 gene) and 216 amino acid open reading frame. As shown in Fig. 3, peptides CtC7.8-12 (SEQ ID NO: 18, also referred to as Cap1#132-147, SEQ ID NO: 139) and CtC7.8-13 (SEQ ID NO: 19, also referred to as Cap1#138-155, SEQ ID NO: 140) were able to elicit 38 to 52% specific lysis, respectively, at an effector to target ratio of 10:1. Notably, the overlap between these two peptides contained a predicted H2^d (K^d and L^d) binding peptide. A 10 amino acid peptide was synthesized to correspond to this overlapping sequence (SEQ ID NO: 31) and was found to generate a strong immune response from the anti-*Chlamydia* CTL line by elispot assay. Significantly, a search of the most recent Genbank database revealed no proteins have previously been described for this gene. Therefore, the putative open reading frame encoding clone 2C7-8 (SEQ ID NO: 15) defines a gene which encompasses an antigen from *Chlamydia* capable of stimulating antigen-specific CD8⁺ T-cells in a MHC-I restricted manner, demonstrating this antigen could be used to develop a vaccine against *Chlamydia*.

To confirm these results and to further map the epitope, truncated peptides (SEQ ID NO: 138-156) were made and tested for recognition by the T-cells in an IFN- γ ELISPOT assay. Truncations of either Ser139 (Cap1#140-147, SEQ ID NO: 146) or Leu147 (Cap1#138-146, SEQ ID NO: 147) abrogate T-cell recognition. These results indicate that the 9-mer peptide Cap1#139-147 (SFIGGITYL, SEQ ID NO: 145) is the minimal epitope recognized by the *Chlamydia*-specific T-cells.

Sequence alignments of Cap1 (CT529) from selected serovars of *C. trachomatis* (SEQ ID NO: 121, 123, 125, 127, 129, 131, 133, 135, 137 and 139) shows one of the amino acid differences is found in position 2 of the proposed epitope. The homologous serovar D peptide is SIIGGITYL (SEQ ID NO: 168). The ability of SFIGGITYL and SIIGGITYL to target cells for recognition by the *Chlamydia* specific T-cells was compared.

Serial dilutions of each peptide were incubated with P815 cells and tested for recognition by the T-cells in a ^{51}Cr release assay, as described above. The *Chlamydia*-specific T-cells recognize the serovar L2 peptide at a minimum concentration of 1 nM and the serovar D peptide at a minimum concentration of 10 nM.

Further studies have shown that a Cap1#139-147-specific T-cell clone recognizes *C. trachomatis* infected cells. To confirm that Cap1₁₃₉₋₁₄₇ is presented on the surface of *Chlamydia* infected cells, Balb-3T3 (H-2^d) cells were infected with *C. trachomatis* serovar L2 and tested to determine whether these cells are recognized by a CD8⁺ T-cell clone specific for Cap1#139-147 epitope (SEQ ID NO: 145). The T-cell clone specific for Cap1#139-147 epitope was obtained by limiting dilution of the line 69 T-cells. The T-cell clone specifically recognized the *Chlamydia* infected cells. In these experiments, target cells were *C. trachomatis* infected (positive control) or uninfected Balb/3T3 cells, showing 45%, 36% and 30% specific lysis at 30:1, 10:1 and 3:1 effector to target ratios, respectively; or Cap1#139-147 epitope (SEQ ID NO: 145) coated, or untreated P815 cells, showing 83%, 75% and 58% specific lysis at 30:1, 10:1 and 3:1 effector to target ratios, respectively (negative controls having less than 5% lysis in all cases). This data suggests that the epitope is presented during infection.

In vivo studies show Cap1#139-147 epitope-specific T-cells are primed during murine infection with *C. trachomatis*. To determine if infection with *C. trachomatis* primes a Cap1#139-147 epitope-specific T-cell response, mice were infected i.p. with 10^8 IFU of *C. trachomatis* serovar L2. Two weeks after infection, the mice were sacrificed and spleen cells were stimulated on irradiated syngeneic spleen cells pulsed with Cap1#139-147 epitope peptide. After 5 days of stimulation, the cultures were used in a standard ^{51}Cr release assay to determine if there were Cap1#139-147 epitope-specific T-cells present in the culture. Specifically, spleen cells from a *C. trachomatis* serovar L2 immunized mouse or a control mouse injected with PBS after a 5 days culture with Cap1#139-147 peptide-coated syngeneic spleen cells and CD8⁺ T-cells able to specifically recognize Cap1#139-147 epitope gave 73%, 60% and 32% specific lysis at 30:1, 10:1 and 3:1 effector to target ratios, respectively. The control mice had a percent lysis of approximately 10% at a 30:1 effector to target ratio, and steadily declining with lowering E:T ratios. Target cells were Cap1#139-147 peptide-

coated, or untreated P815 cells. These data suggest that Cap1#139-147 peptide-specific T-cells are primed during murine infection with *C. trachomatis*.

EXAMPLE 5

GENERATION OF ANTIBODY AND T-CELL RESPONSES IN MICE IMMUNIZED WITH *CHLAMYDIA* ANTIGENS

Immunogenicity studies were conducted to determine the antibody and CD4+ T cell responses in mice immunized with either purified SWIB or S13 proteins formulated with Montanide adjuvant, or DNA-based immunizations with pcDNA-3 expression vectors containing the DNA sequences for SWIB or S13. SWIB is also referred to as clone 1-B1-66 (SEQ ID NO: 1, with the corresponding amino acid sequence provided in SEQ ID NO: 5), and S13 ribosomal protein is also referred to as clone 10-C10-31 (SEQ ID NO: 4, with the corresponding amino acid sequence provided in SEQ ID NO: 12). In the first experiment, groups of three C57BL/6 mice were immunized twice and monitored for antibody and CD4+ T-cell responses. DNA immunizations were intradermal at the base of the tail and polypeptide immunizations were administered by subcutaneous route. Results from standard ³H-incorporation assays of spleen cells from immunized mice shows a strong proliferative response from the group immunized with purified recombinant SWIB polypeptide (SEQ ID NO: 5). Further analysis by cytokine induction assays, as previously described, demonstrated that the group immunized with SWIB polypeptide produced a measurable IFN- γ and IL-4 response. Subsequent ELISA-based assays to determine the predominant antibody isotype response in the experimental group immunized with the SWIB polypeptide were performed. Fig. 4 illustrates the SWIB-immunized group gave a humoral response that was predominantly IgG1.

In a second experiment, C3H mice were immunized three times with 10 μ g purified SWIB protein (also referred to as clone 1-B1-66, SEQ ID NO: 5) formulated in either PBS or Montanide at three week intervals and harvested two weeks after the third immunization. Antibody titers directed against the SWIB protein were determined by

standard ELISA-based techniques well known in the art, demonstrating the SWIB protein formulated with Montanide adjuvant induced a strong humoral immune response. T-cell proliferative responses were determined by a XTT-based assay (Scudiero, et al, *Cancer Research*, 1988, 48:4827). As shown in Fig. 5, splenocytes from mice immunized with the SWIB polypeptide plus Montanide elicited an antigen specific proliferative response. In addition, the capacity of splenocytes from immunized animals to secrete IFN- γ in response to soluble recombinant SWIB polypeptide was determined using the cytokine induction assay previously described. The splenocytes from all animals in the group immunized with SWIB polypeptide formulated with montanide adjuvant secreted IFN- γ in response to exposure to the SWIB Chlamydia antigen, demonstrating an *Chlamydia*-specific immune response.

In a further experiment, C3H mice were immunized at three separate time points at the base of the tail with 10 μ g of purified SWIB or S13 protein (*C. trachomatis*, SWIB protein, clone 1-B1-66, SEQ ID NO: 5, and S13 protein, clone 10-C10-31, SEQ ID NO: 4) formulated with the SBAS2 adjuvant (SmithKline Beecham, London, England). Antigen-specific antibody titers were measured by ELISA, showing both polypeptides induced a strong IgG response, ranging in titers from 1×10^{-4} to 1×10^{-5} . The IgG1 and IgG2a components of this response were present in fairly equal amounts. Antigen-specific T-cell proliferative responses, determined by standard 3 H-incorporation assays on spleen cells isolated from immunized mice, were quite strong for SWIB (50,000 cpm above the negative control) and even stronger for s13 (100,000 cpm above the negative control). The IFN γ production was assayed by standard ELISA techniques from supernatant from the proliferating culture. *In vitro* restimulation of the culture with S13 protein induced high levels of IFN γ production, approximately 25 ng/ml versus 2 ng/ml for the negative control. Restimulation with the SWIB protein also induced IFN γ , although to a lesser extent.

In a related experiment, C3H mice were immunized at three separate time points with 10 μ g of purified SWIB or S13 protein (*C. trachomatis*, SWIB protein, clone 1-B1-66, SEQ ID NO: 5, and S13 protein, clone 10-C10-31, SEQ ID NO: 4) mixed with 10 μ g of Cholera Toxin. Mucosal immunization was through intranasal inoculation. Antigen-specific antibody responses were determined by standard ELISA techniques. Antigen-specific IgG antibodies were present in the blood of SWIB-immunized mice, with titers

ranging from 1×10^{-3} to 1×10^{-4} , but non-detectable in the S13-immunized animals. Antigen-specific T-cell responses from isolated splenocytes, as measured by $\text{IFN}\gamma$ production, gave similar results to those described immediately above for systemic immunization.

An animal study was conducted to determine the immunogenicity of the CT529 serovar LGVII CTL epitope, defined by the CT529 10mer consensus peptide (CSFIGGITYL – SEQ ID NO: 31), which was identified as an H2-Kd restricted CTL epitope. BALB/c mice (3 mice per group) were immunized three times with 25 μg of peptide combined with various adjuvants. The peptide was administered systemically at the base of the tail in either SKB Adjuvant System SBAS-2'', SBAS-7 (SmithKline Beecham, London, England) or Montanide. The peptide was also administered intranasally mixed with 10ug of Cholera Toxin (CT). Naive mice were used as a control. Four weeks after the 3rd immunization, spleen cells were restimulated with LPS-blasts pulsed with 10ug/ml CT529 10mer consensus peptide at three different effector to LPS-blasts ratios : 6, 1.5 and 0.4 at 1×10^6 cell/ml. After 2 restimulations, effector cells were tested for their ability to lyse peptide pulsed P815 cells using a standard chromium release assay. A non-relevant peptide from chicken egg ovalbumin was used as a negative control. The results demonstrate that a significant immune response was elicited towards the CT529 10mer consensus peptide and that antigen-specific T-cells capable of lysing peptide-pulsed targets were elicited in response to immunization with the peptide. Specifically, antigen-specific lytic activities were found in the SBAS-7 and CT adjuvanted group while Montanide and SBAS-2" failed to adjuvant the CTL epitope immunization.

EXAMPLE 6

EXPRESSION AND CHARACTERIZATION OF *CHLAMYDIA PNEUMONIAE* GENES

The human T-cell line, TCL-8, described in Example 1, recognizes *Chlamydia trachomatis* as well as *Chlamydia pneumonia* infected monocyte-derived dendritic cells, suggesting *Chlamydia trachomatis* and *pneumonia* may encode cross-reactive T-cell epitopes. To isolate the *Chlamydia pneumonia* genes homologous to *Chlamydia trachomatis* LGV II

clones 1B1-66, also referred to as SWIB (SEQ ID NO: 1) and clone 10C10-31, also referred to as S13 ribosomal protein (SEQ ID NO: 4), HeLa 229 cells were infected with *C. pneumonia* strain TWAR (CDC/CWL-029). After three days incubation, the *C. pneumonia*-infected HeLa cells were harvested, washed and resuspended in 200 μ l water and heated in a boiling water bath for 20 minutes. Ten microliters of the disrupted cell suspension was used as the PCR template.

C. pneumonia specific primers were designed for clones 1B1-66 and 10C10-31 such that the 5' end had a 6X-Histidine tag and a Nde I site inserted, and the 3' end had a stop codon and a BamHI site included (Fig. 6). The PCR products were amplified and sequenced by standard techniques well known in the art. The *C. pneumonia*-specific PCR products were cloned into expression vector pET17B (Novagen, Madison, WI) and transfected into *E. coli* BL21 pLysS for expression and subsequent purification utilizing the histidine-nickel chromatographic methodology provided by Novagen. Two proteins from *C. pneumonia* were thus generated, a 10-11 kDa protein referred to as CpSWIB (SEQ ID NO: 27, and SEQ ID NO: 78 having a 6X His tag, with the corresponding amino acid sequence provided in SEQ ID NO: 28, respectively), a 15 kDa protein referred to as CpS13 (SEQ ID NO: 29, and SEQ ID NO: 77, having a 6X His tag, with the corresponding amino acid sequence provided in SEQ ID NO: 30 and 91, respectively).

EXAMPLE 7

INDUCTION OF T CELL PROLIFERATION AND INTERFERON- γ PRODUCTION BY *CHLAMYDIA PNEUMONIAE* ANTIGENS

The ability of recombinant *Chlamydia pneumoniae* antigens to induce T cell proliferation and interferon- γ production is determined as follows.

Proteins are induced by IPTG and purified by Ni-NTA agarose affinity chromatography (Webb et al., *J. Immunology* 157:5034-5041, 1996). The purified polypeptides are then screened for the ability to induce T-cell proliferation in PBMC preparations. PBMCs from *C. pneumoniae* patients as well as from normal donors whose T-

cells are known to proliferate in response to *Chlamydia* antigens, are cultured in medium comprising RPMI 1640 supplemented with 10% pooled human serum and 50 µg/ml gentamicin. Purified polypeptides are added in duplicate at concentrations of 0.5 to 10 µg/mL. After six days of culture in 96-well round-bottom plates in a volume of 200 µl, 50 µl of medium is removed from each well for determination of IFN-γ levels, as described below. The plates are then pulsed with 1 µCi/well of tritiated thymidine for a further 18 hours, harvested and tritium uptake determined using a gas scintillation counter. Fractions that result in proliferation in both replicates three fold greater than the proliferation observed in cells cultured in medium alone are considered positive.

IFN-γ was measured using an enzyme-linked immunosorbent assay (ELISA). ELISA plates are coated with a mouse monoclonal antibody directed to human IFN-γ (PharMingen, San Diego, CA) in PBS for four hours at room temperature. Wells are then blocked with PBS containing 5% (W/V) non-fat dried milk for 1 hour at room temperature. The plates are washed six times in PBS/0.2% TWEEN-20 and samples diluted 1:2 in culture medium in the ELISA plates are incubated overnight at room temperature. The plates are again washed and a polyclonal rabbit anti-human IFN-γ serum diluted 1:3000 in PBS/10% normal goat serum is added to each well. The plates are then incubated for two hours at room temperature, washed and horseradish peroxidase-coupled anti-rabbit IgG (Sigma Chemical So., St. Louis, MO) is added at a 1:2000 dilution in PBS/5% non-fat dried milk. After a further two hour incubation at room temperature, the plates are washed and TMB substrate added. The reaction is stopped after 20 min with 1 N sulfuric acid. Optical density is determined at 450 nm using 570 nm as a reference wavelength. Fractions that result in both replicates giving an OD two fold greater than the mean OD from cells cultured in medium alone, plus 3 standard deviations, are considered positive.

A human anti-*Chlamydia* T-cell line (TCL-8) capable of cross-reacting to *C. trachomatis* and *C. pneumonia* was used to determine whether the expressed proteins described in the example above, (i.e., CpSWIB, SEQ ID NO: 27, and SEQ ID NO: 78 having a 6X His tag, with the corresponding amino acid sequence provided in SEQ ID NO: 28, respectively, and the 15 kDa protein referred to as CpS13 SEQ ID NO: 29, and SEQ ID NO: 77, having a 6X His tag, with the corresponding amino acid sequence provided in SEQ ID

NO: 30 and 91, respectively), possessed T-cell epitopes common to both *C. trachomatis* and *C. pneumoniae*. Briefly, *E. coli* expressing *Chlamydial* proteins were titrated on 1×10^4 monocyte-derived dendritic cells. After two hours, the dendritic cells cultures were washed and 2.5×10^4 T cells (TCL-8) added and allowed to incubate for an additional 72 hours. The amount of INF- γ in the culture supernatant was then determined by ELISA. As shown in Figs. 7A and 7B, the TCL-8 T-cell line specifically recognized the S13 ribosomal protein from both *C. trachomatis* and *C. pneumoniae* as demonstrated by the antigen-specific induction of IFN- γ , whereas only the SWIB protein from *C. trachomatis* was recognized by the T-cell line. To validate these results, the T cell epitope of *C. trachomatis* SWIB was identified by epitope mapping using target cells pulsed with a series of overlapping peptides and the T-cell line TCL-8. 3H-thymidine incorporation assays demonstrated that the peptide, referred to as C.t.SWIB 52-67, of SEQ ID NO: 39 gave the strongest proliferation of the TCL-8 line. The homologous peptides corresponding to the SWIB of *C. pneumoniae* sequence (SEQ ID NO: 40), the topoisomerase-SWIB fusion of *C. pneumoniae* (SEQ ID NO: 43) and *C. trachomatis* (SEQ ID NO: 42) as well as the human SWI domain (SEQ ID NO: 41) were synthesized and tested in the above assay. The T-cell line TCL-8 only recognized the *C. trachomatis* peptide of SEQ ID NO: 39 and not the corresponding *C. pneumoniae* peptide (SEQ ID NO: 40), or the other corresponding peptides described above (SEQ ID NO: 41-43).

Chlamydia-specific T cell lines were generated from donor CP-21 with a positive serum titer against *C. pneumoniae* by stimulating donor PBMC with either *C. trachomatis* or *C. pneumoniae*-infected monocyte-derived dendritic cells, respectively. T-cells generated against *C. pneumoniae* responded to recombinant *C. pneumoniae*-SWIB but not *C. trachomatis*-SWIB, whereas the T-cell line generated against *C. trachomatis* did not respond to either *C. trachomatis*- or *C. pneumoniae*-SWIB (see Fig. 9). The *C. pneumoniae*-SWIB specific immune response of donor CP-21 confirms the *C. pneumoniae* infection and indicates the elicitation of *C. pneumoniae*-SWIB specific T-cells during *in vivo* *C. pneumoniae* infection.

Epitope mapping of the T-cell response to *C. pneumoniae*-SWIB has shown that Cp-SWIB-specific T-cells responded to the overlapping peptides Cp-SWIB 32-51 (SEQ

ID NO: 101) and Cp-SWIB 37-56 (SEQ ID NO: 102), indicating a *C. pneumoniae*-SWIB-specific T-cell epitope Cp-SWIB 37-51 (SEQ ID NO: 100).

In additional experiments, T-cell lines were generated from donor CP1, also a *C. pneumoniae* seropositive donor, by stimulating PBMC with non-infectious elementary bodies from *C. trachomatis* and *C. pneumoniae*, respectively. In particular, proliferative responses were determined by stimulating 2.5×10^4 T-cells in the presence of 1×10^4 monocyte-derived dendritic cells and non-infectious elementary bodies derived from *C. trachomatis* and *C. pneumoniae*, or either recombinant *C. trachomatis* or *C. pneumoniae* SWIB protein. The T-cell response against SWIB resembled the data obtained with T-cell lines from CP-21 in that *C. pneumoniae*-SWIB, but not *C. trachomatis*-SWIB elicited a response by the *C. pneumoniae* T-cell line. In addition, the *C. trachomatis* T-cell line did not proliferate in response to either *C. trachomatis* or *C. pneumoniae* SWIB, though it did proliferate in response to both CT and CP elementary bodies. As described in Example 1, Clone 11-C12-91 (SEQ ID NO: 63), identified using the TCP-21 cell line, has a 269 bp insert that is part of the OMP2 gene (CT443) and shares homology with the 60 kDa cysteine rich outer membrane protein of *C. pneumoniae*, referred to as OMCB. To further define the reactive epitope(s), epitope mapping was performed using a series of overlapping peptides and the immunoassay previously described. Briefly, proliferative responses were determined by stimulating 2.5×10^4 TCP-21 T-cells in the presence of 1×10^4 monocyte-derived dendritic cells with either non-infectious elementary bodies derived from *C. trachomatis* and *C. pneumoniae*, or peptides derived from the protein sequence of *C. trachomatis* or *C. pneumoniae* OMCB protein (0.1 $\mu\text{g/ml}$). The TCP-21 T-cells responded to epitopes CT-OMCB #167-186, CT-OMCB #171-190, CT-OMCB #171-186, and to a lesser extent, CT-OMCB #175-186 (SEQ ID NO: 249-252, respectively). Notably, the TCP-21 T-cell line also gave a proliferative response to the homologous *C. pneumoniae* peptide CP-OMCB #171-186 (SEQ ID NO: 253), which was equal to or greater than the response to the *C. trachomatis* peptides. The amino acid substitutions in position two (i.e., Asp for Glu) and position four (i.e., Cys for Ser) did not alter the proliferative response of the T-cells and therefore demonstrating this epitope to be a cross-reactive epitope between *C. trachomatis* and *C. pneumoniae*.

EXAMPLE 8
IMMUNE RESPONSES OF HUMAN PBMC AND T-CELL LINES AGAINST
CHLAMYDIA ANTIGENS

The examples provided herein suggest that there is a population of healthy donors among the general population that have been infected with *C. trachomatis* and generated a protective immune response controlling the *C. trachomatis* infection. These donors remained clinically asymptomatic and seronegative for *C. trachomatis*. To characterize the immune responses of normal donors against *chlamydial* antigens which had been identified by CD4 expression cloning, PBMC obtained from 12 healthy donors were tested against a panel of recombinant *chlamydial* antigens including *C. trachomatis*-, *C. pneumoniae*-SWIB and *C. trachomatis*-, *C. pneumoniae*-S13. The data are summarized in Table I below. All donors were seronegative for *C. trachomatis*, whereas 6/12 had a positive *C. pneumoniae* titer. Using a stimulation index of >4 as a positive response, 11/12 of the subjects responded to *C. trachomatis* elementary bodies and 12/12 responded to *C. pneumoniae* elementary bodies. One donor, AD104, responded to recombinant *C. pneumoniae*-S13 protein, but not to recombinant *C. trachomatis*-S13 protein, indicating a *C. pneumoniae*-specific response. Three out of 12 donors had a *C. trachomatis*-SWIB, but not a *C. pneumoniae*-SWIB specific response, confirming a *C. trachomatis* infection. *C. trachomatis* and *C. pneumoniae*- S13 elicited a response in 8/12 donors suggesting a *chlamydial* infection. These data demonstrate the ability of SWIB and S13 to elicit a T-cell response in PBMC of normal study subjects.

Table I.

Immune response of normal study subjects against <i>Chlamydia</i>										
onor	Sex	<i>Chlamydia</i> IgG titer	CT EB	CP EB	CT Swib	CP Swib	CT S13	CP S13	CT lpdA	CT TSA
D100	male	negative	++	+++	+	-	++	++	-	nt
D104	female	negative	+++	++	-	-	-	++	-	nt
D108	male	CP 1:256	++	++	+	+/-	+	+	+	nt
D112	female	negative	++	++	+	-	+	-	+/-	nt
D120	male	negative	-	+	-	-	-	-	-	nt
D124	female	CP 1:128	++	++	-	-	-	-	-	nt
D128	male	CP 1:512	+	++	-	-	++	+	++	-
D132	female	negative	++	++	-	-	+	+	-	-
D136	female	CP 1:128	+	++	-	-	+/-	-	-	-
D140	male	CP 1:256	++	++	-	-	+	+	-	-
D142	female	CP 1:512	++	++	-	-	+	+	+	-
D146	female	negative	++	++	-	-	++	+	+	-

CT= *Chlamydia trachomatis*; CP= *Chlamydia pneumoniae*; EB= *Chlamydia* elementary bodies; Swib= recombinant *Chlamydia* Swib protein; S13= recombinant *Chlamydia* S13 protein; lpdA= recombinant *Chlamydia* lpdA protein; TSA= recombinant *Chlamydia* TSA protein. Values represent results from standard proliferation assays. Proliferative responses were determined by stimulating 3×10^5 PBMC with 1×10^4 monocyte-derived dendritic cells pre-incubated with the respective recombinant antigens or elementary bodies (EB). Assays were harvested after 6 days with a ^3H -thymidine pulse for the last 18h.

SI: Stimulation index

+/-: SI ~ 4
 +: SI > 4
 ++: SI 10-30
 +++: SI > 30

In a first series of experiments, T-cell lines were generated from a healthy female individual (CT-10) with a history of genital exposure to *C. trachomatis* by stimulating T-cells with *C. trachomatis* LGV II elementary bodies as previously described. Although the study subject was exposed to *C. trachomatis*, she did not seroconvert and did not develop clinical symptoms, suggesting donor CT-10 may have developed a protective immune response against *C. trachomatis*. As shown in Fig. 10, a primary *Chlamydia*-specific T-cell line derived from donor CT-10 responded to *C. trachomatis*-SWIB, but not *C. pneumoniae*-SWIB recombinant proteins, confirming the exposure of CT-10 to *C. trachomatis*. Epitope mapping of the T-cell response to *C. trachomatis*-SWIB showed that this donor responded to the same epitope Ct-SWIB 52-67 (SEQ ID NO: 39) as T-cell line TCL-8, as shown in Fig. 11.

Additional T-cell lines were generated as described above for various *C. trachomatis* patients. A summary of the patients' clinical profile and proliferative responses to various *C. trachomatis* and *C. pneumoniae* elementary bodies and recombinant proteins are summarized in Table II .

Proliferative response of <i>C. trachomatis</i> patients										
patients	Clinical manifestation	IgG titer	CT EB	CP EB	CT Swib	CP Swib	CT S13	CP S13	CT lpdA	CT TSA
CT-1	NGU	negative	+	+	-	-	++	++	++	+
CT-2	NGU	negative	++	++	-	-	+	+/-	-	-
CT-3	asymptomatic shed Eb Dx was HPV	Ct 1:512 Cp 1:1024 Cps 1:256	+	+	-	-	+	-	+	-
CT-4	asymptomatic shed Eb	Ct 1:1024	+	+	-	-	-	-	-	-
CT-5	BV	Ct 1:256 Cp 1:256	++	++	-	-	+	-	-	-
CT-6	perinial rash discharge	Cp 1:1024	+	+	-	-	-	-	-	-
CT-7	BV genital ulcer	Ct 1:512 Cp 1:1024	+	+	-	-	+	+	+	-
CT-8	Not known	Not tested	++	++	-	-	-	-	-	-
CT-9	asymptomatic	Ct 1:128 Cp 1:128	+++	++	-	-	++	+	+	-
CT-10	Itch mild vulvar	negative	++	++	-	-	-	-	-	-
CT-11	BV, abnormal pap	Ct 1: 512	+++	+++	-	-	+++	+/-	++	+
CT-12	asymptomatic	Cp 1: 512	++	++	-	-	++	+	+	-

NGU= Non-Gonococcal Urethritis; BV= Bacterial Vaginosis; CT= *Chlamydia trachomatis*; CP= *Chlamydia pneumoniae*; EB= *Chlamydia* elementary bodies; Swib= recombinant *Chlamydia* Swib protein; S13= recombinant *Chlamydia* S13 protein; lpdA= recombinant *Chlamydia* lpdA protein; TSA= recombinant *Chlamydia* TSA protein
 Values represent results from standard proliferation assays. Proliferative responses were determined by stimulating 3×10^5 PBMC with 1×10^4 monocyte-derived dendritic cells pre-

incubated with the respective recombinant antigens or elementary bodies (EB). Assays were harvested after 6 days with a ^3H -thymidine pulse for the last 18 hours.

SI: Stimulation index

+/-:	SI ~	4
+:	SI >	4
++:	SI	10-30
+++:	SI >	30

Using the panel of asymptomatic (as defined above) study subjects and *C. trachomatis* patients, as summarized in Tables I and II, a comprehensive study of the immune responses of PBMC derived from the two groups was conducted. Briefly, PBMCs from *C. pneumoniae* patients as well as from normal donors are cultured in medium comprising RPMI 1640 supplemented with 10% pooled human serum and 50 $\mu\text{g}/\text{ml}$ gentamicin. Purified polypeptides, a panel of recombinant *chlamydial* antigens including *C. trachomatis*-, *C. pneumoniae*-SWIB and S13, as well as *C. trachomatis* lpdA and TSA are added in duplicate at concentrations of 0.5 to 10 $\mu\text{g}/\text{mL}$. After six days of culture in 96-well round-bottom plates in a volume of 200 μl , 50 μl of medium is removed from each well for determination of IFN- γ levels, as described below. The plates are then pulsed with 1 $\mu\text{Ci}/\text{well}$ of tritiated thymidine for a further 18 hours, harvested and tritium uptake determined using a gas scintillation counter. Fractions that result in proliferation in both replicates three fold greater than the proliferation observed in cells cultured in medium alone are considered positive.

Proliferative responses to the recombinant *Chlamydiae* antigens demonstrated that the majority of asymptomatic donors and *C. trachomatis* patients recognized the *C. trachomatis* S13 antigen (8/12) and a majority of the *C. trachomatis* patients recognized the *C. pneumonia* S13 antigen (8/12), with 4/12 asymptomatic donors also recognizing the *C. pneumonia* S13 antigen. Also, six out of twelve of the *C. trachomatis* patients and four out of twelve of the asymptomatic donors gave a proliferative response to the lpdA antigen of *C. trachomatis*. These results demonstrate that the *C. trachomatis* and *C. pneumonia* S13 antigen, *C. trachomatis* Swib antigen and the *C. trachomatis* lpdA antigen are recognized by the asymptomatic donors, indicating these antigens were recognized during exposure to *Chlamydia* and an immune response elicited against them. This implies these antigens may

play a role in conferring protective immunity in a human host. In addition, the *C. trachomatis* and *C. pneumonia* S13 antigen is recognized equally well among the *C. trachomatis* patients, therefore indicating there may be epitopes shared between *C. trachomatis* and *C. pneumonia* in the S13 protein. Table III summarizes the results of these studies.

Table III.

Antigen	Normal Donors	C.t. Patients
C.t.-Swib	3/12	0/12
C.p.-Swib	0/12	0/12
C.t.-S13	8/12	8/12
C.p.-S13	4/12	8/12
lpdA	4/12	6/12
TSA	0/12	2/12

A series of studies were initiated to determine the cellular immune response to short-term T-cell lines generated from asymptomatic donors and *C. trachomatis* patients. Cellular immune responses were measured by standard proliferation assays and IFN- γ , as described in Example 7. Specifically, the majority of the antigens were in the form of single *E. coli* clones expressing Chlamydial antigens, although some recombinant proteins were also used in the assays. The single *E. coli* clones were titrated on 1×10^4 monocyte-derived dendritic cells and after two hours, the culture was washed and 2.5×10^4 T-cells were added. The assay using the recombinant proteins were performed as previously described. Proliferation was determined after four days with a standard ^3H -thymidine pulse for the last 18 hours. Induction of IFN- γ was determined from culture supernatants harvested after four days using standard ELISA assays, as described above. The results show that all the *C. trachomatis* antigens tested, except for C.T. Swib, elicited a proliferative response from one or more different T-cell lines derived from *C. trachomatis* patients. In addition, proliferative responses were elicited from both the *C. trachomatis* patients and asymptomatic donors for

the following *Chlamydia* genes, CT622, groEL, pmpD, CT610 and rS13.

The 12G3-83 clone also contains sequences to CT734 and CT764 in addition to CT622, and therefore these gene sequence may also have immunoreactive epitopes. Similarly, clone 21G12-60 contains sequences to the hypothetical protein genes CT229 and CT228 in addition to CT875; and 15H2-76 also contains sequences from CT812 and CT088, as well as sharing homology to the sycE gene. Clone 11H3-61 also contains sequences sharing homology to the PGP6-D virulence protein.

Table IV.

Clone	C. t. Antigen (putative*)	TCL from Asymp. Donors	TCL from C. t. Patients	SEQ ID NO::
1B1-66 (E. coli)	Swib	2/2	0/4	5
1B1-66 (protein)	Swib	2/2	0/4	5
12G3-83 (E. coli)	CT622*	2/2	4/4	57
22B3-53 (E. coli)	groEL	1/2	4/4	111
22B3-53 (protein)	groEL	1/2	4/4	111
15H2-76 (E. coli)	PmpD*	1/2	3/4	87
11H3-61 (E. coli)	rL1*	0/2	3/4	60
14H1-4 (E. coli)	TSA	0/2	3/4	56
14H1-4 (protein)	TSA	0/2	3/4	56
11G10-46 (E. coli)	CT610	1/2	1/4	62
10C10-17 (E. coli)	rS13	1/2	1/4	62
10C10-17 (protein)	rS13	1/2	1/4	62
21G12-60 (E. coli)	CT875*	0/2	2/4	110
11H4-32 (E. coli)	dnaK	0/2	2/4	59
21C7-8 (E. coli)	dnaK	0/2	2/4	115
17C10-31 (E. coli)	CT858	0/2	2/4	114

EXAMPLE 9

PROTECTION STUDIES USING *CHLAMYDIA* ANTIGENS

Protection studies were conducted in mice to determine whether immunization with chlamydial antigens can impact on the genital tract disease resulting from chlamydial inoculation. Two models were utilized; a model of intravaginal inoculation that uses a human isolate containing a strain of *Chlamydia psittaci* (MTW447), and a model of intrauterine inoculation that involves a human isolate identified as *Chlamydia trachomatis*, serovar F (strain NI1). Both strains induce inflammation in the upper genital tract, which resemble endometritis and salpingitis caused by *Chlamydia trachomatis* in women. In the first experiment, C3H mice (4 mice per group) were immunized three times with 100 µg of pcDNA-3 expression vector containing *C. trachomatis* SWIB DNA (SEQ ID NO: 1, with the corresponding amino acid sequence provided in SEQ ID NO: 5). Inoculations were at the base of the tail for systemic immunization. Two weeks after the last immunization, animals were progesterone treated and infected, either thru the vagina or by injection of the inoculum in the uterus. Two weeks after infection, the mice were sacrificed and genital tracts sectioned, stained and examined for histopathology. Inflammation level was scored (from + for very mild, to +++++ for very severe). Scores attributed to each single oviduct /ovary were summed and divided by the number of organs examined to get a mean score of inflammation for the group. In the model of uterine inoculation, negative control-immunized animals receiving empty vector showed consistent inflammation with an ovary /oviduct mean inflammation score of 6.12, in contrast to 2.62 for the DNA-immunized group. In the model of vaginal inoculation and ascending infection, negative control-immunized mice had an ovary /oviduct mean inflammation score of 8.37, versus 5.00 for the DNA-immunized group. Also, in the later model, vaccinated mice showed no signs of tubal occlusion while negative control vaccinated groups had inflammatory cells in the lumen of the oviduct

In a second experiment, C3H mice (4 mice per group) were immunized three times with 50 µg of pcDNA-3 expression vector containing *C. trachomatis* SWIB DNA (SEQ ID NO: 1, with the corresponding amino acid sequence provided in SEQ ID NO: 5) encapsulated in Poly Lactide co-Glycolide microspheres (PLG); immunizations were made

intra-peritoneally. Two weeks after the last immunization, animal were progesterone treated and infected by inoculation of *C. psittaci* in the vagina. Two weeks after infection, mice were sacrificed and genital tracts sectioned, stained and examined for histopathology. Inflammation level was scored as previously described. Scores attributed to each single oviduct /ovary were summed and divided by the number of examined organs to get a mean of inflammation for the group. Negative control-immunized animals receiving PLG-encapsulated empty vector showed consistent infammation with an ovary /oviduct mean inflammation score of 7.28, versus 5.71 for the PLG-encapsulated DNA immunized group. Inflammation in the peritoneum was 1.75 for the vaccinated group versus 3. 75 for the control.

In a third experiment, C3H mice (4 per group) were immunized three times with 10 µg of purified recombinant protein, either SWIB (SEQ ID NO: 1, with the corresponding amino acid sequence provided in SEQ ID NO: 5, or S13 (SEQ ID NO: 4, with the corresponding amino acid sequence provided in SEQ ID NO: 12) mixed with Cholera Toxin (CT); the preparation was administred intranasally upon anaesthesia in a 20 uL volume. Two weeks after the last immunization, animal were progesterone treated and infected, either by vaginal inoculation of *C. psittaci* or by injection of *C. trachomatis* serovar F in the uterus. Two weeks after infection, the mice were sacrificed and genital tracts sectioned, stained and examined for histopathology. The degree of inflammation was scored as described above. Scores attributed to each single oviduct /ovary were summed and divided by the number of examined organs to get a mean score of inflammation for the group. In the model of uterine inoculation, negative control- immunized animals receiving cholera toxin alone showed an ovary /oviduct mean inflammation score of 4.25 (only 2 mice analyzed ; 2 other died) versus 5.00 for the s13 plus cholera toxin-immunized group, and 1.00 for the SWIB plus cholera toxin. Untreated infected animals had an ovary /oviduct mean inflammation score of 7. In the model of vaginal inoculation and ascending infection, negative control-immunized mice had an ovary /oviduct mean inflammation score of 7.37 versus 6.75 for the s13 plus cholera toxin-immunized group and 5.37 for the SWIB plus cholera toxin-immunized group. Untreated infected animals had an ovary /oviduct mean inflammation score of 8.


The three experiments described above suggest that SWIB-specific protection is obtainable. This protective effect is more marked in the model of homologous infection but is still present when in a heterologous challenge infection with *C. psittaci*.

Although the present invention has been described in some detail by way of illustration and example for purposes of clarity of understanding, changes and modifications can be carried out without departing from the scope of the invention which is intended to be limited only by the scope of the appended claims.

Claims


1. An isolated polypeptide comprising an immunogenic portion of a *Chlamydia* antigen, wherein said antigen comprises an amino acid sequence encoded by a polynucleotide sequence selected from the group consisting of: (a) sequences recited in SEQ ID NO: 1, 15, 21-25, 44-64, 66-76, 79-88, 110-119, 120, 122, 124, 126, 128, 130, 132, 134, 136, 169-174, 181-188, 263, 265 and 267-290 ; (b) sequences complementary to a sequence of (a); and (c) polynucleotide sequences that hybridize to a sequence of (a) or (b) under moderately stringent conditions.
2. The polypeptide of claim 1 wherein the polypeptide comprises a sequence selected from the group consisting of SEQ ID NO: 5, 26, 32, 65, 90, 92-98, 103-108, 121, 123, 125, 127, 129, 131, 133, 135, 137, 175-180, 189-196, 264 and 266.
3. An isolated polynucleotide molecule comprising a nucleotide sequence encoding a polypeptide according to any one of claims 1 and 2.
4. A recombinant expression vector comprising a polynucleotide molecule according to claim 3.
5. A host cell transformed with an expression vector according to claim 4.
6. The host cell of claim 5 wherein the host cell is selected from the group consisting of *E. coli*, yeast and mammalian cells.
7. A fusion protein comprising a polypeptide according to any one of claims 1 and 2.
8. A fusion protein according to claim 7, wherein the fusion protein comprises an expression enhancer that increases expression of the fusion protein in a host cell

1/10

*Fig. 1*

2/10

Retroviral vector
pBIB-KS



Kozak-Start

GA TCT GCC GCC ACC ATG GAA TTC GAT ATC GGA TCC CTG CAG
 _____ A CGG CGG TGG TAC CTT AAG CTA TAG CCT AGG GAC GTC
 (BglIII) EcoRI BamHI PstI

AAG CTT GAG CTC GAG CGC GGC CGC TAA TTA GCT GAG ReadingFrame 1
TTC GAA CTC GAG CTC GCG CCG GCG ATT AAT CGA CTC AGC T KS1+
 HindIII XhoI NotI Stop Stop Stop (SalI)

Kozak-Start

GA TCT GCC GCC ACC ATG GGA ATT CGA TAT CGG ATC CCT GCA G
 _____ A CGG CGG TGG TAC CCT TAA GCT ATA GCC TAG GGA CGT C
 (BglIII) EcoRI BamHI PstI

AA GCT TGA GCT CGA GCG CGG CCG CTA ATT AGC TGA G ReadingFrame 1
TT CGA ACT CGA GCT CGC GCC GGC GAT TAA TCG ACT CAG CT KS2+
 HindIII XhoI NotI Stop Stop Stop (SalI)

Kozak-Start


GA TCT GCC GCC ACC ATG GGG AAT TCG ATA TCG GAT CCC TGC AG
 _____ A CGG CGG TGG TAC CCC TTA AGC TAT AGC CTA GGG ACG TC
 (BglIII) EcoRI BamHI PstI

A AGC TTG AGC TCG AGC GCG GCC GGT AAT TAG CTG AG ReadingFrame 3
T TCG AAC TCG AGC TCG GCG CGG CGA TTA ATC GAC TCA GCT KS3+
 HindIII XhoI NotI Stop Stop Stop (SalI)

Fig. 2

3/10

Chlamydia C17.8 Peptide Screen

*Fig. 3*

4/10




Fig. 4C




Fig. 4B





Fig. 4A



5/10




Fig. 5

6/10

CP SWIB Nde (5' primer)

5' GATATACATATGCATCACCATCACCATCACATGAGTCAAAAAAATAAAAACTCT

CP SWIB EcoRI (3' primer)

5' CTCGAGGAATTCTTATTTACAATATGTTTGA

CP S13 Nde (5' primer)



5' GATATACATATGCATCACCATCACCATCACATGCCACGCATCATTGGAATGAT

CP S13 EcoRI (3' primer)


5' CTCGAGGAATTCTTATTTCTTCTTACCTGC



Fig. 6

7/10



*Fig. 7A**Fig. 7B*

8/10

*Fig. 8*

*Fig. 9B**Fig. 9A*

10/10

*Fig. 10**Fig. 11*

SEQUENCE LISTING

<110> Corixa Corporation
 Probst, Peter
 Bhatia, Ajay
 Skeiky, Yasir
 Fling, Steve
 Maisonneuve, Jeff

<120> COMPOSITIONS AND METHODS FOR TREATMENT AND
 DIAGNOSIS OF CHLAMYDIAL INFECTION

<130> 210121.469PC

<140> PCT

<141> 1999-12-08

<160> 303

<170> FastSEQ for Windows Version 3.0/4.0

<210> 1

<211> 481

<212> DNA

<213> Chlamydia trachomatis

<400> 1

ctgaagactt ggctatgttt tttattttga cgataaacct agttaaggca taaaagagtt	60
gcgaaggaag agccctcaac ttttcttctc accttcttta actaggagtc atccatgagt	120
caaaataaga actctgcttt catgcagcct gtgaacgtat cctgtgattt agctgccatc	180
gttgggtgcag gacctatgcc tcgcacagag atcathaaga aaatgnggga ttacathaag	240
gagaatagtc tccaagatcc tacaacaaa cgtaatatca atcccgatga taaattggct	300
aaagtttttg gaactgaaaa acctatcgat atgttcacaa tgacaaaaat ggttttctca	360
cacatcatta aataaaatag aaattgactc acgtgttctt cgtctttaag atgaggaact	420
agttcattct ttttggtcgt ttttggtggg attactgtat ctttaacaac tatcttagca	480
g	481

<210> 2

<211> 183

<212> DNA

<213> Chlamydia trachomatis

<400> 2

atcgttggtg caggacctat gcctcgaca gagatcatta agaaaatgtg ggattacatt	60
aaggagaata gtcttcaaga tcctacaaac aaacgtaata tcaatcccgga tgataaattg	120
gctaaagttt ttggaactga aaaacctatc gatatgttcc aaatgacaaa aatggtttct	180
caa	183

<210> 3

<211> 110

<212> DNA

<213> Chlamydia trachomatis

<400> 3

gctgcgacat catgcgagct tgcaaaccaa catggacatc tccaatttcc ccttctaact 60
cgctcttttg aactaatgct gctaccgagt caatcacaat cacatcgacc 110

<210> 4
<211> 555
<212> DNA
<213> Chlamydia trachomatis

<400> 4
cggcagcagc ctaagatgct tatactactt taagggaggc ccttcgtatg ccgcgcacatca 60
ttggaataga cattcctgcg aaaaagaaat taaaaataag tcttacatat atttatggaa 120
tagggccagc tctttctaaa gagattattg ctagattgca gttgaatccc gaagctagag 180
ctgcagagtt gactgaggaa gaggttggtc gactaaacgc tcttttacag tcggattacg 240
ttggtgaagg ggatttgccg cgtcgtgtgc aatctgatat caaacgtctg attactatcc 300
atgcttateg tggacaaaga catagacttt ctttgccctg tcgtggtcag agaacaasaa 360
caaattctcg cagcgctaag ggtaaacgta aaactattgc aggtaagaag aaataataat 420
ttttaggaga gagtgttttg gttaaaaatc aagcgcaaaa aagaggcgta aaaagasaac 480
aagtaaaaaa cattccttcg ggcgttgctc atgttaaggc tacttttaat aatacaattg 540
taaccataac agacc 555

<210> 5
<211> 86
<212> PRT
<213> Chlamydia trachomatis

<400> 5
Met Ser Gln Asn Lys Asn Ser Ala Phe Met Gln Pro Val Asn Val Ser
1 5 10 15
Ala Asp Leu Ala Ala Ile Val Gly Ala Gly Pro Met Pro Arg Thr Glu
20 25 30
Ile Ile Lys Lys Met Trp Asp Tyr Ile Lys Glu Asn Ser Leu Gln Asp
35 40 45
Pro Thr Asn Lys Arg Asn Ile Asn Pro Asp Asp Lys Leu Ala Lys Val
50 55 60
Phe Gly Thr Glu Lys Pro Ile Asp Met Phe Gln Met Thr Lys Met Val
65 70 75 80
Ser Gln His Ile Ile Lys
85

<210> 6
<211> 61
<212> PRT
<213> Chlamydia trachomatis

<400> 6
Ile Val Gly Ala Gly Pro Met Pro Arg Thr Glu Ile Ile Lys Lys Met
1 5 10 15
Trp Asp Tyr Ile Lys Glu Asn Ser Leu Gln Asp Pro Thr Asn Lys Arg
20 25 30
Asn Ile Asn Pro Asp Asp Lys Leu Ala Lys Val Phe Gly Thr Glu Lys
35 40 45
Pro Ile Asp Met Phe Gln Met Thr Lys Met Val Ser Gln
50 55 60

<210> 7

<211> 36
 <212> PRT
 <213> Chlamyida trachomatis

<400> 7
 Ala Ala Thr Ser Cys Glu Leu Ala Asn Gln His Gly His Leu Gln Phe
 1 5 10 15
 Pro Leu Leu Thr Arg Ser Leu Glu Leu Met Leu Leu Pro Ser Gln Ser
 20 25 30
 Gln Ser His Arg
 35

<210> 8
 <211> 18
 <212> PRT
 <213> Chlamydia trachomatis

<400> 8
 Leu Arg His His Ala Ser Leu Gln Thr Asn Met Asp Ile Ser Asn Phe
 1 5 10 15
 Pro Phe

<210> 9
 <211> 5
 <212> PRT
 <213> Chlamydia trachomatis

<400> 9
 Leu Ala Leu Trp Asn
 1 5

<210> 10
 <211> 11
 <212> PRT
 <213> Chlamydia trachomatis

<400> 10
 Cys Cys Tyr Arg Val Asn His Asn His Ile Asp
 1 5 10

<210> 11
 <211> 36
 <212> PRT
 <213> Chlamydia trachomatis

<400> 11
 Val Asp Val Ile Val Ile Asp Ser Val Ala Ala Leu Val Pro Lys Ser
 1 5 10 15
 Glu Leu Glu Gly Glu Ile Gly Asp Val His Val Gly Leu Gln Ala Arg
 20 25 30
 Met Met Ser Gln
 35

<210> 12

<211> 122
 <212> PRT
 <213> Chlamydia trachomatis

<400> 12
 Met Pro Arg Ile Ile Gly Ile Asp Ile Pro Ala Lys Lys Lys Leu Lys
 1 5 10 15
 Ile Ser Leu Thr Tyr Ile Tyr Gly Ile Gly Pro Ala Leu Ser Lys Glu
 20 25 30
 Ile Ile Ala Arg Leu Gln Leu Asn Pro Glu Ala Arg Ala Ala Glu Leu
 35 40 45
 Thr Glu Glu Glu Val Gly Arg Leu Asn Ala Leu Leu Gln Ser Asp Tyr
 50 55 60
 Val Val Glu Gly Asp Leu Arg Arg Arg Val Gln Ser Asp Ile Lys Arg
 65 70 75 80
 Leu Ile Thr Ile His Ala Tyr Arg Gly Gln Arg His Arg Leu Ser Leu
 85 90 95
 Pro Val Arg Gly Gln Arg Thr Lys Thr Asn Ser Arg Thr Arg Lys Gly
 100 105 110
 Lys Arg Lys Thr Ile Ala Gly Lys Lys Lys
 115 120

<210> 13
 <211> 20
 <212> PRT
 <213> Chlamydia trachomatis

<400> 13
 Asp Pro Thr Asn Lys Arg Asn Ile Asn Pro Asp Asp Lys Leu Ala Lys
 1 5 10 15
 Val Phe Gly Thr
 20

<210> 14
 <211> 20
 <212> PRT
 <213> Chlamydia trachomatis

<400> 14
 Asp Asp Lys Leu Ala Lys Val Phe Gly Thr Glu Lys Pro Ile Asp Met
 1 5 10 15
 Phe Gln Met Thr
 20

<210> 15
 <211> 161
 <212> DNA
 <213> Chlamydia trachomatis

<400> 15
 atctttgtgt gtctcataag cgcagagcgg ctgcggctgt ctgtagcttc atcggaggaa 60
 ttacctacct cgcgacattc ggagctatcc gtccgattct gtttgtcaac aaaatgctgg 120
 cgcaaccgtt tctttcttcc caaactaaag caaatatggg a 161

<210> 16

<211> 897

<212> DNA

<213> Chlymidia trachomatis

<400> 16

atggcttcta	tatgcggacg	tttagggctct	ggtacagggg	atgctctaaa	agcttttttt	60
acacagccca	acaataaaaat	ggcaagggta	gtaaataaga	cgaaggggaat	ggataagact	120
attaaggttg	ccaagtctgc	tgccgaattg	accgcaaata	ttttggaaca	agctggaggc	180
gcgggctctt	ccgcacacat	tacagcttcc	caagtgtcca	aaggattagg	ggatgcgaga	240
actgttgctg	cttttagggaa	tgcccttaac	ggagcgttgc	caggaacagt	tcaaagtgcg	300
caaagcttct	tctctcacat	gaaagctgct	agtcagaaaa	cgcaagaagg	ggatgagggg	360
ctcacagcag	atctttgtgt	gtctcataag	cgcagagcgg	ctgcggctgt	ctgtagcatc	420
atcggaggaa	ttacctacct	cgcgacattc	ggagctatcc	gtccgattct	gtttgtcaac	480
aaaatgctgg	caaaaccggt	tctttcttcc	caaactaaag	caaatatggg	atcttctgtt	540
agctatatta	tggcggctaa	ccatgcagcg	tctgtgggtg	gtgctggact	cgctatcagt	600
gcggaaagag	cagattgcga	agcccgctgc	gctcgtattg	cgagagaaga	gtcgttactc	660
gaagtgccgg	gagaggaaaa	tgcttgcgag	aagaaagtcg	ctggagagaa	agccaagacg	720
ttcacgcgca	tcaagtatgc	actcctcact	atgctcgaga	agtttttgga	atgcgttgcc	780
gacgttttca	aattgggtgcc	gctgcctatt	acaatgggta	ttcgtgcgat	tgtggctgct	840
ggatgtacgt	tcacttctgc	aattattgga	ttgtgcactt	tctgcgccag	agcataa	897

<210> 17

<211> 298

<212> PRT

<213> Chlamydia trachomatis

<400> 17

Met	Ala	Ser	Ile	Cys	Gly	Arg	Leu	Gly	Ser	Gly	Thr	Gly	Asn	Ala	Leu
1				5					10					15	
Lys	Ala	Phe	Phe	Thr	Gln	Pro	Asn	Asn	Lys	Met	Ala	Arg	Val	Val	Asn
			20					25					30		
Lys	Thr	Lys	Gly	Met	Asp	Lys	Thr	Ile	Lys	Val	Ala	Lys	Ser	Ala	Ala
		35					40					45			
Glu	Leu	Thr	Ala	Asn	Ile	Leu	Glu	Gln	Ala	Gly	Gly	Ala	Gly	Ser	Ser
	50					55					60				
Ala	His	Ile	Thr	Ala	Ser	Gln	Val	Ser	Lys	Gly	Leu	Gly	Asp	Ala	Arg
65					70				75					80	
Thr	Val	Val	Ala	Leu	Gly	Asn	Ala	Phe	Asn	Gly	Ala	Leu	Pro	Gly	Thr
			85					90						95	
Val	Gln	Ser	Ala	Gln	Ser	Phe	Phe	Ser	His	Met	Lys	Ala	Ala	Ser	Gln
		100						105					110		
Lys	Thr	Gln	Glu	Gly	Asp	Glu	Gly	Leu	Thr	Ala	Asp	Leu	Cys	Val	Ser
	115						120					125			
His	Lys	Arg	Arg	Ala	Ala	Ala	Ala	Val	Cys	Ser	Ile	Ile	Gly	Gly	Ile
	130					135					140				
Thr	Tyr	Leu	Ala	Thr	Phe	Gly	Ala	Ile	Arg	Pro	Ile	Leu	Phe	Val	Asn
145					150				155						160
Lys	Met	Leu	Ala	Lys	Pro	Phe	Leu	Ser	Ser	Gln	Thr	Lys	Ala	Asn	Met
			165					170						175	
Gly	Ser	Ser	Val	Ser	Tyr	Ile	Met	Ala	Ala	Asn	His	Ala	Ala	Ser	Val
			180					185					190		
Val	Gly	Ala	Gly	Leu	Ala	Ile	Ser	Ala	Glu	Arg	Ala	Asp	Cys	Glu	Ala
	195						200					205			
Arg	Cys	Ala	Arg	Ile	Ala	Arg	Glu	Glu	Ser	Leu	Leu	Glu	Val	Pro	Gly
	210					215						220			

Glu Glu Asn Ala Cys Glu Lys Lys Val Ala Gly Glu Lys Ala Lys Thr
 225 230 235 240
 Phe Thr Arg Ile Lys Tyr Ala Leu Leu Thr Met Leu Glu Lys Phe Leu
 245 250 255
 Glu Cys Val Ala Asp Val Phe Lys Leu Val Pro Leu Pro Ile Thr Met
 260 265 270
 Gly Ile Arg Ala Ile Val Ala Ala Gly Cys Thr Phe Thr Ser Ala Ile
 275 280 285
 Ile Gly Leu Cys Thr Phe Cys Ala Arg Ala
 290 295

<210> 18

<211> 18

<212> PRT

<213> Chlamydia trachomatis

<400> 18

Arg Ala Ala Ala Ala Ala Val Cys Ser Phe Ile Gly Gly Ile Thr
 1 5 10 15
 Tyr Leu

<210> 19

<211> 18

<212> PRT

<213> Chlamydia trachomatis

<400> 19

Cys Ser Phe Ile Gly Gly Ile Thr Tyr Leu Ala Thr Phe Gly Ala Ile
 1 5 10 15
 Arg Pro

<210> 20

<211> 216

<212> PRT

<213> Chlamydia trachomatis

<400> 20

Met Arg Gly Ser Gln Gln Ile Phe Val Cys Leu Ile Ser Ala Glu Arg
 1 5 10 15
 Leu Arg Leu Ser Val Ala Ser Ser Glu Glu Leu Pro Thr Ser Arg His
 20 25 30
 Ser Glu Leu Ser Val Arg Phe Cys Leu Ser Thr Lys Cys Trp Gln Asn
 35 40 45
 Arg Phe Phe Leu Pro Lys Leu Lys Gln Ile Trp Asp Leu Leu Ala
 50 55 60
 Ile Leu Trp Arg Leu Thr Met Gln Arg Leu Trp Trp Val Leu Asp Ser
 65 70 75 80
 Leu Ser Val Arg Lys Glu Gln Ile Ala Lys Pro Ala Ala Leu Val Leu
 85 90 95
 Arg Glu Lys Ser Arg Tyr Ser Lys Cys Arg Glu Arg Lys Met Leu Ala
 100 105 110
 Arg Arg Lys Ser Leu Glu Arg Lys Pro Arg Arg Ser Arg Ala Ser Ser
 115 120 125

Met His Ser Ser Leu Cys Ser Arg Ser Phe Trp Asn Ala Leu Pro Thr
 130 135 140
 Phe Ser Asn Trp Cys Arg Cys Leu Leu Gln Trp Val Phe Val Arg Leu
 145 150 155 160
 Trp Leu Leu Asp Val Arg Ser Leu Leu Gln Leu Leu Asp Cys Ala Leu
 165 170 175
 Ser Ala Pro Glu His Lys Gly Phe Phe Lys Phe Leu Lys Lys Lys Ala
 180 185 190
 Val Ser Lys Lys Lys Gln Pro Phe Leu Ser Thr Lys Cys Leu Ala Phe
 195 200 205
 Leu Ile Val Lys Ile Val Phe Leu
 210 215

<210> 21
 <211> 1256
 <212> DNA
 <213> Chlamydia trachomatis

<400> 21
 ctcggtgccg caccagcaaa gaaatccctc aaaaaatggc cattattggc ggtggtgtga 60
 tcggttgcca attcgcttcc ttattccata cgtaggctc cgaagtttct gtgatcgaag 120
 caagctctca aatccttgct ttgaataatc cagatatttc aaaaaccatg ttcgataaat 180
 tcacccgaca aggactccgt ttcgtagtag aagcctctgt atcaaatatt gaggatatag 240
 gagatcgcggt tcggttaact atcaatggga atgtcgaaga atacgattac gttctcgtat 300
 ctataggacg ccggttgaat acagaaaata ttggcttgga taaagctggt gttatttgtg 360
 atgaacgcgg agtcatccct accgatgcca caatgcgcac aaacgtacct aacatttatg 420
 ctattggaga tatcacagga aaatggcaac ttgcccattg agcttctcat caaggaatca 480
 ttgcagcacg gaatataggt ggccataaag aggaaatcga ttactctgct gtcccttctg 540
 tgatctttac ctccctgaa gtcgcttcag taggcctctc cccaacagca gctcaacaac 600
 atctccttct tcgcttactt tttctgaaaa atttgataga gaagaagaat tcctcgcaac 660
 cttgcgagga ggaggcgctc tggaagacca gttgaattta gctaagtttt ctgagcggtt 720
 tgattctttg cgagaattat ccgctaagct tggttacgat agcgatggag agactgggga 780
 tttcttcaac gaggagtacg acgacgaaga agaggaaatc aaaccgaaga aaactacgaa 840
 acgtggacgt aagaagagcc gttcataagc cttgctttta aggtttggta gttttacttc 900
 tctaaaatcc aaatggttgc tgtgcaaaaa agtagtttgc gtttccggat agggcgtaaa 960
 tgcgctgcac gaaagattgc ttcgagagcg gcatcgcggt ggagatcccg gatactttct 1020
 ttcagatacg aataagcata gctgttccca gaataaaaac ggccgacgct aggaacaaca 1080
 agatttagat agagcttggt tagcaggtaa actgggttat atgttgctgg gcgtgttagt 1140
 tctagaatac ccaagtgtcc tccaggttgt aatactcgat acacttccct aagagcctct 1200
 aatggatagg ataagtccg taatccatag gccatagaag ctaaaccgaa cgtatt 1256

<210> 22
 <211> 601
 <212> DNA
 <213> Chlamydia trachomatis

<400> 22
 ctcggtgccg caccagcaaa gaaatccctc aaaaaatggc cattattggc ggtggtgtga 60
 tcggttgcca attcgcttcc ttattccata cgtaggctc cgaagtttct gtgatcgaag 120
 caagctctca aatccttgct ttgaataatc cagatatttc aaaaaccatg ttcgataaat 180
 tcacccgaca aggactccgt ttcgtagtag aagcctctgt atcaaatatt gaggatatag 240
 gagatcgcggt tcggttaact atcaatggga atgtcgaaga atacgattac gttctcgtat 300
 ctataggacg ccggttgaat acagaaaata ttggcttgga taaagctggt gttatttgtg 360
 atgaacgcgg agtcatccct accgatgcca caatgcgcac aaacgtacct aacatttatg 420
 ctattggaga tatcacagga aaatggcaac ttgcccattg agcttctcat caaggaatca 480

ttgcagcacg gaatataggt ggccataaag aggaaatcga ttactctgct gtcccttctg	540
tgatctttac cttccctgaa gtcgcttcag taggcctctc cccaacagca gctcaacaac	600
a	601

<210> 23
 <211> 270
 <212> DNA
 <213> Chlamydia trachomatis

<400> 23	
acatctcctt cttecgcttac tttttctgaa aaatttgata cagaagaaga attcctcgca	60
cacttgcgag gaggagggcg tctggaagac cagttgaatt tagctaagtt ttctgagcgt	120
tttgattctt tgcgagaatt atccgctaag cttgggttacg atagcgatgg agagactggg	180
gatttcttca acgaggagta cgacgacgaa gaagaggaaa tcaaaccgaa gaaaactacg	240
aaacgtggac gtaagaagag ccgttcataa	270

<210> 24
 <211> 363
 <212> DNA
 <213> Chlamydia trachomatis

<400> 24	
ttacttctct aaaatccaaa tgggttgctgt gccaaaaagt agtttgcggt tccggatagg	60
gcgtaaatgc gctgcatgaa agattgcttc gagagcggca tcgcggtggga gatcccggat	120
actttctttc agatacgaat aagcatagct gttcccagaa taaaaacggc cgacgctagg	180
aacaacaaga tttagataga gcttgtgtag caggtaaact gggttatatg ttgctgggcg	240
tgttagttct agaataccca agtgcctcc aggttgtaat actcgataca cttccctaag	300
agcctctaatt ggataggata agttccgtaa tccataggcc atagaagcta aacgaaacgt	360
att	363

<210> 25
 <211> 696
 <212> DNA
 <213> Chlamydia trachomatis

<400> 25	
gctcgtgccg gcacgagcaa agaaatccct caaaaaatgg ccattattgg cgytggtgtg	60
atcgggttgcg aattcgcttc cttattccat acggttaggct ccgaagtttc tgtgatcgaa	120
gcaagctctc aaatccttgc tttgaataat ccagatattt caaaaaccat gttcgataaa	180
ttcaccgcgac aaggactccg tttcgtaacta gaagcctctg tatcaaataat tgaggatata	240
ggagatcgcg ttcgggttaac tatcaatggg aatgtcgaag aatacgatta cgttctcgta	300
tctataggac gccggttgaa tacagaaaat attggcttgg ataaagctgg tgttatttgt	360
gatgaacgcg gagtcatccc taccgatgcc acaatgcgca caaacgtacc taacatttat	420
gctattggag atatcacagg aaaatggcaa cttgcccag tagcttctca tcaaggaatc	480
attgcagcac ggaatatagg tggccataaa gaggaatcg attactctgc tgcccttct	540
gtgatcttta ccttccctga agtcgcttca gtaggcctct cccaacagc agtcaacaa	600
catctccttc ttcgcttact ttttctgaaa aatttgatac agaagaagaa ttctcgcac	660
acttgcgagg aggagggcgt ctggaagacc agttga	696

<210> 26
 <211> 231
 <212> PRT
 <213> Chlamydia trachomatis

<400> 26

Ala Arg Ala Gly Thr Ser Lys Glu Ile Pro Gln Lys Met Ala Ile Ile
 1 5 10 15
 Gly Gly Gly Val Ile Gly Cys Glu Phe Ala Ser Leu Phe His Thr Leu
 20 25 30
 Gly Ser Glu Val Ser Val Ile Glu Ala Ser Ser Gln Ile Leu Ala Leu
 35 40 45
 Asn Asn Pro Asp Ile Ser Lys Thr Met Phe Asp Lys Phe Thr Arg Gln
 50 55 60
 Gly Leu Arg Phe Val Leu Glu Ala Ser Val Ser Asn Ile Glu Asp Ile
 65 70 75 80
 Gly Asp Arg Val Arg Leu Thr Ile Asn Gly Asn Val Glu Glu Tyr Asp
 85 90 95
 Tyr Val Leu Val Ser Ile Gly Arg Arg Leu Asn Thr Glu Asn Ile Gly
 100 105 110
 Leu Asp Lys Ala Gly Val Ile Cys Asp Glu Arg Gly Val Ile Pro Thr
 115 120 125
 Asp Ala Thr Met Arg Thr Asn Val Pro Asn Ile Tyr Ala Ile Gly Asp
 130 135 140
 Ile Thr Gly Lys Trp Gln Leu Ala His Val Ala Ser His Gln Gly Ile
 145 150 155 160
 Ile Ala Ala Arg Asn Ile Gly Gly His Lys Glu Glu Ile Asp Tyr Ser
 165 170 175
 Ala Val Pro Ser Val Ile Phe Thr Phe Pro Glu Val Ala Ser Val Gly
 180 185 190
 Leu Ser Pro Thr Ala Ala Gln Gln His Leu Leu Leu Arg Leu Leu Phe
 195 200 205
 Leu Lys Asn Leu Ile Gln Lys Lys Asn Ser Ser His Thr Cys Glu Glu
 210 215 220
 Glu Gly Val Trp Lys Thr Ser
 225 230

<210> 27

<211> 264

<212> DNA

<213> Chlamydia pneumoniae

<400> 27

atgagtcaaaa aaaataaaaa ctctgctttt atgcatcccg tgaatatttc cacagattta 60
 gcagttatag ttggcaaggg acctatgccc agaaccgaaa ttgtaaagaa agtttgggaa 120
 tacattaaaa aacacaactg tcaggatcaa aaaaataaac gtaatatcct tcccgatgcg 180
 aatcttgcca aagtcttttg ctctagtgat cctatcgaca tggtccaaat gaccaaagcc 240
 ctttccaaac atattgtaaa ataa 264

<210> 28

<211> 87

<212> PRT

<213> Chlamydia pneumoniae

<400> 28

Met Ser Gln Lys Asn Lys Asn Ser Ala Phe Met His Pro Val Asn Ile
 1 5 10 15
 Ser Thr Asp Leu Ala Val Ile Val Gly Lys Gly Pro Met Pro Arg Thr
 20 25 30
 Glu Ile Val Lys Lys Val Trp Glu Tyr Ile Lys Lys His Asn Cys Gln
 35 40 45

Asp Gln Lys Asn Lys Arg Asn Ile Leu Pro Asp Ala Asn Leu Ala Lys
 50 55 60
 Val Phe Gly Ser Ser Asp Pro Ile Asp Met Phe Gln Met Thr Lys Ala
 65 70 75 80
 Leu Ser Lys His Ile Val Lys
 85

<210> 29
 <211> 369
 <212> DNA
 <213> Chlamydia pneumoniae

<400> 29
 atgccacgca tcattggaat tgatattcct gcaaagaaaa agttaaaaat aagtcctgaca 60
 tatatttatg gaataggatc agctcgttct gatgaaatca ttaaaaagtt gaagtttagat 120
 cctgaggcaa gagcctctga attaactgaa gaagaagtag gacgactgaa ctctctgcta 180
 caatcagaat ataccgtaga aggggatttg cgacgtcgtg ttcaatcgga tatcaaaaga 240
 ttgatcgcca tccattctta tcgaggtcag agacatagac tttctttacc agtaagagga 300
 caacgtacaa aaactaattc tcgtactcga aaaggtaaaa gaaaaacagt cgcaggtaag 360
 aagaaataa 369

<210> 30
 <211> 122
 <212> PRT
 <213> Chlamydia pneumoniae

<400> 30
 Met Pro Arg Ile Ile Gly Ile Asp Ile Pro Ala Lys Lys Lys Leu Lys
 1 5 10 15
 Ile Ser Leu Thr Tyr Ile Tyr Gly Ile Gly Ser Ala Arg Ser Asp Glu
 20 25 30
 Ile Ile Lys Lys Leu Lys Leu Asp Pro Glu Ala Arg Ala Ser Glu Leu
 35 40 45
 Thr Glu Glu Glu Val Gly Arg Leu Asn Ser Leu Leu Gln Ser Glu Tyr
 50 55 60
 Thr Val Glu Gly Asp Leu Arg Arg Arg Val Gln Ser Asp Ile Lys Arg
 65 70 75 80
 Leu Ile Ala Ile His Ser Tyr Arg Gly Gln Arg His Arg Leu Ser Leu
 85 90 95
 Pro Val Arg Gly Gln Arg Thr Lys Thr Asn Ser Arg Thr Arg Lys Gly
 100 105 110
 Lys Arg Lys Thr Val Ala Gly Lys Lys Lys
 115 120

<210> 31
 <211> 10
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Made in the lab

<400> 31
 Cys Ser Phe Ile Gly Gly Ile Thr Tyr Leu
 1 5 10

<210> 32
 <211> 53
 <212> PRT
 <213> Chlamydia trachomatis

<400> 32
 Leu Cys Val Ser His Lys Arg Arg Ala Ala Ala Val Cys Ser Phe
 1 5 10 15
 Ile Gly Gly Ile Thr Tyr Leu Ala Thr Phe Gly Ala Ile Arg Pro Ile
 20 25 30
 Leu Phe Val Asn Lys Met Leu Ala Gln Pro Phe Leu Ser Ser Gln Thr
 35 40 45
 Lys Ala Asn Met Gly
 50

<210> 33
 <211> 161
 <212> DNA
 <213> Chlamydia trachomatis

<400> 33
 atctttgtgt gtctcataag cgcagagcgg ctgcggctgt ctgtagcatc atcggaggaa 60
 ttacctacct cgcgacattc ggagctatcc gtccgattct gtttgtcaac aaaatgctgg 120
 caaaaccgtt tctttcttcc caaactaaag caaatatggg a 161

<210> 34
 <211> 53
 <212> PRT
 <213> Chlamydia trachomatis

<400> 34
 Leu Cys Val Ser His Lys Arg Arg Ala Ala Ala Val Cys Ser Ile
 1 5 10 15
 Ile Gly Gly Ile Thr Tyr Leu Ala Thr Phe Gly Ala Ile Arg Pro Ile
 20 25 30
 Leu Phe Val Asn Lys Met Leu Ala Lys Pro Phe Leu Ser Ser Gln Thr
 35 40 45
 Lys Ala Asn Met Gly
 50

<210> 35
 <211> 55
 <212> DNA
 <213> Chlamydia pneumoniae

<400> 35
 gatatacata tgcataacca tcaccatcac atgagtcaaa aaaaataaaa actct 55

<210> 36
 <211> 33
 <212> DNA
 <213> Chlamydia pneumoniae

<400> 36

ctcgaggaat tcttatttta caatatgttt gga 33

<210> 37
 <211> 53
 <212> DNA
 <213> Chlamydia pneumoniae

<400> 37
 gatatacata tgcattacca tcaccatcac atgccacgca tcattggaat gat 53

<210> 38
 <211> 30
 <212> DNA
 <213> Chlamydia pneumoniae

<400> 38
 ctcgaggaat tcttatttct tcttacctgc 30

<210> 39
 <211> 16
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Made in the lab

<400> 39
 Lys Arg Asn Ile Asn Pro Asp Asp Lys Leu Ala Lys Val Phe Gly Thr
 1 5 10 15

<210> 40
 <211> 16
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> made in the lab

<400> 40
 Lys Arg Asn Ile Leu Pro Asp Ala Asn Leu Ala Lys Val Phe Gly Ser
 1 5 10 15

<210> 41
 <211> 15
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> made in the lab

<400> 41
 Lys Glu Tyr Ile Asn Gly Asp Lys Tyr Phe Gln Gln Ile Phe Asp
 1 5 10 15

<210> 42
 <211> 16
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> made in the lab

<400> 42
 Lys Lys Ile Ile Ile Pro Asp Ser Lys Leu Gln Gly Val Ile Gly Ala
 1 5 10 15

<210> 43
 <211> 15
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> made in the lab

<400> 43
 Lys Lys Leu Leu Val Pro Asp Asn Asn Leu Ala Thr Ile Ile Gly
 1 5 10 15

<210> 44
 <211> 509
 <212> DNA
 <213> Chlamydia

<400> 44
 ggagctcgaa ttcggcacga gagtgcctat tgttttgcag gctttgtctg atgatagcga 60
 taccgtacgt gagattgctg tacaagtagc tgttatgtat ggttctagtt gcttactgcg 120
 cgccgtgggc gatttagcga aaaatgattc ttctattcaa gtacgcatca ctgcttatcg 180
 tgctgcagcc gtgttgagga tacaagatct tgtgcctcat ttacgagttg tagtccaaaa 240
 tacacaatta gatggaacgg aaagaagaga agcttgagga tctttatgtg ttcttactcg 300
 gcctcatagt ggtgtattaa ctggcataga tcaagcttta atgacctgtg agatgttaaa 360
 ggaatatcct gaaaagtgtg cggagaaca gattcgtaca ttattggctg cagatcatcc 420
 agaagtgcag gtagctactt tacagatcat tctgagagga ggtagagtat tccggtcatc 480
 ttctataatg gaatcgggtc tcgtgccgg 509

<210> 45
 <211> 481
 <212> DNA
 <213> Chlamydia

<220>
 <221> unsure
 <222> (23)
 <223> n=A,T,C or G

<400> 45
 gatccgaatt cggcacgagg cantattttac tcccaacatt acggttccaa ataagcgata 60
 aggtcttcta ataaggaagt taatgtaaga ggctttttta ttgcttttcg taaggtagta 120
 ttgcaaccgc acgcgattga atgatacgca agccatttcc atcatggaaa agaacccttg 180
 gacaaaaata caaaggaggt tcactcctaa ccagaaaaag ggagagttag tttccatggg 240

ttttccttat atacacccgt ttcacacaat taggagccgc gtctagtatt tggaatacaa 300
 attgtcccca agcgaatatt gtccctgttt cagggatttc tcctaattgt tctgtcagcc 360
 atccgcctat ggtaacgcaa ttagctgtag taggaagatc aactccaaac aggtcataga 420
 aatcagaaag ctcataggtg cctgcagcaa taacaacatt cttgtctgag tgagcgaatt 480
 g 481

<210> 46
 <211> 427
 <212> DNA
 <213> Chlamydia

<220>
 <221> unsure
 <222> (20)
 <223> n=A,T,C or G

<400> 46
 gatccgaatt cggcacgagn ttttctctgt ttttcttag tttttagtgt tcccggagca 60
 ataacacaga tcaaagaacg gccattcagt ttaggctctg actcaacaaa acctatgtcc 120
 tctaagccct gacacattct ttgaacaacc ttatgcccgt gtccgggata agccaactct 180
 cgccccgaa acatacaaga aacctttact ttatttcctt tctcaataaa ggctctagct 240
 tgctttgctt tcgtaagaaa gtcgttatca tcgatattag gcttaagctt aacctctttg 300
 atacgcactt ggtgctgtgc tttcttacta tcttttctt ttttagttat gtcgtaacga 360
 tacttcccgt agtccatgat tttgcacaca ggaggctctg agtttgaagc aacctcgtgc 420
 cgaattc 427

<210> 47
 <211> 600
 <212> DNA
 <213> Chlamydia

<220>
 <221> unsure
 <222> (522)
 <223> n=A,T,C or G

<400> 47
 gatccgaatt cggcacgaga tgcttctatt acaattgggt tggatgcgga aaaagcttac 60
 cagcttattc tagaaaagtt gggagatcaa attcttggtg gaattgctga tactattgtt 120
 gatagtacag tccaagatat ttagacaaa atcacaacag acccttctct aggtttgttg 180
 aaagctttta acaactttcc aatcactaat aaaattcaat gcaacgggtt attcactccc 240
 aggaacattg aaactttatt aggaggaact gaaataggaa aattcacagt cacacccaaa 300
 agctctggga gcatgttctt agtctcagca gatattattg catcaagaat ggaaggcggc 360
 gttgttctag ctttggtacg agaaggtgat tctaagccct acgcgattag ttatggatac 420
 tcatcaggcg ttccctaattt atgtagtcta agaaccagaa ttattaatac aggattgact 480
 ccgacaacgt attcattacg tgtaggcggg ttagaaagcg gngtggtatg ggtaaatgcc 540
 ctttctaattg gcaatgatat ttttaggaata acaaatcttc taatgtatct ttttggagg 600

<210> 48
 <211> 600
 <212> DNA
 <213> Chlamydia

<400> 48
 ggagctcgaa ttcggcacga gctctatgaa tatccaattc tctaaactgt tcggataaaa 60

```

atgatgcagg aattaggtcc acactatctt tttttgtttc gcaaatgatt gatttttaaat 120
cgtttgatgt gtatactatg tcgtgtaagc ctttttggtt acttctgaca ctagccccc 180
atccagaaga taaattggat tgcgggtcta ggtcagcaag taacactttt tcccctaaaa 240
attgggccaa gttgcatccc acgttttagag aaagtgttgt ttttccagtt cctcccttaa 300
aagagcaaaa aactaagggtg tgcaaatcaa ctccaacgtt agagtaagtt atctattcag 360
ccttggaaaa catgtctttt ctagacaaga taagcataat caaagccttt tttagcttta 420
aactgttatc ctctaatttt tcaagaacag gagagtctgg gaataatcct aaagagtttt 480
ctatttggtg aagcagtcct agaattagtg agacactttt atggtagagt tctaaggag 540
aatttaagaa agttactttt tccttgttta ctctgtattt taggtctaatt tcggggaaat 600

```

<210> 49

<211> 600

<212> DNA

<213> Chlamydia

<400> 49

```

gatccgaatt cggcacgaga tgcttctatt acaattgggt tggatgcgga aaaagcttac 60
cagcttattc tagaaaagt gggagatcaa attcttggtg gaattgctga tactattgtt 120
gatagtacag tccaagatat tttagacaaa atcacacag acccttctct aggtttgttg 180
aaagctttta acaactttcc aatcactaat aaaattcaat gcaacgggtt attcactccc 240
aggaacattg aaactttatt aggaggaact gaaataggaa aattcacagt cacacccaaa 300
agctctggga gcatgttctt agtctcagca gatattattg catcaagaat ggaaggcggc 360
gttggttctag ctttggtacg agaaggtgat tctaagccct acgcgattag ttatggatac 420
tcatcaggcg ttcctaattt atgtagtcta agaaccagaa ttattaatac aggattgact 480
ccgacaacgt attcattacg tgtaggcggg ttagaaagcg gtgtggtatg ggttaatgcc 540
ctttctaattg gcaatgatat tttaggaata acaaatactt ctaatgtatc ttttttggag 600

```

<210> 50

<211> 406

<212> DNA

<213> Chlamydia

<400> 50

```

gatccgaatt cggcacgagt tcttagcttg cttaattacg taattaacca aactaaaggg 60
gctatcaaat agcttattca gtctttcatt agttaaacga tcttttctag ccatgactca 120
tcctatgttc ttcagctata aaaatacttc ttaaaacttg atatgctgta atcaaatcat 180
cattaaccac aacataatca aattcgctag cggcagcaat ttcgacagcg ctatgctcta 240
atctttcttt cttctggaaa tctttctctg aatcccagagc attcaaacgg cgctcaagtt 300
cttcttgaga gggagcttga ataaaaatgt gactgccggc atttgcttct tcagagccaa 360
agctccttgt acatcaatca cggctatgca gtctcgtgcc gaattc 406

```

<210> 51

<211> 602

<212> DNA

<213> Chlamydia

<400> 51

```

gatccgaatt cggcacgaga tatttttagac aaaatcacia cagacccttc tctagggttg 60
ttgaaagctt ttaacaactt tccaatcact aataaaattc aatgcaacgg gttattcact 120
cccaggaaca ttgaaacttt attaggagga actgaaatag gaaaattcac agtcacaccc 180
aaaagctctg ggagcatgtt cttagtctca gcagatatta ttgcatcaag aatggaaggc 240
ggcgttggtt tagctttggt acgagaaggt gattctaagc cctacgcgat tagttatgga 300
tactcatcag gcgttcctaa tttatgtagt ctaagaacca gaattattaa tacaggattg 360
actccgacaa cgtattcatt acgtgtaggg ggttttagaaa gcggtgtggg atgggttaat 420
gccctttcta atggcaatga tatttttagga ataacaaata cttctaattg atcttttttg 480

```

gaggtaatac ctcaaacaaa cgcttaaaca atttttattg gatttttctt ataggtttta 540
 tatttagaga aaaaagttcg aattacgggg tttgttatgc aaaataaact cgtgccgaat 600
 tc 602

<210> 52
 <211> 145
 <212> DNA
 <213> Chlamydia

<400> 52
 gatccgaatt cggcacgagc tcgtgccgat gtgttcaaca gcatccatag gatgggcagt 60
 caaatatact ccaagtaatt ctttttctct tttcaacaac tccttaggag agcgttggat 120
 aacattttca gtcgtgccg aattc 145

<210> 53
 <211> 450
 <212> DNA
 <213> Chlamydia

<400> 53
 gatccgaatt cggcacgagg taatcggcac cgcactgctg acactcatct cctcgagctc 60
 gatcaaacc acacttgga caagtaccta caacataacg gtccgctaaa aacttccctt 120
 cttcctcaga atacagctgt tcggtcacct gattctctac cagtcgcgt tcttgcaagt 180
 ttcgatagaa atcttgcaca atagcaggat gataagcgtt cgtagtcttg gaaaagaaat 240
 ctacagaaat tcccaatttc ttgaaggat ctttatgaag cttatgatac atgtcgacat 300
 attcttgata ccccatgcct gccactctg cattaagggt aattgcgatt ccgtattcat 360
 cagaaccaca aatatacaaa acctctttgc cttgtagtct ctgaaaacgc gcataaacat 420
 ctgcaggcaa ataagcctcg tgccgaattc 450

<210> 54
 <211> 716
 <212> DNA
 <213> Chlamydia

<400> 54
 gatcgaaatt cggcacgagc ggcacgagtt ttctgatagc gatttacaat cctttattca 60
 acttttgctt agagaggcac actatactaa gaagtttctt ggggtgtgtg cacagtcctg 120
 tcgtcagggg attctgctag aggggtaggg gaaaaaaccc ttattactat gaccatgcgc 180
 atgtggaatt acattccata gactttcgca tcattcccaa catttacaca gctctacacc 240
 tcttaagaag aggtgacgtg gattgggtgg ggcagccttg gcaccaaggg attccttttg 300
 agcttcggac tacctctgct ctctacacct attaccctgt agatggcaca ttctggctta 360
 ttcttaatcc caaagatcct gtactttcct ctctatctaa tcgtcagcga ttgattgctg 420
 ccatccaaaa ggaaaaactg gtgaagcaag ctttaggaac acaatatcga gtagctgaaa 480
 gctctccatc tccagagggg atcatagctc atcaagaagc ttctactcct ttctctggga 540
 aaattacttt gatatatccc aataatatta cgcgtgtgca gcgtttggcc gaggtatcca 600
 aaaaatgatc gacaaggagc acgctaaatt tgtacatacc ccaaaatcaa tcagccatct 660
 aggcaaatgg aatatcaaag taaacagtat acaactgggg atctcgtgcc gaattc 716

<210> 55
 <211> 463
 <212> DNA
 <213> Chlamydia trachomatis

<400> 55
 tctcaaattc ttgctttgaa taatccagat atttcaaaaa ccatgttcga taaattcacc 60

```

cgacaaggac tccgtttcgt actagaagcc tctgtatcaa atattgagga tataggagat 120
cgcgttcggt taactatcaa tgggaatgtc gaagaatacg attacgttct cgtatctata 180
ggacgccggt tgaatacaga aaatattggc ttggataaag ctggtgttat ttgtgatgaa 240
cgcggagtc tccctaccga tgccacaatg cgcacaaacg tacctaacaat ttatgctatt 300
ggagatatca caggaaaaatg gcaacttgcc catgtagctt ctcatcaagg aatcattgca 360
gcacggaata taggtggcca taaagaggaa atcgattact ctgctgtccc ttctgtgatc 420
tttaccttcc ctgaagtcgc ttcagtaggc ctctcccaaa cag 463

```

<210> 56

<211> 829

<212> DNA

<213> Chlamydia trachomatis

<400> 56

```

gtactatggg atcattagtt ggaagacagg ctccggattt ttctggtaaa gccgttggtt 60
gtggagaaga gaaagaaatc tctctagcag actttcgtgg taagtatgta gtgctcttct 120
tttatcctaa agattttacc tatgtttgtc ctacagaatt acatgctttt caagatagat 180
tggtagattt tgaagagcat ggtgcagtcg tccctgggtg ctccgttgac gacattgaga 240
cacattctcg ttggctcact gtagcgagag atgcaggagg gatagaggga acagaatatc 300
ctctgttagc agacccctct tttaaaatat cagaagcttt tgggtgtttt aatcctgaag 360
gatcgctcgc ttttaagagct actttcctta tcgataaaca tgggggtatt cgtcatgcgg 420
ttatcaatga tcttctctta gggcggtcca ttgacgagga attgcgtatt ttagattcat 480
tgatcttctt tgagaaccac ggaatgggtt gtccagctaa ctggcgttct ggagagngtg 540
gaatgggtgcc ttctgaagag ggattaaaag aatacttcca gacgatggat taagcatctt 600
tgaaagtaag aaagtcgtac agatcttgat ctgaaaagag aagaaggctt ttttaatttc 660
tgcagagagc cagcgaggct tcaataatgt tgaagtctcc gacaccaggc aatgctaagg 720
cgacgatatt agttagtga gtctgagtat taaggaaatg aaggccaaag aatatgctat 780
caataaagaa gccttcttcc ttgactctaa agaatagtat gtcgtatcc 829

```

<210> 57

<211> 1537

<212> DNA

<213> Chlamydia trachomatis

<400> 57

```

acatcaagaa atagcggact cgcctttagt gaaaaaagct gaggagcaga ttaatcaagc 60
acaacaagat attcaaacga tcacacctag tggtttggtat attcctatcg ttgggtccgag 120
tgggtcagct gcttcgcgag gaagtgcggc aggagcgttg aaatcctcta acaattcagg 180
aagaatttcc ttgttgcttg atgatgtaga caatgaaatg gcagcgattg caatgcaagg 240
tttctgatct atgatcgaac aatttaatgt aaacaatcct gcaacagcta aagagctaca 300
agctatggag gctcagctga ctgcgatgac agatcaactg gttggtgctg atggcgagct 360
cccagccgaa atacaagcaa tcaaagatgc tcttgcgcaa gctttgaaac aaccatcagc 420
agatgggtta gctacagcta tgggacaagt ggcttttgca gctgccaaagg ttggaggagg 480
ctccgcagga acagctggca ctgtccagat gaatgtaaaa cagctttaca agacagcggt 540
ttcttcgact tcttccagct cttatgcagc agcactttcc gatggatatt ctgcttaca 600
aacactgaac tctttatatt ccgaaagcag aagcggcgtg cagtcagcta ttagtcaaac 660
tgcaaatccc gcgctttcca gaagcgttcc tcgttctggc atagaaagtc aaggacgcag 720
tgcagatgct agccaaaag cagcagaaac tattgtcaga gatagccaaa cgttagggtga 780
tgtatatagc cgcttacagg ttctggattc ttgatgtct acgattgtga gcaatccgca 840
agcaaatcaa gaagagatta tgcagaagct cagggcatct attagcaaaag ctccacaatt 900
tgggtatcct gctgttcaga attctgtgga tagcttgtag aagtttgctg cacaattgga 960
aagagagttt gttgatgggg aacgtagtct cgcagaatct caagagaatg cgtttagaaa 1020
acagcccgc ttcattcaac aggtgttggg aaacattgct tctctattct ctggttatct 1080
ttcttaacgt gtgattgaag tttgtgaatt gagggggagc caaaaaagaa tttctttttt 1140
ggctcttttt tcttttcaaa ggaatctcgt gtctacagaa gtcttttcaa taataagttc 1200

```

```

ttagttccaa aagaagaaaa tatataaaag aaaaaactcc taattcattt aaaaagtgct 1260
cggcagactt cgtggaaaat gtctgtaaag ctggagggga atcagcagaa agatgcaaga 1320
tatccgagaa aaaaggctca ggctcgtgcc gaattcggca cgagactacg aaagaaaggt 1380
cttttctttc ggaatctgtc attggatctg cgtaagactt aaagttcggc aacacaggct 1440
ctgtctttctc ttttaggtttc ttgcgcgaga aaaattttct caagtaacaa gaagatttct 1500
ttttacagcc ggcatccggc ttctcgcgaa gtataac 1537

```

<210> 58

<211> 463

<212> DNA

<213> Chlamydia trachomatis

<400> 58

```

tctcaaattc ttgcttttgaa taatccagat atttcaaaaa ccatgttcga tazattcacc 60
cgacaaggac tccgttttcgt actagaagcc tctgtatcaa atattgagga tataggagat 120
cgcgttcggt taactatcaa tgggaatgtc gaagaatacg attacgttct cgtatctata 180
ggacgcggtt tgaatacaga aaatattggc ttggataaag ctggtgttat ttgtgatgaa 240
cgcggagtca tccctaccga tgccacaatg cgcacaaacg tacctaacat ttatgctatt 300
ggagatatca caggaaaatg gcaacttgcc catgtagctt ctcataaagg aatcattgca 360
gcacggaata taggtggcca taaagaggaa atcgattact ctgctgtccc ttctgtgatc 420
tttaccttcc ctgaagtcgc ttcagtaggc ctctcccaa cag 463

```

<210> 59

<211> 552

<212> DNA

<213> Chlamydia trachomatis

<400> 59

```

acattcctcc tgctcctcgc ggccatccac aaattgaggt aaccttcgat attgatgcc 60
acggaatttt acacgtttct gctaaagatg ctgctagtgg acgcgaacaa aaaatccgta 120
ttgaagcaag ctctggatta aaagaagatg aaattcaaca aatgatccgc gatgcagagc 180
ttcataaaga ggaagacaaa caacgaaaag aagcttctga tgtgaaaaat gaagccgatg 240
gaatgatctt tagagccgaa aaagctgtga aagattacca cgacaaaatt cctgcagaac 300
ttgttaaaga aattgaagag catattgaga aagtacgcca agcaatcaaa gaagatgctt 360
ccacaacagc tatcaaaagca gcttctgatg agttgagtac tcgtatgcaa aaaatcggag 420
aagctatgca ggctcaatcc gcatccgcag cagcatcttc tgcagcgaat gctcaaggag 480
ggccaaacat taactccgaa gatctgaaaa aacatagttt cagcacacga cctccagcag 540
gaggaagcgc ct 552

```

<210> 60

<211> 1180

<212> DNA

<213> Chlamydia trachomatis

<400> 60

```

atcctagcgg taaaactgct tactggtcag ataaaatcca tacagaagca acacgtactt 60
cttttaggag aaaaaatcta taatgctaga aaaatcctga gtaaggatca cttctcctca 120
acaacttttt catcttggat agagttagtt tttagaacta agtcttctgc ttacaatgct 180
cttgcatatt acgagctttt tataaacctc cccaacaaaa ctctacaaaa agagtttcaa 240
tcgatcccct ataaatccgc atatatatttg gccgctagaa aaggcgattt aaaaaccaag 300
gtcgatgtga tagggaaagt atgtggaatc tcgtgccgaa ttcggcacga gcggcacgag 360
gatgtagagt aattagttaa agagctgcat aattatgaca aagcatggaa aacgcattcg 420
tggatccaa gagacttacg atttagctaa gtcgtattct ttgggtgaag cgatagatat 480
tttaaacag tgcctactg tgcgtttcga tcaaacggtt gatgtgtctg ttaaatagg 540
gatcgatcca agaaagagtg atcagcaaat tcgtggttcg gtttctttac ctcacggtac 600

```

```

aggtaaagtt ttgcgaatTT tagttttttgc tgctggagat aaggctgcag aggctattga 660
agcaggagcg gactttgttg gtagcgacga cttggtagaa aaaatcaaag gtggatgggt 720
tgacttcgat gttgcggttg ccactcccgga tatgatgaga gaggtcggaa agctaggaaa 780
agtttttaggt ccaagaaacc ttatgcctac gcctaaagcc ggaactgtaa caacagatgt 840
ggttaaaact attgcggaac tgcgaaaagg taaaattgaa tttaaagctg atcgagctgg 900
tgtatgcaac gtcggagttg cgaagctttc tttcgatagt gcgcaaatca aagaaaatgt 960
tgaagcgttg tgtgcagcct tagttaaagc taagcccgca actgctaaag gacaatattt 1020
agttaatttc actatttcct cgaccatggg gccaggggtt accgtggata ctaggggagt 1080
gattgcgtta taattctaag tttaaagagg aaaaatgaaa gaagagaaaa agttgctgct 1140
tcgcgaggtt gaagaaaaga taaccgcttc tcggcacgag 1180

```

<210> 61

<211> 1215

<212> DNA

<213> Chlamydia trachomatis

<400> 61

```

attacagcgt gtgcaggtaa cgacatcatt gcatgatgct tttgatggca ttgatgcggc 60
attccttata gggtcagttc ctagaggccc aggaatggag agaagagatc ttctaaagaa 120
aatgggggag attgttgcta cgcaaggaaa agctttgaac acaacagcca agcgggatgc 180
aaagattttt gttgttgga accctgtgaa taccaattgc tggatagcaa tgaatcatgc 240
tcccagatta ttgagaaaaga actttcatgc gatgctacga ttggaccaga atcgtagca 300
tagcatgtta tcgcatagag cagaagtacc tttatcggct gtatcacaag ttgtggtttg 360
gggaaatcac tccgccaaac aagtgcctga ttttacgcaa gctctgatta atgaccgtcc 420
tatcgagag acgatagcgg atcgtagatt gttagagaat attatgggtc ctctgtaca 480
gagtcgtggt agtgcagtaa ttgaagcacg agggaagtct tcggcagctt ctgcagcacg 540
agcttttagca gaggtgctc gatcaatata tcagccaaaa gaaggactcg tgcgaattc 600
ggcacgagta tcgaaattgc aggcatttct agtgaatggc cgtatgctta taaactacgt 560
ggtacagact tgagctctca aaagtttgc acagattctt acatcgaga cccttattct 720
aagaatatct actccctca actatttgga tcccctaaac aagaaaagga ttacgcattt 780
agttacctga aatatgagga ttttgactgg gaaggcgaca ctctttgca ccttccaaa 840
gaaaattact tcatttatga aatgcattgt cggtcattca cccgagatcc gtcttccag 900
gtttcccatc ctggaacttt ccttggtatc atcgaaaaaa tagaccacct caaacaacta 960
ggcgttcatt cagttgaact ccttcttatt ttcgaattcg atgaaaccgt ccatccattt 1020
aaaaatcagg acttccccca cctgtgtaac tattgggggt attcttcggt gaattttttc 1080
tgccctctc gccgttatca ttatggggca gacccttgcg ctccggcccc agagttcaag 1140
actcttgta aagcgttaca ccgtgcggga atcgaagtca ttctcgatgt cgttttcaat 1200
catacaggct ttgaa 1215

```

<210> 62

<211> 688

<212> DNA

<213> Chlamydia trachomatis

<400> 62

```

gtggatccaa aaaagaatct aaaaagccat acaaagattg cgttacttct tgcgatgcct 60
ctaactttt atcagcgtca tctttgagaa gcatctcaat gagcgctttt tcttctctag 120
catgccgcac atccgcttct tcatgttctg tgaaatatgc atagtcttca ggattggaaa 180
atccaaagta ctcatgcaat ccacgaattt tctctctagc gatacgtgga atttgactct 240
cataagaata caaagcagcc actcctgcag ctaaagaatc tcctgtacac caccgcatga 300
aagtagctac tttcgctttt gctgcttcac taggctcatg agcctctaac tcttctggag 360
taactcctag agcaaacaca aactgcttcc acaaatcaat atgattaggg taaccgttct 420
cttcatccat caagttatct aacaataact tacgcgcctc taaatcatcg caacgactat 480
gaatcgaga taaatattta ggaaaggctt tgatatgtaa ataatagtct ttggcacgag 540
cctgtaattg ctcttttagta agtccccct tcgaccattt cacataaaac gtgtgttcta 600

```

gcataatgctt attttgaata attaaatcta actgatctaa aaaattcata aacacctcca 660
tcattttcttt tcttgactcc acgtaacc 688

<210> 63

<211> 269

<212> DNA

<213> Chlamydia trachomatis

<400> 63

atgttgaaat cacacaagct gttcctaaat atgctacggt aggatctccc tatcctgttg 60
aaattactgc tacaggtaaa agggattgtg ttgatgttat cattactcag caattaccat 120
gtgaagcaga gttcgtacgc agtgatccag cgacaactcc tactgctgat ggtaagctag 180
tttgaaaaat tgaccgctta ggacaaggcg aaaagagtaa aattactgta tgggtaaaaac 240
ctcttaaaga aggttgctgc ttacagct 269

<210> 64

<211> 1339

<212> DNA

<213> Chlamydia trachomatis

<400> 64

cttttattat ggcttctggg gatgatgtca acgatatcga cctgctatct cgaggagatt 60
ttaaaattgt tatacagacg gctccagagg agatgcatgg attagcggac tttttggctc 120
ccccggcgaa ggatcttggg attctctcgg cctgggaagc tgggtgagctg cgttacaaac 180
agctagttaa tctttaggaa acatttctgg acctatgcc atcacattgy ctccgtgatc 240
cacatagaga gtttctcccg taattgcgt agctagggga gagactaaga agyctgctgc 300
tgcgctact tgctcagctt ccattggaga aggtagtggg gccagctctt ggtagtaate 360
caccattctc tcaataaatc caatagcttt tcttgcacgg ctagtcaatg gccctgccga 420
gatagtattc actcggactc cccaacgtcg gccggcttcc caagccagta cttttgtatc 480
actttctaaa gcagcttttg ctgcgttcat tcttcgcca taccctggaa cagcaagcat 540
ggaagcaaga taagttagag agatgggtgt agtccctgca ttcataattg ggccaaaatg 600
agagagaagg ctgataaagg agtagctgga tgtactaag gcggcaagat agcctttacg 660
agaggtatca agtaatggtt tagcaatttc cggactgttt gctaaagagt gaacaagaat 720
atcaatgtgt ccaaaatctt tttcacctg ttctacaact tcggatacag tgtaccacga 780
aagatctttg taacgtttat tttccaaaat ttcctgagga atatcttctg ggggtgtcgaa 840
actggcatcc atgggataga ttttagcgaa agttagcaat tctccattgg agagttcacg 900
agatgcattg aattttctta actcccaaga ttgagagaaa attttataga taggaaccca 960
ggctcccaca agtatgggtg cgctgtcttc tgctaacatt ttggcaatgc ccagccata 1020
ccggttatca tcgctatgc cggctatgaa agcaattttt cctgttaaatt caattttcaa 1080
catgagctaa cccattttg tcttcttgag agaggagagt agcagattct ttattattga 1140
gaaacggggc tcataatata taaggagtag attcactggc tggatccagg tttctagagt 1200
aaagagtttc cttgtcaaatt tcttatatgg gtagagttaa tcaactgttt tcaagtgatt 1260
tatgtttatt ttaaaataat ttgttttaac aactgtttta tagttttaat ttttaaagtg 1320
tgaaaaacag gttttatat 1339

<210> 65

<211> 195

<212> PRT

<213> Chlamydia trachomatis

<400> 65

Met Gly Ser Leu Val Gly Arg Gln Ala Pro Asp Phe Ser Gly Lys Ala
5 10 15

Val Val Cys Gly Glu Glu Lys Glu Ile Ser Leu Ala Asp Phe Arg Gly

20 25 30
 Lys Tyr Val Val Leu Phe Phe Tyr Pro Lys Asp Phe Thr Tyr Val Cys
 35 40 45
 Pro Thr Glu Leu His Ala Phe Gln Asp Arg Leu Val Asp Phe Glu Glu
 50 55 60
 His Gly Ala Val Val Leu Gly Cys Ser Val Asp Asp Ile Glu Thr His
 65 70 75 80
 Ser Arg Trp Leu Thr Val Ala Arg Asp Ala Gly Gly Ile Glu Gly Thr
 85 90 95
 Glu Tyr Pro Leu Leu Ala Asp Pro Ser Phe Lys Ile Ser Glu Ala Phe
 100 105 110
 Gly Val Leu Asn Pro Glu Gly Ser Leu Ala Leu Arg Ala Thr Phe Leu
 115 120 125
 Ile Asp Lys His Gly Val Ile Arg His Ala Val Ile Asn Asp Leu Pro
 130 135 140
 Leu Gly Arg Ser Ile Asp Glu Glu Leu Arg Ile Leu Asp Ser Leu Ile
 145 150 155 160
 Phe Phe Glu Asn His Gly Met Val Cys Pro Ala Asn Trp Arg Ser Gly
 165 170 175
 Glu Arg Gly Met Val Pro Ser Glu Glu Gly Leu Lys Glu Tyr Phe Gln
 180 185 190
 Thr Met Asp
 195

<210> 66
 <211> 520
 <212> DNA
 <213> Chlamydia

<400> 66
 gatccgaatt cggcaccgagg aggaatggaa gggccctccg attttaaatc tgctaccatg 60
 ccattcacta gaaactccat aacagcgggt ttctctgatg gcgagtaaga agcaagcatt 120
 tgatgtaaat tagcgcaatt agagggggat gaggttactt ggaaatataa ggagcgaagc 180
 gatgaaggag atgtatttgc tctggaagca aagggttctg aagctaacag aacattgcgt 240
 cctccaacaa tcgcctgagg attctggctc atcagttgat gctttgcctg aatgagagcg 300
 gacttaagtt tcccatcaga gggagctatt tgaattagat aatcaagagc tagatccttt 360
 attgtgggat cagaaaattt acttgtgagc gcatcgagaa tttcgtcaga agaagaatca 420
 tcatcgaacg aatttttcaa tcctcgaaaa tcttctccag agacttcgga aagatcttct 480
 gtgaaacgat cttcaagagg agtatcgctt ttttctctg 520

<210> 67
 <211> 276
 <212> DNA

<213> Chlamydia

<400> 67

```

gatccgaatt cggcacgagg tattgaagga gaaggatctg actcgatcta tgaaatcatg 60
atgcctatct atgaagttat gaatatggat ctagaaacac gaagatcttt tgcggtacag 120
caagggcact atcaggaccc aagagcttca gattatgacc tcccacgtgc tagcgactat 180
gatttgcta gaagcccata tctactcca cttttgcctt ctatgatca gctacagaat 240
atggatgtag aagcagggtt ccgtgaggca gtttat 276

```

<210> 68

<211> 248

<212> DNA

<213> Chlamydia

<400> 68

```

gatccgaatt cggcacgagg tgttcaagaa tatgtccttc aagaatgggt taaattgaaa 60
gatctaccgg tagaagagtt gctagaaaaa cgatatacaga aattccgaac gatagggtcta 120
tatgaaactt cttctgaaag cgattctgag gcataagaag catttagttt tattcggttt 180
ttctctttta tccatattag ggctaacgat aacgtctcaa gcagaaattt tttctctag 240
tcttattg 248

```

<210> 69

<211> 715

<212> DNA

<213> Chlamydia

<220>

<221> unsure

<222> (34)

<223> n=A,T,C or G

<400> 69

```

gatccgaatt cggcacgaga aggtagatcc gatntcagca aaagtgtctc taaaggaaga 60
ttccttcggt atcctgcagc aaataagggtg gcacactcca tctcggacag tttgagcttt 120
attttcatat agttttcgac ggaactcttt attaaactcc caaaaccgaa tgtagtcgt 180
gtgggtgatg cctatatggt aagggagggt tttggcttcg agaattttg tgatcatttt 240
ttgtacgaca aaartagcta atgcagggac ctctgggggg aagtatgcat ctgatgttcc 300
atcttttcg atgctagcaa cagggacaaa ataactctct atttggtagt gggatcttaa 360
gcctccgac atgcccaca tgatcgctgc tgtagcattg ggaaggaaag aacacagatc 420
tacggtaaga gctgctctcg gagagcctaa tttaaaatcg atgattgagg tgtgaatttg 480
aggcgcatgc gctgccgaaa acatggatcc tcgagaaaca gggacctgat agatttcagc 540
gaaaacatcc acggtaatac ccmaaattag taagaaggag atagggctgg aactcttgaa 600
tggtagagcc ggtatagcgc tctagcatgt cacaggcgat tgtttcttcg ctgatttttt 660
tatgttgatg ggtcataaat cacagatatt ataattggtta gagaatcttt ttttc 715

```

<210> 70

<211> 323

<212> DNA

<213> Chlamydia

<400> 70

```

gatccgaatt cggcacgagc agaacgtaaa cagcacactt aaaccgtgta tgagggttaa 60
cactgtttgg caagcaaaaca accattcctc tttccacatc gttcttacca atacctctga 120
ggagcaatcc aacattctct cctgcacgac cttctgggag ttcttttctg aacatttcaa 180
ccccagtaac aatcgtttct ttagtatctc taagaccgac caactgaact ttatcggaaa 240

```

ctttaacaat tccacgctca atacgtccag ttactacagt tctcgtccg gagatagaga 300
 acacgtcctc aatgggcatt aag 323

<210> 71
 <211> 715
 <212> DNA
 <213> Chlamydia

<400> 71
 gatccgaatt cggcacgagg aaaaaaagat tctctaacca ttataatata tgtgatttat 60
 gacccatcaa cataaaaaaa tcagcgaaga aacaatcgcc tgtgacatgc tagagcggct 120
 ataccggctc taccattcaa gagttccagc cctatctcct tcttactaat tttgggtatt 180
 acgtggatgt tttcgtgaa atctatcagg tccctgtttc tcgaggatcc atgttttcgg 240
 gcagcgcagc cgctcaaat tcacacctca atcatcgatt ttaaattagg ctctccagga 300
 gcagctctta cgttagatct gtgttctttc cttcccaatg ctacagcagc gatcatgttg 360
 ggcagtgctg gaggttaag atcccactac caaataggag attattttgt cctgtttgct 420
 agcatccgaa aagatggaac atcagatgca tacttcccc cagagggtcc tgcattagct 480
 aattttgtcg tacaaaaaat gatcaccaat attctcgaag ccaaaaacct cctttaccat 540
 ataggcatca cccacacgac taacattcgg ttttgggagt ttaataaaga gttccgtcga 600
 aaactatatg aaaataaagc tcaaactgtc gagatggagt gtgccacctt atttgctgca 660
 ggataccgaa ggaatcttcc tttaggagca cttttgctga taccggatct acctt 715

<210> 72
 <211> 641
 <212> DNA
 <213> Chlamydia

<220>
 <221> unsure
 <222> (550)
 <223> n=A,T,C or G
 <221> unsure
 <222> (559)
 <223> n=A,T,C or G
 <221> unsure
 <222> (575)
 <223> n=A,T,C or G
 <221> unsure
 <222> (583)
 <223> n=A,T,C or G
 <221> unsure
 <222> (634)
 <223> n=A,T,C or G
 <221> unsure
 <222> (638)
 <223> n=A,T,C or G

<400> 72
 gatccgaatt cggcacgaga tctcctcgag ctcgatcaaa cccacacttg ggacaagtac 60
 ctacaacata acggtccgct aaaaacttcc cttcttctc agaatacagc tgttcggtca 120
 cctgattctc taccagtccg cgttcctgca agtttcgata gaaatcttgc acaatagcag 180
 gatgataagc gttcgtagt ctggaaaaga aatctacaga aattcccaat ttcttgaagg 240
 tatctttatg aagcttatga tacatgtcga catattcttg ataccatg cctgccaaact 300
 ctgcattaag ggtaattgct attccgtatt catcagaacc acaaatatac aaaacctctt 360
 tgccttgtag tctctgaaaa cgcgcataaa catctgcagg caaataagca ccggtaatat 420

```

gtccaaaatg caaaggacca tttgcgtaag gcaacgcaga agtaataaga atacgggaag 480
attccactat ttcacgtcgc tccagttgta cagagaagga tcttttcttc tggatgttcc 540
gaaaccttgn tctcttcgnc tctctctgt agcanacaaa tgnctctctc gacatctctt 600
tcagcgtatt cggactgatg ccctaaagat cccnggangt t 641

```

<210> 73
 <211> 584
 <212> DNA
 <213> Chlamydia

<220>
 <221> unsure
 <222> (460)
 <223> n=A,T,C or G
 <221> unsure
 <222> (523)
 <223> n=A,T,C or G
 <221> unsure
 <222> (541)
 <223> n=A,T,C or G
 <221> unsure
 <222> (546)
 <223> n=A,T,C or G

<400> 73

```

gaattcggca cgagacattt ctagaatgga accggcaaca aacaaaaact ttgtatctga 60
agatgacttt aagcaatctt tagatagggg agattttttg gaatgggtct ttttatttgg 120
gacttattac ggaacgagta aggcggagat ttctagagtt ctgcaaaagg gtaagcactg 180
catagccgtg attgatgtac aaggagcttt ggctctgaag aagcaaatgc cggcagtcac 240
tatttttatt caagctccct ctcaagaaga acttgagcgc cgtttgaatg ctcgggattc 300
agagaaagat ttccagaaga aagaaagatt agagcatagc gctgtcgaaa ttgctgccgc 360
tagcgaattt gattatgttg tggttaatga tgatttgatt acagcatatc aagttttaag 420
aagtattttt atagctgaag aacataggat gagtcatggn tagaaaagat cgtttaacta 480
atgaaagact gaataagcta ttgatagcc cctttagttt ggntaattac gtaattaagc 540
nagctnagaa caaaattgct agaggagatg ttcgttcttc taac 584

```

<210> 74
 <211> 465
 <212> DNA
 <213> Chlamydia

<400> 74

```

gatccgaatt cggcaccgagc tcgtgccggt tgggatcgtg taatcgcata ggagaatggg 60
taagaaatta ttttcgagtg aaagagctag gcgtaatcat tacagatagc catactactc 120
caatgcggcg tggagtactg ggtatcgggc tgtgttggtg tggattttct ccattacaca 180
actatatagg atcgctagat tgtttcggtc gtcccttaca gatgacgcaa agtaatcttg 240
tagatgcctt agcagtttgcg gctgttgttt gtatgggaga ggggaatgag caaacaccgt 300
tagcgggtgat agagcaggca cctaatatgg tctaccattc atatcctact tctcgagaag 360
agtattgttc tttgcgcata gatgaaacag aggacttata cggacctttt ttgcaagcgg 420
ttaccgtgga gtcaagaaaa gaaatgatgg aggtgtttat gaatt 465

```

<210> 75
 <211> 545
 <212> DNA
 <213> Chlamydia

<400> 75

```

gaattcggca cgagatgaaa agttagcgtc acaggggatt ctcctaccaa agaattccga 60
aaagttttct tccaaaaacc tcttcctctc ttgattagtg atccctctgc aactacttta 120
ctatatgttc tgtgaaatat gcatagtctt caggattgga aaatccaaag tactcagtca 180
atccacgaat tttctctcta gcgatacgtg gaatttgact ctcataagaa tacaaagcag 240
ccactcctgc agctaaagaa tctcctgtac accaccgcat gaaagtagct actttcgctt 300
ttgctgcttc actaggctca tgagcctcta actcttctgg agtaactcct agagcaaaca 360
caaactgctt ccacaaatca atatgattag ggtaaccggt ctcttcatcc atcaagttat 420
ctaacaataa cttacgcgcc tctaaatcat cgcaacgact atgaatcgca gataaatatt 480
taggaaaggc tttgatatgt aaataatagt ctttggcata cgctgtaat tgctctttag 540
taagc

```

545

<210> 76

<211> 797

<212> DNA

<213> Chlamydia

<220>

<221> unsure

<222> (788)

<223> n=A,T,C or G

<221> unsure

<222> (789)

<223> n=A,T,C or G

<400> 76

```

gatccgaatt cggcacgaga tacgctagat gcgataaatg cggataatga ggattatcct 60
aaaccagggtg acttcccacg atcttccttc tctagtaggc ctctcatgc tccagtacct 120
caatctgaga ttccaacgtc acctacctca acacagcctc catcacctta acttgtaaaa 180
actgtaataa aaagagcgcg cttcctttat gcaaaatcaa tttgaacaac tctttactga 240
attagggact caaatcaaca gccctcttac tcttgattcc aataatgcct gtatagtctg 300
ctttggatac aacaatggtg ctgtacaaat tgaagaggat ggtaattcag gatttttagt 360
tgctggagtc atgcttggaa aacttccaga gaataccttt agacaaaaaa ttttcaaagc 420
tgctttgtct atcaatggat ctccgcaatc taatattaaa ggcaactctag gatacgggtga 480
aatctctaac caactctatc tctgtgatcg gcttaacatg acctatctaa atggagaaaa 540
gctcgcccggt tacttagttc ttttttcgca gcatgccaat atctggatgc aatctatctc 600
aaaaggagaaa cttccagatt tacatgctct aggtatgtat cacctgtaaa ttatgccgtc 660
attatcccaa tcccgcgta tcatccagca atcttccatt cgaaagattt ggaatcagat 720
agatacttct cctaagcatg ggggtatgcg taccggttat ttttctcttc atactcaaaa 780
aaagttgnng ggggaata

```

797

<210> 77

<211> 399

<212> DNA

<213> Chlamydia

<400> 77

```

catatgcata accatcacca tcacatgcc a cgcatacattg gaattgatat tcttgcaaaag 60
aaaaagttaa aaataagtct gacatatatt tatggaatag gatcagctcg ttctgatgaa 120
atcattaaaa agttgaagtt agatcctgag gcaagagcct ctgaattaac tgaagaagaa 180
gtaggacgac tgaactctct gctacaatca gaatataccg tagaagggga tttgcgacgt 240
cgtgttcaat cggatatcaa aagattgatc gccatccatt cttatcgagg tcagagacat 300
agactttctt taccagtaag aggacaacgt acaaaaacta attctcgtac tcgaaaagggt 360
aaaagaaaaa cagtcgcagg taagaagaaa taagaattc

```

399

<210> 78
 <211> 285
 <212> DNA
 <213> Chlamydia

<400> 78
 atgcatcacc atcaccatca catgagtc aaataaaaa actctgcttt tatgcatccc 60
 gtgaatattt ccacagattt agcagttata gttggcaagg gacctatgcc cagaaccgaa 120
 attgtaaaga aagtttggga atacattaaa aaacacaact gtcaggatca aaaaaataaa 180
 cgtaatatcc ttcccgatgc gaatcttgcc aaagtctttg gctctagtga tcctatcgac 240
 atgttccaaa tgaccaaaagc cctttccaaa catattgtaa aataa 285

<210> 79
 <211> 950
 <212> DNA
 <213> Chlamydia

<400> 79
 aaattaactc gagcacaat tacggcaatt gctgagcaaa agatgaagga catggatgtc 60
 gttcttttag agtccgccga gagaatgggt gaagggactg cccgaagcat ggggtgtagat 120
 gtagagtaat tagttaaaga gctgcataat tatgacaaag catggaaaac gcattcgtgg 180
 tatccaagag acttacgatt tagctaagtc gtattctttg ggtgaagcga tagatatttt 240
 aaaacagtgt cctactgtgc gtttcgatca aacggttgat gtgtctgtta aattagggat 300
 cgatccaaga aagagtgtac agcaaattcg tggttcgggt tctttacctc acggtagagg 360
 taaagttttg cgaatttttag tttttgctgc tggagataag gctgcagagg ctattgaagc 420
 aggagcggac tttgttggtg gcgacgactt ggtagaaaaa atcaaagggt gatgggttga 480
 ctccgatgtt gcggttgcca ctcccgatat gatgagagag gtcggaaaagc taggaaaagt 540
 tttagggtcca agaaacctta tgccacgcc taaagccgga actgtaacaa cagatgtggg 600
 taaaactatt gcggaactgc gaaaaggtaa aattgaattt aaagctgac gagctgggtg 660
 atgcaacgtc ggagttgcga agctttcttt cgatagtgcg caaatcaaag aaaatgttga 720
 agcgttgtgt gcagccttag tttaagctaa gcccgcaact gctaaaggac aatatttagt 780
 taatttcact atttcctcga ccattggggcc aggggttacc gtggatacta gggagttgat 840
 tgcgttataa ttctaagttt aaagaggaaa aatgaaagaa gagaaaaagt tgctgcttcg 900
 cgagggttgaa gaaaagataa ccgcttctca aggttttatt ttgttgagat 950

<210> 80
 <211> 395
 <212> DNA
 <213> Chlamydia

<400> 80
 tttcaaggat tttgttttcc cgatcatctt actaaatgca gctccaacaa tcacatcatg 60
 ggctgggttta gcatctaagg caacagaagc tcctctgctg taataagtga attcttcaga 120
 agtaggtgtt cctacttgcg atagcatcgt tcctagtctt gatatccaca ggttggtata 180
 gctaacttca tcaaagcgag ctagattcat tttatcgttg agcaagcctt gtttgactgt 240
 gaccattgac atttgagatc ccagaatcga gttcgcatag aatgattgt ctctaggtag 300
 ataagcccat tgtctataag agtcaaattt ccagagcgtt gagatcggtt cattttgtag 360
 ttgatcagga tccagagtga gtgttcctgt atatc 395

<210> 81
 <211> 2085
 <212> DNA
 <213> Chlamydia

<400> 81

```

atttggcgaa ggagtttggg ctacggctat taataaatca ttcgtgttcg ctgcctccaa 60
gaccagattg tgtactttct tatgaagaat ctccatttga gcaaatgttg cgttggggag 120
agtctcagtt agaacaattt gctcaagtag gtttagatac aagttggcaa gttgttttcg 180
atccaggaat aggatttggg aagactcccg ttcagtcgat gttattgatg gatggagtaa 240
agcagtttaa acgtgtttta gagtgtcctg tattaatagg ccattctaga aaatcgtgtt 300
tgagtatgtt gggccgattt aatagtgacg atcgtgattg ggaaacgatc ggctgttctg 360
tatctcttca tgatcgagga gttgattatc tacgtgtgca tcaggttgaa ggtaacagac 420
gtgccttagc cgctgctgct tgggctggta tgtttgtatg atccaagcaa caggatatcgt 480
tgctattgat cccagaggag tgatgggagc tttaggcaag ctcccttggg gttatccccg 540
agatctacgt ttttttgag aaaccattcg aaatcatccc atcattatgg gacgaaagac 600
ttgggagctt ctccagaca agtataagca tgggctggat atcgttgtct tttctcgcag 660
gatgcacca ccacaatgca taggagtttc ttcccttgcg agtatggga cactatcttt 720
gaatcatccg tttttaattg ggggagcgga gctctttgaa agttttttcc aacaaaaact 780
tctgaaagct tgttttgtca cacatatcaa aaagaaatat tggggcgata ctttcttccc 840
tatcacgca ttatcaggat ggaagaagga atgtatttgt aatacagagg atttcagtat 900
ttattattat gaaaataact ccgatcaaaa cactgaaagt atttgcacat gattcgtctc 960
aagagatctt gcaagaggct ttgccgcctc tgcaagaacg gagtgtggtt gttgtctctt 1020
caaagattgt gattttatgt gaaggcgctg tcgctgatgc aagaatgtgc aaagcagagt 1080
tgataaaaaa agaagcggat gcttatttgt tttgtgagaa aagcgggata tatctaacga 1140
aaaaagaagg tattttgatt ccttctgcag ggattgatga atcgaatacg gaccagcctt 1200
ttgttttata tcctaaagat attttgggat cgtgtaatcg catcggagaa tggttaagaa 1260
attattttcg agtgaaagag ctaggcgtaa tcattacaga tagccatact actccaatgc 1320
ggcgtggagt actgggtatc gggctgtgtt ggtatggatt ttctccatta cacaactata 1380
taggatcgct agattgtttc ggtcgtccct tacagatgac gcaaagtaat cttgtagatg 1440
ccttagcagt tgcggctgtt gtttgtatgg gagaggggaa tgagcaaaca ccgttagcgg 1500
tgatagagca ggcacctaat atggtctacc attcatatcc tacttctcga gaagagtatt 1560
gttctttgca catagatgaa acagaggact tatacggacc ttttttgcaa gcggttacgt 1620
ggagtcaaga aaagaaatga tggaggtgtt tatgaatttt ttagatcagt tagatttaat 1680
tattcaaaat aagcatatgc tagaacacac gttttatgtg aaatggtcga agggggagct 1740
tactaaagag caattacagg cgtatgcaa agactattat ttacatatca aagccttcc 1800
taaatattta tctgcgattc atagtcttg cgatgattta gaggcgcgta agttattgtt 1860
agataacttg atggatgaag agaacggtta ccctaatacat attgatttgt ggaagcagtt 1920
tgtgtttgct ctaggagtta ctccagaaga gttagaggct catgagccta gtgaagcagc 1980
aaaagcgaaa gtagctactt tcatgcggtg gtgtacagga gattcttttag ctgcaggagt 2040
ggctgctttg tattcttatg agagtcaaat tccacgtatc gcctc 2085

```

<210> 82

<211> 405

<212> DNA

<213> Chlamydia

<400> 82

```

ttcatcggct tagttcgcta ttctactctc caatggttcc gcatttttgg gcagagcttc 60
gcaatcatta tgcaacgagt ggtttgaaaa gcgggtacaa tattgggagt accgatgggt 120
ttctccctgt cattgggcct gttatatggg agtcggaggg tcttttccgc gcttatattt 180
cttcgggtgac tgatggggat ggtaagagcc ataaagtagg atttctaaga attcctacat 240
atagttggca ggacatggaa gattttgatc cttcaggacc gcctccttgg gaagaattgt 300
attggctcca taaagggagg agaaaacttc gatatagggg atcgtatcaa ggtgaaagta 360
gcaaaaaata aattagctcc tccattccga actgcagaat ttgat 405

```

<210> 83

<211> 379

<212> DNA

<213> Chlamydia

<400> 83

tataccattc gtttgaaagt gcctttgacg ggagaaagt tttttgaaga tcaatgcaaa 60
 ggtcgtgtcg ttttcccttg ggcagatggt gacgatcaag ttttggttaa atcagacggg 120
 ttccctacgt atcactttgc taatgtagtt gatgatcatt tgatggggat taccatgtg 180
 ttgcgagggg aagagtgggt aagttctaca cctaaacacc ttcttcttta caaagctttt 240
 ggggtgggagc ctccgcagtt tttccatatt ccgcttcttc taaatcctga tggaagtaag 300
 ctttccaaga gaaagaatcc tacttctatt ttttactatc gggatgctgg atacaaaaaa 360
 gaagcgttca tgaatttcc 379

<210> 84

<211> 715

<212> DNA

<213> Chlamydia

<400> 84

tcaatcctgt attaataatt ctggttctta gactacataa attaggaacg cctgatgagt 60
 atccataact aatcgcgtag ggcttagaat caccttctcg taccaaagct agaacaacgc 120
 cgcttccat tcttgatgca ataatatctg ctgagactaa gaacatgctc ccagagcttt 180
 tgggtgtgac tgtgaatttt cctatttcag ttctcctaa taaagtttca atgttcctgg 240
 gagtgaataa cccgttgcat tgaattttat tagtgattgg aaagttgtta aaagctttca 300
 acaaacctag agaagggtct gttgtgattt tgtctaaaat atcttggact gtactatcaa 360
 caatagtatc agcaattcca ccaagaattt gatctcccaa cttttctaga ataagctggg 420
 aagctttttc cgcattccaaa ccaattgtaa tagaagcatt gggtgatgga ttattggaga 480
 ctgttaaaga tattccatca gaagctgtca ttttggctgc gacaggtgtt gatgttgtcc 540
 caaggattat ttgctgggtc ttgagcggct ctgtcatttg cccaactttg atattatcag 600
 caaagacgca gttttgagtg ttatacaaat aaaaaccaga atttccatt ttaaaactct 660
 tttttatttt gagcttttaa taaattaggt ttttagtttc aagtttgcta ttaat 715

<210> 85

<211> 476

<212> DNA

<213> Chlamydia

<400> 85

ctcgtgccgc tcgtgccgct cgtgccggtc ttttagaaga gcgtgaagct ttaaataatt 60
 cgattacgtt tatcatggat aagcgtaatt ggatagaaac cgagtctgaa caggtaacag 120
 tgggttttcag agatagtaca gcttgcttag gaggaggcgc tattgcagct caagaaattg 180
 tttctattca gaacaatcag gctgggattt ccttcgaggg aggttaaggct agtttcggag 240
 gaggtattgc gtgtggatct ttttcttcgg caggcgggtgc ttctgtttta gggactattg 300
 atatttcgaa gaatttaggc gcgatttcgt tctctcgtac tttatgtacg acctcagatt 360
 taggacaaat ggagtaccag ggaggaggag ctctatttgg tgaaaatatt tctctttctg 420
 agaatgctgg tgtgctcacc tttaaagaca acattgtgaa gacttttgct tcgaat 476

<210> 86

<211> 1551

<212> DNA

<213> Chlamydia

<400> 86

gcgtatcgat atttcttctg ttacattctt tatagggtt ctgttggctg ttaatgcgt 60
 aacctactct catgtattac gggatttatt tgtgagtatg gatgcgctgt tttctcgtaa 120
 cacgcttgcg gttcttttag gtttagtctc tagcgtttta gataatgtgc cattagtcgc 180
 tgcaacaata ggtatgtatg acttacctat gaacgatcct ctttggaaac tcattgccta 240
 tacagcaggc acagggggaa gtattctcat cattggatcc gctgcagggtg ttgcctacat 300

```

gggaatggaa aaagtgaagt tcggctggta tgtcaaacac gcttcttga ttgcttttagc 360
cagttatatt ggaggtctag cagtctatatt tctaattggaa aattgtgtga attgttctgt 420
ttgaggtagt cagtatggca gagtttcttt aaaaattctt ttaataaaaag ggttctctgc 480
ctattctagg cccctttttg aatggaaaaa tgggtttttg gagaacatcg attatgaaaa 540
tgaataggat ttggctatta ctgcttacct tttcttctgc catacattct cctgtacgag 600
gagaaagctt ggtttgcaag aatgctcttc aagatttgag ttttttagag catttattac 660
aggttaaata tgctcctaaa acatggaaaag agcaatactt aggatgggat cttgttcaaa 720
gctccgtttc tgcacagcag aagcttcgta cacaagaaaa tccatcaaca agtttttgcc 780
agcaggtcct tgctgatttt atcggaggat taaatgactt tcacgctgga gtaactttct 840
ttgcataga aagtgttac ctctcttata ccgtacaaaa aagtagtgac ggccgtttct 900
actttgtaga tatcatgact tttcttctag agatccgtgt tggagatgag ttgctagagg 960
tggatggggc gctgtccaa gatgtgctcg ctactctata tgyaagcaat cacaagggga 1020
ctgcagctga agagtcggct gctttaagaa cactattttc tcgcatggcc tctttagggc 1080
acaaagtacc ttctgggccc actactttaa agattcgtcg tctttttggt actacgagag 1140
aagttcgtgt gaaatggcgt tatgttcctg aaggtgtagg agatttggt accatagctc 1200
cttctatcag ggctccacag ttacagaaat cgatgagaag ctttttccct aagaaagatg 1260
atgctttca tcggtctagt tcgctattct actctccaat ggttcgcat ttttgggcag 1320
agcttcgcaa tcattatgca acgagtggt tgaaaagcgg gtacaatatt gggagtaccg 1380
atgggtttct ccctgtcatt gggcctgtta tatgggagtc ggagggtctt tccgcgctt 1440
atatttcttc ggtgactgat ggggatggta agagccataa agtaggattt ctaagaattc 1500
ctacatatag ttggcaggac atggaagatt ttgatccttc aggaccgcct c 1551

```

<210> 87

<211> 3031

<212> DNA

<213> Chlamydia

<400> 87

```

atgtaggccc tcaagcgggt ttattgttag accaaattcg agatctattc gttgggtcta 60
aagatagtcg ggctgaagga cagratagggt taattgtagg agatccaagt tctttccaag 120
agaaagatgc agatactctt cccgggaagg tagagcaaag tactttgttc tcagtaacca 180
atcccgtgggt ttccaagggt gtggaccaac aggatcaagt ctcttcccaa gggttaattt 240
gtagttttac gagcagcaac cttgattctc cccgtgacgg agaactcttt ttaggtattg 300
cttttgttgg ggatagtagt aaggctggaa tcacattaac tgacgtgaaa gcttctttgt 360
ctggagcggc tttatattct acagaagatc ttatctttga aaagattaag ggtggattgg 420
aatttgcac atgttcttct ctagaacagg ggggagcttg tgcagctcaa agtattttga 480
ttcatgattg tcaaggattg caggttaaac actgtactac agccgtgaat gctgaggggt 540
ctagtgcgaa tgatcatctt ggatttggag gaggcgcttt ctttgttacg ggttctcttt 600
ctggagagaa aagctctctat atgcctgcag gagatatygt agttgcgaat tgtgatgggg 660
ctatatcttt tgaaggaaac agcgcgaact ttgctaattg aggagcgatt gctgcctctg 720
ggaaagtgct ttttgtcgct aatgataaaa agacttcttt tatagagaac cgagctttgt 780
ctggaggagc gattgcagcc tcttctgata ttgcctttca aaactgcgca gaactagttt 840
tcaaaggcaa ttgtgcaatt ggaacagagg ataaagggtc tttagggtgga ggggctatat 900
cttctctagg caccgttctt ttgcaaggga atcacgggat aacttgtgat aataatgagt 960
ctgcttcgca aggaggcgcc atttttggca aaaattgtca gatttctgac aacgaggggc 1020
cagtggtttt cagagatagt acagcttgct taggaggagg cgctattgca gctcaagaaa 1080
ttgtttctat tcagaacaat caggctggga tttccttcga gggaggtaag gctagtttctg 1140
gaggaggtat tgcgtgtgga tctttttctt ccgcaggcgg tgcctctgtt ttagggacta 1200
ttgatatttc gaagaattta ggcgcgattt cgttctctcg tactttatgt acgacctcag 1260
atttaggaca aatggagtac caggaggagg gagctctatt tggtgaaaat atttctcttt 1320
ctgagaatgc tgggtgtgctc acctttaaag acaacattgt gaagactttt gcttcgaatg 1380
ggaaaattct gggaggagga gcgatttttag ctactggtaa ggtggaaatt accaataatt 1440
ccggaggaaat ttcttttaca ggaaatgcga gagctccaca agctcttcca actcaagagg 1500
agtttctctt attcagcaaa aaagaagggc gaccactctc ttcaggatat tctgggggag 1560
gagcgatttt aggaagagaa gtagctattc tccacaacgc tgcagtagta tttgagcaaa 1620

```



```

atcgtttgca gtgcagcgaa gaagaagcga cattattagg ttgttggtga ggaggcgctg 1680
ttcatgggat ggatagcact tcgattgttg gcaactcttc agtaagattt ggtaataatt 1740
acgcaatggg acaaggagtc tcaggaggag ctctttttatc taaaacagtg cagtttagctg 1800
gaaatggaag cgtcgatttt tctcgaaata ttgctagttt gggaggacgc aatgttctgt 1860
tagcttcaga aaccttttgc tccagagcaa atacatctcc ttcacgctt cgctccttat 1920
atttccaagt aacctcatcc cctctcaatt gcgctaattt acatcaaattg cttgcttctt 1980
actcgccatc agagaaaacc gctgttatgg agtttctagt gaatggcatg gtagcagatt 2040
taaaatcgga gggcccttcc attcctcctg caaaattgca agtatatatg acggaactaa 2100
gcaatctcca agccttacac tctgtagata gcttttttga tagaaatatt gggaacttgg 2160
aaaatagctt aaagcatgaa ggacatgccc ctattccatc cttaacgaca ggaaatttaa 2220
ctaaaacctt cttacaatta gtagaagata aattcccttc ctcttccaaa gctcaaaaagg 2280
cattaaatga actggtaggc ccagatactg gtccctcaaac tgaagtttta aacttattct 2340
tccgcgctct taatggctgt tcgcctagaa tattctctgg agctgaaaaa aaacagcagc 2400
tggcatcggt tatcacaaat acgctagatg cgataaatgc ggataatgag gattatccta 2460
aaccaggtga cttccacga tcttcccttct ctagraccgc tctcatgct ccagtacctc 2520
aatctgagat tccaacgtca cctacctcaa cacagcctcc atcaccctaa cttgtaaaaa 2580
ctgtaataaaa aagagcgcgc ttcctttatg caaaatcaat ttgaacaact ccttactgaa 2640
ttagggactc aaatcaacag cctcttact cctgattcca ataatgcctg tatagtgcg 2700
tttgatata acaatgttgc tgtacaaatt gaagaggatg gtaattcagg attttttagt 2760
gctggagtca tgcttggaat acttccagag aataccttta gacaaaaaat ttccaaagct 2820
gctttgtcta tcaatggatc tccgcaatct aatattaaag gcaactctagg atacggtgaa 2880
atctctaacc aactctatct ctgtgatcgg cttaacatga cctatctaaa tggagaaaaag 2940
ctcgcccggt acttagttct ttttctcgag catgccaaata tctggatgca atctatctca 3000
aaaggagaac ttccagattt acatgctcta g
3031

```

<210> 88

<211> 976

<212> DNA

<213> Chlamydia

<400> 88

```

aggtggatgg ggcgcctgtc caagatgtgc tcgctactct atatggaagc aatcacaaaag 60
ggactgcagc tgaagagtcg gctgctttaa gaacactatt ttctcgcatg gcctcttttag 120
ggcacaaagt accttctggg cgcactactt taaagattcg tcgtcctttt ggtactacga 180
gagaagtctg tgtgaaatgg cgttatgttc ctgaagggtg aggagatttg gctaccatag 240
ctccttctat caggggtcca cagttacaga aatcgatgag aagctttttc cctaagaaaag 300
atgatgcggt tcatcggtct agttcgctat tctactctcc aatgggttccg catttttggg 360
cagagcttcg caatcattat gcaacgagtg gtttgaaaag cgggtacaat attgggagta 420
ccgatgggtt tctccctgtc attgggcctg ttatatggga gtcggagggt cttttccgcg 480
cttatatttc ttcgggtgact gatggggatg gtaagagcca taaagtagga tttctaagaa 540
ttcctacata tagttggcag gacatggaag attttgatcc ttcaggaccg cctccttggg 600
aagaatttgc taagattatt caagtatttt cttctaatac agaagcttg attatcgacc 660
aaacgaacaa cccaggtggg agtgtccttt atctttatgc actgctttcc atgttgacag 720
accgtccttt agaacttct aaacatagaa tgattctgac tcaggatgaa gtggttgatg 780
ctttagattg gttaacctg ttggaaaacg tagacacaaa cgtggagtct cgccttgctc 840
tgggagacaa catggaagga tatactgtgg atctacaggt tgccgagtat ttaaaaagct 900
ttggacgtca agtattgaat tgttggagta aaggggatat cgagttatca acacctattc 960
ctcttttttg ttttga
976

```

<210> 89

<211> 94

<212> PRT

<213> Chlamydia

<400> 89

Met	His	His	His	His	His	His	Met	Ser	Gln	Lys	Asn	Lys	Asn	Ser	Ala	5	10	15
Phe	Met	His	Pro	Val	Asn	Ile	Ser	Thr	Asp	Leu	Ala	Val	Ile	Val	Gly	20	25	30
Lys	Gly	Pro	Met	Pro	Arg	Thr	Glu	Ile	Val	Lys	Lys	Val	Trp	Glu	Tyr	35	40	45
Ile	Lys	Lys	His	Asn	Cys	Gln	Asp	Gln	Lys	Asn	Lys	Arg	Asn	Ile	Leu	50	55	60
Pro	Asp	Ala	Asn	Leu	Ala	Lys	Val	Phe	Gly	Ser	Ser	Asp	Pro	Ile	Asp	65	70	75
Met	Phe	Gln	Met	Thr	Lys	Ala	Leu	Ser	Lys	His	Ile	Val	Lys			85	90	

```
<210> 90
<211> 474
<212> PRT
<213> Chlamydia
```

```
<400> 90
Met Ala Ser His His His His His His Met Asn Glu Ala Phe Asp Cys
                    5                      10                     15

Val Val Ile Gly Ala Gly Pro Gly Gly Tyr Val Ala Ala Ile Thr Ala
          20                        25                       30

Ala Gln Ala Gly Leu Lys Thr Ala Leu Ile Glu Lys Arg Glu Ala Gly
        35                          40                         45

Gly Thr Cys Leu Asn Arg Gly Cys Ile Pro Ser Lys Ala Leu Leu Ala
    50                55                  60

Gly Ala Glu Val Val Thr Gln Ile Arg His Ala Asp Gln Phe Gly Ile
    65              70               75                 80

His Val Glu Gly Phe Ser Ile Asn Tyr Pro Ala Met Val Gln Arg Lys
            85                   90                    95

Asp Ser Val Val Arg Ser Ile Arg Asp Gly Leu Asn Gly Leu Ile Arg
           100             105         110

Ser Asn Lys Ile Thr Val Phe Ser Gly Arg Gly Ser Leu Ile Ser Ser
      115                120       125

Thr Glu Val Lys Ile Leu Gly Glu Asn Pro Ser Val Ile Lys Ala His
     130              135           140

Ser Ile Ile Leu Ala Thr Gly Ser Glu Pro Arg Ala Phe Pro Gly Ile
   145                150         155                 160
```

Pro Phe Ser Ala Glu Ser Pro Arg Ile Leu Cys Ser Thr Gly Val Leu
 165 170 175
 Asn Leu Lys Glu Ile Pro Gln Lys Met Ala Ile Ile Gly Gly Gly Val
 180 185 190
 Ile Gly Cys Glu Phe Ala Ser Leu Phe His Thr Leu Gly Ser Glu Val
 195 200 205
 Ser Val Ile Glu Ala Ser Ser Gln Ile Leu Ala Leu Asn Asn Pro Asp
 210 215 220
 Ile Ser Lys Thr Met Phe Asp Lys Phe Thr Arg Gln Gly Leu Arg Phe
 225 230 235 240
 Val Leu Glu Ala Ser Val Ser Asn Ile Glu Asp Ile Gly Asp Arg Val
 245 250 255
 Arg Leu Thr Ile Asn Gly Asn Val Glu Glu Tyr Asp Tyr Val Leu Val
 260 265 270
 Ser Ile Gly Arg Arg Leu Asn Thr Glu Asn Ile Gly Leu Asp Lys Ala
 275 280 285
 Gly Val Ile Cys Asp Glu Arg Gly Val Ile Pro Thr Asp Ala Thr Met
 290 295 300
 Arg Thr Asn Val Pro Asn Ile Tyr Ala Ile Gly Asp Ile Thr Gly Lys
 305 310 315 320
 Trp Gln Leu Ala His Val Ala Ser His Gln Gly Ile Ile Ala Ala Arg
 325 330 335
 Asn Ile Gly Gly His Lys Glu Glu Ile Asp Tyr Ser Ala Val Pro Ser
 340 345 350
 Val Ile Phe Thr Phe Pro Glu Val Ala Ser Val Gly Leu Ser Pro Thr
 355 360 365
 Ala Ala Gln Gln Gln Lys Ile Pro Val Lys Val Thr Lys Phe Pro Phe
 370 375 380
 Arg Ala Ile Gly Lys Ala Val Ala Met Gly Glu Ala Asp Gly Phe Ala
 385 390 395 400
 Ala Ile Ile Ser His Glu Thr Thr Gln Gln Ile Leu Gly Ala Tyr Val
 405 410 415
 Ile Gly Pro His Ala Ser Ser Leu Ile Ser Glu Ile Thr Leu Ala Val
 420 425 430
 Arg Asn Glu Leu Thr Leu Pro Cys Ile Tyr Glu Thr Ile His Ala His
 435 440 445
 Pro Thr Leu Ala Glu Val Trp Ala Glu Ser Ala Leu Leu Ala Val Asp

450

455

460

Thr Pro Leu His Met Pro Pro Ala Lys Lys
 465 470

<210> 91
 <211> 129
 <212> PRT
 <213> Chlamydia

<400> 91

Met His His His His His His Met Pro Arg Ile Ile Gly Ile Asp Ile
 5 10 15

Pro Ala Lys Lys Lys Leu Lys Ile Ser Leu Thr Tyr Ile Tyr Gly Ile
 20 25 30

Gly Ser Ala Arg Ser Asp Glu Ile Ile Lys Lys Leu Lys Leu Asp Pro
 35 40 45

Glu Ala Arg Ala Ser Glu Leu Thr Glu Glu Glu Val Gly Arg Leu Asn
 50 55 60

Ser Leu Leu Gln Ser Glu Tyr Thr Val Glu Gly Asp Leu Arg Arg Arg
 65 70 75 80

Val Gln Ser Asp Ile Lys Arg Leu Ile Ala Ile His Ser Tyr Arg Gly
 85 90 95

Gln Arg His Arg Leu Ser Leu Pro Val Arg Gly Gln Arg Thr Lys Thr
 100 105 110

Asn Ser Arg Thr Arg Lys Gly Lys Arg Lys Thr Val Ala Gly Lys Lys
 115 120 125

Lys

<210> 92
 <211> 202
 <212> PRT
 <213> Chlamydia

<400> 92

Met His His His His His His Met Gly Ser Leu Val Gly Arg Gln Ala
 5 10 15

Pro Asp Phe Ser Gly Lys Ala Val Val Cys Gly Glu Glu Lys Glu Ile
 20 25 30

Ser Leu Ala Asp Phe Arg Gly Lys Tyr Val Val Leu Phe Phe Tyr Pro
 35 40 45

Lys Asp Phe Thr Tyr Val Cys Pro Thr Glu Leu His Ala Phe Gln Asp
 50 55 60
 Arg Leu Val Asp Phe Glu Glu His Gly Ala Val Val Leu Gly Cys Ser
 65 70 75 80
 Val Asp Asp Ile Glu Thr His Ser Arg Trp Leu Thr Val Ala Arg Asp
 85 90 95
 Ala Gly Gly Ile Glu Gly Thr Glu Tyr Pro Leu Leu Ala Asp Pro Ser
 100 105 110
 Phe Lys Ile Ser Glu Ala Phe Gly Val Leu Asn Pro Glu Gly Ser Leu
 115 120 125
 Ala Leu Arg Ala Thr Phe Leu Ile Asp Lys His Gly Val Ile Arg His
 130 135 140
 Ala Val Ile Asn Asp Leu Pro Leu Gly Arg Ser Ile Asp Glu Glu Leu
 145 150 155 160
 Arg Ile Leu Asp Ser Leu Ile Phe Phe Glu Asn His Gly Met Val Cys
 165 170 175
 Pro Ala Asn Trp Arg Ser Gly Glu Arg Gly Met Val Pro Ser Glu Glu
 180 185 190
 Gly Leu Lys Glu Tyr Phe Gln Thr Met Asp
 195 200

<210> 93

<211> 19

<212> PRT

<213> Artificial Sequence

<220>

<223> made in a lab

<400> 93

Glu Asn Ser Leu Gln Asp Pro Thr Asn Lys Arg Asn Ile Asn Pro Asp
 1 5 10 15
 Asp Lys Leu

<210> 94

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 94

Asp Pro Thr Asn Lys Arg Asn Ile Asn Pro Asp Asp Lys Leu Ala Lys
 1 5 10 15
 Val Phe Gly Thr
 20

<210> 95
 <211> 20
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Made in a lab

<400> 95
 Lys Arg Asn Ile Asn Pro Asp Asp Lys Leu Ala Lys Val Phe Gly Thr
 1 5 10 15
 Glu Lys Pro Ile
 20

<210> 96
 <211> 20
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Made in a lab

<400> 96
 Asp Asp Lys Leu Ala Lys Val Phe Gly Thr Glu Lys Pro Ile Asp Met
 1 5 10 15
 Phe Gln Met Thr
 20

<210> 97
 <211> 20
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Made in a lab

<400> 97
 Lys Val Phe Gly Thr Glu Lys Pro Ile Asp Met Phe Gln Met Thr Lys
 1 5 10 15
 Met Val Ser Gln
 20

<210> 98
 <211> 20
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Made in a lab

<400> 98

Asn Lys Arg Asn Ile Asn Pro Asp Asp Lys Leu Ala Lys Val Phe Gly
 1 5 10 15
 Thr Glu Lys Pro
 20

<210> 99

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 99

Asn Lys Arg Asn Ile Leu Pro Asp Ala Asn Leu Ala Lys Val Phe Gly
 1 5 10 15

<210> 100

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 100

Lys Met Trp Asp Tyr Ile Lys Glu Asn Ser Leu Gln Asp Pro Thr
 1 5 10 15

<210> 101

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 101

Thr Glu Ile Val Lys Lys Val Trp Glu Tyr Ile Lys Lys His Asn Cys
 1 5 10 15
 Gln Asp Gln Lys
 20

<210> 102

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 102

Lys Val Trp Glu Tyr Ile Lys Lys His Asn Cys Gln Asp Gln Lys Asn
 1 5 10 15

Lys Arg Asn Ile
20

<210> 103
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Made in a lab

<400> 103
Lys Val Trp Glu Tyr Ile Lys Lys His Asn Cys Gln Asp Gln Lys
1 5 10 15

<210> 104
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Made in a lab

<400> 104
Ala Glu Leu Thr Glu Glu Glu Val Gly Arg Leu Asn Ala Leu Leu Gln
1 5 10 15
Ser Asp Tyr Val
20

<210> 105
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Made in a lab

<400> 105
Leu Gln Ser Asp Tyr Val Val Glu Gly Asp Leu Arg Arg Arg Val Gln
1 5 10 15
Ser Asp Ile Lys Arg
20

<210> 106
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Made in a lab

<400> 106
Met Pro Arg Ile Ile Gly Ile Asp Ile Pro Ala Lys Lys Lys Leu Lys
1 5 10 15
Ile Ser Leu Thr

20

<210> 107
 <211> 20
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Made in a lab

<400> 107
 Ala Glu Leu Thr Glu Glu Glu Val Gly Arg Leu Asn Ala Leu Leu Gln
 1 5 10 15
 Ser Asp Tyr Val
 20

<210> 108
 <211> 20
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Made in a lab

<400> 108
 Leu Asn Ala Leu Leu Gln Ser Asp Tyr Val Val Glu Gly Asp Leu Arg
 1 5 10 15
 Arg Arg Val Gln
 20

<210> 109
 <211> 20
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Made in a lab

<400> 109
 Leu Asn Ser Leu Leu Gln Ser Glu Tyr Thr Val Glu Gly Asp Leu Arg
 1 5 10 15
 Arg Arg Val Gln
 20

<210> 110
 <211> 1461
 <212> DNA
 <213> Chlamydia

<400> 110
 ctatctatga agttatgaat atggatctag aaacacgaag atcttttgcg gtacagcaag 60
 ggcactatca ggacccaaga gcttcagatt atgacctccc acgtgctagc gactatgatt 120
 tgcctagaag cccatatacct actccacctt tgccttctag atatcagcta cagaatatgg 180
 atgtagaagc agggttccgt gaggcagttt atgcttcttt tgtagcagga atgtacaatt 240
 atgtagtgc acagccgcaa gagcgtattc ccaatagtca gcagggtgaa gggattctgc 300

```

gtgatatgct taccaacggg tcacagacat ttagcaacct gatgcagcgt tgggatatagag 360
aagtcgatag ggaataaaact ggtatctacc atagggtttgt atcaaaaaaac taagcccacc 420
aagaagaaat tctctttggg gggcttcttt ttttattcaa aaaagaaagc cctcttcaag 480
attatctcgt gccgctcgtg ccgaattcgg cagcagcggc acgaggagct gtaagtaagt 540
attgccaaga gttggaagaa aaaatattag atttgtgtaa gcgtcatgcc gcaacaattt 600
gctccattga ggaggatgct aaacaagaaa ttcgtcatca gacagaaagg tttaaacagc 660
ggttgcaaca aaatcagaac acttgcagtc aattaacagc agagttgtgt aaattgagat 720
ctgagaataa ggcattatcg gagcggctgc aggtgcaggc atcccgtcgt aaaaaataat 780
taaagactcc tcagatattg catctgagag ttaggggttc cttttgctta cggcgcttta 840
gttctgcatg ttgcggattt atagtgattt gcgagtaaag cgccgttctg atacagtttt 900
tccgctttta aaataaaaag gtggaaaaat gagtactact attagcggag acgcttcttc 960
tttaccgttg ccaacagctt cctgcgtaga gacaaaatct acttcgtctt caacaaaagg 1020
gaatacttgt tccaaaattt tggatatagc tttagctatc gtaggcgctt tagttgttgt 1080
cgctggggta ttagcttttg ttttgtgcgc tagcaatgct atatttactg taataggtat 1140
tcctgcatta attattggat ctgcttgtgt ggggtgcggga atatctctgc ttatgtatcg 1200
atcctcttat gctagcttag aagcaaaaaa tgttttggct gagcaacgtt tgcgtaatct 1260
ttcagaagag aaggacgctt tggcctccgt ctctttcatt aataagatgt ttctgcgagg 1320
tcctacggag gatctccaag ctttggaagc taaggtaatg gaatttgaga ttgattgttt 1380
ggacagatta gagaaaaatg agcaagcttt attgtccgat gtgcgcttag ttttatctag 1440
ctacacaaga tggttggata g

```

1461

<210> 111

<211> 267

<212> DNA

<213> Chlamydia

<400> 111

```

gtctctttct tattatagca gaagacattg aaggcgaagc tttagctact ttggtcgtga 60
acagaattcg tggaggattc cgggttttgc cagttaaagc tccaggcttt ggagatagaa 120
gaaaagctat gttggaagac atcgctatct taactggcgg tcaactcatt agcgaagagt 180
tgggcatgaa attagaaaac gctaacttag ctatgttagg taaagctaaa aaagttatcg 240
tttctaaaga agacacgacc atcgctcg

```

267

<210> 112

<211> 698

<212> DNA

<213> Chlamydia

<400> 112

```

tgataagcaa gcaaccgctc aactagcagc tctaactatt aaaaaaatcc tctgttttga 60
tgaaaattcc tacgagaagg agctggcatg cttagaaaag aaacgcagta gcgracaaaa 120
agatctgagc caactgaaaa aatacacagt tctctacatc aagaagctgc tcgaaaccta 180
cagacaactc gggcatcgaa agacaaaaat tgcaaaaatt gatgacctac ctaccgagag 240
agtctccgct cataagaaag caaaagaact cgctgcgctc gatcaagaag agaacttcta 300
aaacgtgact cggcccttga gatccttaaa ctctcggggc aaaaagacta cagtcttctc 360
gagaagaaaa acggtgttag aaaatacgcg cgctaagact ttctctaaca atgactcaaa 420
aagctgtaaa cgtatacggt taccgctctt ccataatttc taggctgact ttcacattat 480
ctcgacttgc tacggaaacc aataaagtac ggatagcctt aatagtgcgt ccttctttac 540
cgataatttt accgatattc cccttagcaa cagtcaattc gtagataatc gtattgggtc 600
cctgcacctc tttcagatgc acttcctctg gcttatcaac aagatttttt acaatgtacg 660
ctaaaaactc tttcatgcga agcaaatcct acacaagc

```

698

<210> 113

<211> 1142

<212> DNA

<213> Chlamydia

<400> 113

```

ctcttcaaaag attgtgagtt tatgtgaagg cgctgtcgct gatgcaagaa tgtgcaaagc 60
agagttgata aaaaaagaag cggatgctta tttgttttgt gagaaaagcg ggatatatct 120
aacgaaaaaa gaaggtatct tgattccttc tgcagggatt gatgaatcga atacggacca 180
gccttttgtt ttatatccta aagatatttt gggatcggtt aatcgcatcg gagaatgggt 240
aagaaattat tttcgagtga aagagctagg cgtaatcatt acagatagcc atactactcc 300
aatgcggcgt ggagtactgg gtatcgggct gtgttggtat ggattttctc cattacacaa 360
ctatatagga tcgctagatt gtttcggtcg tcccttacag atgacgcaaa gtaatcttgt 420
agatgcctta gcagttgcgg ctgttgtttg tatgggagag gggaatgagc aaacaccgtt 480
agcgggtgata gacgaggcac ctaatatggt ctaccattca taccctactt ctcgagaaga 540
gtattgttct ttgycatag atgaaacaga ggacttatac ggaccttttt tgcaagcggg 600
tacgtggagt caagaaaaga aatgatggag gtgtttatga attttttaga tcagtttagat 660
ttaattattc aaaataagca tatgctagaa cacacgtttt atgtgaaatg gtcgaagggg 720
gagcttacta aagagcaatt acaggcgtat gccaaagact attatttaca tatcaaagcc 780
tttcctaaat aattatctgc gattcatagt cgttgcgatg atttagaggc gcgtaagtta 840
ttgttagata acttyatgga tgaagagaac ggttacccta atcatattga tttgtggaag 900
cagtttgtgt ttgctctagg agttactcca gaagagttag aggtcatga gcctagttaa 960
gcagcaaaaag cgaaagtagc tactttcatg cgggtgtgta caggagattc ttttagctgca 1020
ggagtggctg ctttgtattc ttatgagagt caaattccac gtatcgctag agagaaaatt 1080
cgtggattga ctgagtactt tggattttcc aatcctgaag actatgcata tttcacagaa 1140
ca
1142

```

<210> 114

<211> 976

<212> DNA

<213> Chlamydia

<400> 114

```

agggtggatgg ggcgcctgtc caagatgtgc tcgctactct atatggaagc aatcacaaag 60
ggactgcagc tgaagagtcg gctgctttta gaacactatt ctctcgcatg gcctcttttag 120
ggcacaaaag accttctggg cgcactactt taaagattcg tcgtcctttt ggtactacga 180
gagaagttcg tgtgaaatgg cgttatgttc ctgaagggtg aggagatttg gctaccatag 240
ctccttctat cagggtctcca cagttacaga aatcgatgag aagctttttc cctaagaaag 300
atgatgcgtt tcatcggtct agttcgctat tctactctcc aatgggttccg catttttggg 360
cagagcttcg caatcattat gcaacgagtg gtttgaaaag cgggtacaat attgggagta 420
ccgatgggtt tctccctgtc attgggcctg ttatatggga gtcggagggt cttttccgcg 480
cttatatttc ttcgggtgact gatggggatg gtaagagcca taaagtagga tttctaagaa 540
ttcctacata tagttggcag gacatggaag attttgatcc ttcaggaccg cctccttggg 600
aagaatttgc taagattatt caagtatttt cttctaatac agaagctttg attatcgacc 660
aaacgaacaa cccagggtgg agtgctcctt atctttatgc actgctttcc atgttgacag 720
accgtccttt agaacttcct aaacatagaa tgattctgac tcaggatgaa gtggttgatg 780
cttttagattg gtttaaccctg ttggaaaacg tagacacaaa cgtggagtct cgccttgctc 840
tgggagacaa catggaagga tatactgtgg atctacaggt tgccgagtat ttaaaaagct 900
ttggacgtca agtattgaat tgttggagta aaggggatat cgagttatca acacctattc 960
ctcttttttg ttttga
976

```

<210> 115

<211> 995

<212> DNA

<213> Chlamydia

<400> 115

```

ttatcctaga aatttgggtg tcaatatgag cgaaaaaaga aagtctaaca aaattattgg 60

```

```

tatcgacctt gggacgacca actcttgcgt ctctgttatg gaagggtggcc aacctaaagt 120
tattgcctct tctgaaggaa ctctgtactac tccttctatc gttgctttta aagggtggcga 180
aactcttggt ggaattcctg caaacgtca ggcagtaacc aatcctgaaa aaacattggc 240
ttctactaag cgattcatcg gtagaaaatt ctctgaagtc gaatctgaaa ttaaaacagt 300
cccctacaaa gttgctccta actcgaaagg agatgcggtc tttgatgtgg aacaaaaact 360
gtacactcca gaagaaatcg gcgctcagat cctcatgaag atgaaggaaa ctgctgaggc 420
ttatctcgga gaaacagtaa cggaagcagt cattaccgta ccagcttact ttaacgattc 480
tcaaagagct tctacaaaag atgctggacg tatcgcagga ttagatgtta aacgcattat 540
tcctgaacca acagcggccg ctcttgccta tggattgat aaggaaggag ataaaaaat 600
cgccgtcttc gacttaggag gaggaacttt cgatatttct atcttggaaa tcggtgacgg 660
agtttttgaa gttctctcaa ccaacgggga tactcacttg ggaggagacg acttcgacgg 720
agtcacatc aactggatgc ttgatgaatt caaaaaacaa gaaggcattg atctaagcaa 780
agataacatg gctttgcaaa gattgaaaga tgctgctgaa aaagcaaaaa tagaattgtc 840
tggtgtatcg tctactgaaa tcaatcagcc attcatcact atcgacgcta atggacctaa 900
acatttggct taaactctaa ctccgctca attcgaacac cttagcttct ctctcattga 960
gcgaacacaa caaccttgtg ctccaggcttt aaaag
995

```

<210> 116

<211> 437

<212> DNA

<213> Chlamydia

<400> 116

```

gtcacagcta aaggcgggtg gctttatact gataagaatc ttctgattac taacatcaca 60
ggaattatcg aaattgcaaa taacaaagcg acagatgttg gaggtggtgc ttacgtaaaa 120
ggaaccctta cttgtaaaaa ctctcaccgt ctacaatttt tgaaaaactc ttccgataaa 180
caagggtggag gaatctacgg ayaagacaac atcaccctat ctaattcgac agygaagact 240
ctattccaag agaatactgc caaaaaagag ggcgggtggac tcttcataaa aggtacagat 300
aaagctctta caatgacagg actggatagt ttctgtttta ttaataacac atcagaaaaa 360
catgggtggtg gagcctttgt taccaaagaa atctctcaga ctacacctc tgatgtggaa 420
acaattccag gaatcac
437

```

<210> 117

<211> 446

<212> DNA

<213> Chlamydia

<400> 117

```

aagtttacct agaccaaact gaagatgacg aaggaaaagt tgttttatcc agagaaaaag 60
caacaagaca acgacaatgg gaatacattc ttgctcactg cgagggaagg tctattgtta 120
agggacaaat taccgaaaa gttaagggtg gtttgatcgt agatattggg atggaagcct 180
tccttccagg atcccaata gacaataaga agatcaagaa cttagatgat tacgtaggca 240
aggtttgtga gttcaaaatt ctcaaaatca acgtggatcg tcggaacggt gttgtatcta 300
gaagagaact tctcgaagct gaacgcattt ctaagaaagc agagttgatc gagcaaatca 360
ctatcggtga acgtcgcaaa ggtatcgta agaatacac agatttcgga gtattcttgg 420
atcttgatgg cattgacggc ctactc
446

```

<210> 118

<211> 951

<212> DNA

<213> Chlamydia

<400> 118

```

agtattgcga aatattactg tgagaagcaa tgctgagagc gggtctagta aaagtgaggg 60
gagagctgtc agaagggatc gctcaggaag cgagacaacg tgtggctgat ttattaggaa 120

```

```

gattccctct ttatcctgaa atcgatctgg aaacgctagt ttagtgggag actctatgcc 180
tgaaggggaa atgatgcata agttgcaaga tgatcatagat agaaagtgtg tggattctcg 240
tcgtattttc ttctccgaac ctgtaacgga gaaaagtgtc gcagaagcca tcaaaaagct 300
ttgggtatttg gaactcacca atcctgggca gccaatgtta tttgtcatta atagccctgg 360
agggctctgtt gatgctgggt ttgctgtttg ggaccaaatt aaaatgatct cttctccttt 420
gactacagtt gttacaggtt tagcagcatc tatgggatct gtattgagtt tgtgtgctgt 480
tccaggaaga cgttttgcta cgctcatgc gcgcattatg attcaccagc cttctattgg 540
aggaaccatt actggtcaag ccacggactt ggatattcat gctcgtgaaa ttttaaaaac 600
aaaagcacgc attattgatg tgtatgtcga ggcaactgga caatctccag aggtgataga 660
gaaagctatc gatcgagata tgtggatgag tgcaaatgaa gcaatggagt ttggactgtt 720
agatgggatt ctcttctctt ttaacgactt gtagatatct tttatattct ggagcaggaa 780
acagtttcat tttgggagaa tcgatgcctt ctcttgagga tgttctgttt ttatgccagg 840
aagagatggg tgatgggttt ttatgtgtag agtcttctga aatagcagat gctaaactca 900
ctgtttttaa tagtcatgga tctatcgct ctatgtgcgg gaatgggttg c 951

```

<210> 119

<211> 953

<212> DNA

<213> Chlamydia

<400> 119

```

atatcaaatg tgggcaaatg acagagccgc tcaaggacca gcaaataatc cttgggacaa 60
catcaacacc tgtcgcagcc aaaatgacag cttctgatgg aatatcttta acagtctcca 120
ataatccatc aaccaatgct tctattacaa ttgggtttgga tgcggaaaaa gcttaccagc 180
ttattctaga aaagtggga gatcaaattc ttggtggaat tgctgatact attgttgata 240
gtacagtcca agatatctta gacaaaatca caacagacc ttctctaggt ttgttgaaag 300
cttttaacaa ctttccaatc actaataaaa tccaatgcaa cgggttattc actcccagga 360
acattgaaac tttattagga ggaactgaaa taggaaaatt cacagtcaca cccaaaagct 420
ctgggagcat gttcttagtc tcagcagata ttattgcac aagaatggaa ggcggcggtt 480
ttctagcttt ggtacgagaa ggtgattcta agcctacgc gatragttat ggatactcat 540
caggcgttcc taatttatgt agtctaagaa ccagaattat taatacagga ttgactccga 600
caacgtattc attacgtgta ggcgggttag aaagcgggtt ggtatgggtt aatgcccttc 660
ctaattggca tgatatttta ggaataacaa atacttctaa tgtatctttt ttggaggtaa 720
tacctcaaac aaacgcttaa acaattttta ttggattttt cttataggtt ttatatttag 780
agaaaaaagt tcgaattacg gggtttgtaa tgcaaaaata aagcaaagtg agggacgatt 840
ttattaaaat tgtaaaagat tcctggatc ggtctgcgat tccgactcgt ccaacatcaa 900
tacaacctat taatttcccc tcgtcaaaaa taagggttatc aagtgagaaa tca 953

```

<210> 120

<211> 897

<212> DNA

<213> Chlamydia

<400> 120

```

atggcttcta tatgcggacg tttagggctt ggtacagga atgctctaaa agcttttttt 60
acacagccca gcaataaaat ggcaagggtg gtaataaaga cgaagggaat ggataagact 120
gttaaggctc ccaagtctgc tgccgaattg accgcaaata ttttgaaca agctggaggc 180
gcgggctctt ccgcacacat tacagcttcc caagtgtcca aaggattagg ggatgcgaga 240
actgttctcg ctttagggaa tgcctttaac ggagcgttgc caggaacagt tcaaagtgcg 300
caaagcttct tctcttacat gaaagctgct agtcagaaac cgcaagaagg ggatgagggg 360
ctcgtagcag atcttttgtt gtctcataag cgcanagcgg ctgcggctgt ctgtagcttc 420
atcggaggaa ttacctacct cgcgacattc ggagctatcc gtccgattct gtttgtcaac 480
aaaatgctgg cgcaaccgtt tctttcttcc caaattaaag caaatatggg atcttctgtt 540
agctatatta tggcgggctaa ccatgcagcg tttgtgggtg gttctggact cgctatcagt 600

```

```

gcggaaagag cagattgcga agcccgcctgc gctcgtattg cgagagaaga gtcgtcactc 660
gaattgtcgg gagaggaaaa tgcttgcgag aggagagtcg ctggagagaa agccaagacg 720
ttcacgcgca tcaagtatgc actcctcact atgctcgaga agtttttggga atgcgttgcc 780
gacgttttca aattgggtgcc gttgcctatt acaatgggta ttcgtgcaat tgtggctgcg 840
ggatgtacgt tcacttctgc agttattgga ttgtggactt tctgcgccag agcataa 897

```

<210> 121

<211> 298

<212> PRT

<213> Chlamydia

<400> 121

```

Met Ala Ser Ile Cys Gly Arg Leu Gly Ser Gly Thr Gly Asn Ala Leu
1      5      10      15
Lys Ala Phe Phe Thr Gln Pro Ser Asn Lys Met Ala Arg Val Val Asn
20     25     30
Lys Thr Lys Gly Met Asp Lys Thr Val Lys Val Ala Lys Ser Ala Ala
35     40     45
Glu Leu Thr Ala Asn Ile Leu Glu Gln Ala Gly Gly Ala Gly Ser Ser
50     55     60
Ala His Ile Thr Ala Ser Gln Val Ser Lys Gly Leu Gly Asp Ala Arg
65     70     75     80
Thr Val Leu Ala Leu Gly Asn Ala Phe Asn Gly Ala Leu Pro Gly Thr
85     90     95
Val Gln Ser Ala Gln Ser Phe Phe Ser Tyr Met Lys Ala Ala Ser Gln
100    105    110
Lys Pro Gln Glu Gly Asp Glu Gly Leu Val Ala Asp Leu Cys Val Ser
115    120    125
His Lys Arg Arg Ala Ala Ala Val Cys Ser Phe Ile Gly Gly Ile
130    135    140
Thr Tyr Leu Ala Thr Phe Gly Ala Ile Arg Pro Ile Leu Phe Val Asn
145    150    155    160
Lys Met Leu Ala Gln Pro Phe Leu Ser Ser Gln Ile Lys Ala Asn Met
165    170    175
Gly Ser Ser Val Ser Tyr Ile Met Ala Ala Asn His Ala Ala Phe Val
180    185    190
Val Gly Ser Gly Leu Ala Ile Ser Ala Glu Arg Ala Asp Cys Glu Ala
195    200    205
Arg Cys Ala Arg Ile Ala Arg Glu Glu Ser Ser Leu Glu Leu Ser Gly
210    215    220
Glu Glu Asn Ala Cys Glu Arg Arg Val Ala Gly Glu Lys Ala Lys Thr
225    230    235    240
Phe Thr Arg Ile Lys Tyr Ala Leu Leu Thr Met Leu Glu Lys Phe Leu
245    250    255
Glu Cys Val Ala Asp Val Phe Lys Leu Val Pro Leu Pro Ile Thr Met
260    265    270
Gly Ile Arg Ala Ile Val Ala Ala Gly Cys Thr Phe Thr Ser Ala Val
275    280    285
Ile Gly Leu Trp Thr Phe Cys Ala Arg Ala
290    295

```

<210> 122

<211> 897

<212> DNA

<213> Chlamydia

<400> 122

atggcttcta	tatgcggacg	tttagggctc	ggtagcagga	atgctctaaa	agcttttttt	60
acacagccca	gcaataaaat	ggcaagggta	gtaaataaga	cgaaggggaat	ggataagact	120
gttaaggtcg	ccaagtctgc	tgccgaattg	accgcaaata	ttttggaaca	agctggaggc	180
gcgggctctt	ccgcacacat	tacagcttcc	caagtgtcca	aaggattagg	ggatacgaga	240
actgttgtcg	ctttagggaa	tgcttttaac	ggagcgttgc	caggaacagt	tcaaagtgcg	300
caaagcttct	tctctcacat	gaaagctgct	agtcagaaaa	cgcaagaagg	ggatgagggg	360
ctcacagcag	atctttgtgt	gtctcataag	cgcagagcgg	ctgcggctgt	ctgtggcttc	420
atcgaggagaa	ttacctacct	cgcgacattc	ggagttatcc	gtccgattct	gtttgtcaac	480
aaaatgctgg	tgaacccgtt	tctttcttcc	caaactaaag	caaatatggg	atcttctgtt	540
agctatatta	tggcggctaa	ccatgcagcg	tctgtggtgg	gtgctggact	cgctatcagt	600
gcggaaagag	cagattgcga	agcccgtctc	gctcgtattg	cgagagaaga	gtcgttactc	660
gaagtgtcgg	gagaggaaaa	tgcttgcgag	aagagagtcg	ctggagagaa	agccaagacg	720
ttcacgcgca	tcaagtatgc	actcctcact	atgctcgaga	agtttttggg	atgcgttgcc	780
gacgttttca	aattggtgcc	gctgcctatt	acaatgggta	ttcgtgcgat	tgtggctgct	840
ggatgtacgt	tcacttctgc	aattattgga	ttgtgcaatt	tctgcgccag	agcataa	897

<210> 123

<211> 298

<212> PRT

<213> Chlamydia

<400> 123

Met	Ala	Ser	Ile	Cys	Gly	Arg	Leu	Gly	Ser	Gly	Thr	Gly	Asn	Ala	Leu
1			5					10					15		
Lys	Ala	Phe	Phe	Thr	Gln	Pro	Ser	Asn	Lys	Met	Ala	Arg	Val	Val	Asn
			20					25					30		
Lys	Thr	Lys	Gly	Met	Asp	Lys	Thr	Val	Lys	Val	Ala	Lys	Ser	Ala	Ala
		35					40					45			
Glu	Leu	Thr	Ala	Asn	Ile	Leu	Glu	Gln	Ala	Gly	Gly	Ala	Gly	Ser	Ser
	50					55					60				
Ala	His	Ile	Thr	Ala	Ser	Gln	Val	Ser	Lys	Gly	Leu	Gly	Asp	Thr	Arg
65				70					75					80	
Thr	Val	Val	Ala	Leu	Gly	Asn	Ala	Phe	Asn	Gly	Ala	Leu	Pro	Gly	Thr
			85					90						95	
Val	Gln	Ser	Ala	Gln	Ser	Phe	Phe	Ser	His	Met	Lys	Ala	Ala	Ser	Gln
		100					105					110			
Lys	Thr	Gln	Glu	Gly	Asp	Glu	Gly	Leu	Thr	Ala	Asp	Leu	Cys	Val	Ser
	115					120					125				
His	Lys	Arg	Arg	Ala	Ala	Ala	Ala	Val	Cys	Gly	Phe	Ile	Gly	Gly	Ile
	130				135					140					
Thr	Tyr	Leu	Ala	Thr	Phe	Gly	Val	Ile	Arg	Pro	Ile	Leu	Phe	Val	Asn
145				150					155					160	
Lys	Met	Leu	Val	Asn	Pro	Phe	Leu	Ser	Ser	Gln	Thr	Lys	Ala	Asn	Met
			165					170						175	
Gly	Ser	Ser	Val	Ser	Tyr	Ile	Met	Ala	Ala	Asn	His	Ala	Ala	Ser	Val
		180					185					190			
Val	Gly	Ala	Gly	Leu	Ala	Ile	Ser	Ala	Glu	Arg	Ala	Asp	Cys	Glu	Ala
	195					200						205			
Arg	Cys	Ala	Arg	Ile	Ala	Arg	Glu	Glu	Ser	Leu	Leu	Glu	Val	Ser	Gly
	210				215							220			
Glu	Glu	Asn	Ala	Cys	Glu	Lys	Arg	Val	Ala	Gly	Glu	Lys	Ala	Lys	Thr
225				230						235				240	
Phe	Thr	Arg	Ile	Lys	Tyr	Ala	Leu	Leu	Thr	Met	Leu	Glu	Lys	Phe	Leu

245 250 255
 Glu Cys Val Ala Asp Val Phe Lys Leu Val Pro Leu Pro Ile Thr Met
 260 265 270
 Gly Ile Arg Ala Ile Val Ala Ala Gly Cys Thr Phe Thr Ser Ala Ile
 275 280 285
 Ile Gly Leu Cys Thr Phe Cys Ala Arg Ala
 290 295

<210> 124
 <211> 897
 <212> DNA
 <213> Chlamydia

<400> 124
 atggcttcta tatgcgagcg tttaggggtct ggtacagggga atgctctaaa agctttttttt 60
 acacagccca acaataaaat ggcaagggta gtaaataaga cgaaggggaat ggataagact 120
 attaaggttg ccaagtctgc tgccgaattg accgcaaata ttttggaaaca agctggaggc 180
 gcgggtcttt ccgcacacat tacagcttcc caagtgtcca aaggattagg ggatgcgaga 240
 actgttgctg ctttagggaa tgcccttaac ggagcgttgc caggaacagt tcaaagtgcg 300
 caaagcttct tctctcacat gaaagctgct agtcagaaaa cgcaagaagg ggatgagggg 360
 ctcacagcag atctttgtgt gtctcataag cgcagagcgg ctgcggtctgt ctgtagcatc 420
 atcggaggaa ttacctacct cgcgacattc ggagctatcc gtccgattct gtttgtcaac 480
 aaaatgctgg caaaaccgtt tctttcttcc caaactaaag caaatatggg atcttctgtt 540
 agctatatta tggcgggctaa ccattgcagcg tctgtggtgg gtgctggact cgctatcagt 600
 gcggaaagag cagattgcga agcccgctgc gctcgtattg cgagagaaga gtcgttactc 660
 gaagtgcggg gagaggaaaa tgcttgcgag aagaaagtcg ctggagagaa agccaagacg 720
 ttcacgcgca tcaagtatgc actctcact atgctcgaga agtttttggg atgcgttgcc 780
 gacgttttca aattggtgcc gctgcctatt acaatgggta ttcgtgcgat tgtggctgct 840
 ggatgtacgt tcacttctgc aattattgga ttgtgcactt tctgcgccag agcataa 897

<210> 125
 <211> 298
 <212> PRT
 <213> Chlamydia

<400> 125
 Met Ala Ser Ile Cys Gly Arg Leu Gly Ser Gly Thr Gly Asn Ala Leu
 1 5 10 15
 Lys Ala Phe Phe Thr Gln Pro Asn Asn Lys Met Ala Arg Val Val Asn
 20 25 30
 Lys Thr Lys Gly Met Asp Lys Thr Ile Lys Val Ala Lys Ser Ala Ala
 35 40 45
 Glu Leu Thr Ala Asn Ile Leu Glu Gln Ala Gly Gly Ala Gly Ser Ser
 50 55 60
 Ala His Ile Thr Ala Ser Gln Val Ser Lys Gly Leu Gly Asp Ala Arg
 65 70 75 80
 Thr Val Val Ala Leu Gly Asn Ala Phe Asn Gly Ala Leu Pro Gly Thr
 85 90 95
 Val Gln Ser Ala Gln Ser Phe Phe Ser His Met Lys Ala Ala Ser Gln
 100 105 110
 Lys Thr Gln Glu Gly Asp Glu Gly Leu Thr Ala Asp Leu Cys Val Ser
 115 120 125
 His Lys Arg Arg Ala Ala Ala Val Cys Ser Ile Ile Gly Gly Ile
 130 135 140
 Thr Tyr Leu Ala Thr Phe Gly Ala Ile Arg Pro Ile Leu Phe Val Asn

145					150					155					160
Lys	Met	Leu	Ala	Lys	Pro	Phe	Leu	Ser	Ser	Gln	Thr	Lys	Ala	Asn	Met
				165						170				175	
Gly	Ser	Ser	Val	Ser	Tyr	Ile	Met	Ala	Ala	Asn	His	Ala	Ala	Ser	Val
			180					185						190	
Val	Gly	Ala	Gly	Leu	Ala	Ile	Ser	Ala	Glu	Arg	Ala	Asp	Cys	Glu	Ala
		195					200					205			
Arg	Cys	Ala	Arg	Ile	Ala	Arg	Glu	Glu	Ser	Leu	Leu	Glu	Val	Pro	Gly
	210					215					220				
Glu	Glu	Asn	Ala	Cys	Glu	Lys	Lys	Val	Ala	Gly	Glu	Lys	Ala	Lys	Thr
225					230					235					240
Phe	Thr	Arg	Ile	Lys	Tyr	Ala	Leu	Leu	Thr	Met	Leu	Glu	Lys	Phe	Leu
				245					250					255	
Glu	Cys	Val	Ala	Asp	Val	Phe	Lys	Leu	Val	Pro	Leu	Pro	Ile	Thr	Met
			260					265					270		
Gly	Ile	Arg	Ala	Ile	Val	Ala	Ala	Gly	Cys	Thr	Phe	Thr	Ser	Ala	Ile
		275					280					285			
Ile	Gly	Leu	Cys	Thr	Phe	Cys	Ala	Arg	Ala						
	290					295									

```
<210> 126
<211> 897
<212> DNA
<213> Chlamydia
```

<400> 126							
atggcttcta	tatgcggacg	tttaggggtct	ggtacagggga	atgctctaaa	agcttttttt		60
acacagccca	acaataaaat	ggcaaggggta	gtaaaataaga	cgaagggaat	ggataagact		120
attaaggttg	ccaagtctgc	tgccgaattg	accgcaaata	ttttggaaca	agctggaggc		180
gcgggctctt	cgcacacat	tacagcttcc	caagtgtcca	aaggattagg	ggatgcgaga		240
actgttgtcg	ctttagggaa	tgcttttaac	ggagcgttgc	caggaacagt	tcaaagtgcg		300
caaagcttct	tctctcacat	gaaagctgct	agtcagaaaa	cgcaagaagg	ggatgagggg		360
ctcacagcag	atcttttgtgt	gtctcataag	cgcagagcgg	ctgcggctgt	ctgtagcatc		420
atcggaggaa	ttacctacct	cgcgacattc	ggagctatcc	gtccgattct	gtttgtcaac		480
aaaatgctgg	caaaaccggt	tctttcttcc	caaactaaag	caaatatggg	atcttctgtt		540
agctatatatta	tggcgggctaa	ccatgcagcg	tctgtggtgg	gtgctggact	cgctatcagt		600
gcggaaagag	cagattgcga	agcccgctgc	gctcgtattg	cgagagaaga	gtcgttactc		660
gaagtgccgg	gagaggaaaa	tgcttgcgag	aagaaagtcg	ctggagagaa	agccaagacg		720
ttcacgcgca	tcaagtatgc	actcctcact	atgctcgaga	agtttttgga	atgcgttgcc		780
gacgttttca	aattgggtgcc	gctgcctatt	acaatgggta	ttcgtgcgat	tgtggctgct		840
ggatgtacgt	tcacttctgc	aattattgga	ttgtgcactt	tctgcgccag	agcataa		897

```
<210> 127
<211> 298
<212> PRT
<213> Chlamydia
```

			<400>	127											
Met	Ala	Ser	Ile	Cys	Gly	Arg	Leu	Gly	Ser	Gly	Thr	Gly	Asn	Ala	Leu
1				5					10					15	
Lys	Ala	Phe	Phe	Thr	Gln	Pro	Asn	Asn	Lys	Met	Ala	Arg	Val	Val	Asn
			20					25					30		
Lys	Thr	Lys	Gly	Met	Asp	Lys	Thr	Ile	Lys	Val	Ala	Lys	Ser	Ala	Ala
		35					40					45			
Glu	Leu	Thr	Ala	Asn	Ile	Leu	Glu	Gln	Ala	Gly	Gly	Ala	Gly	Ser	Ser

50	55	60
Ala His Ile Thr Ala	Ser Gln Val Ser Lys Gly	Leu Gly Asp Ala Arg
65	70	75
Thr Val Val Ala Leu	Gly Asn Ala Phe Asn Gly	Ala Leu Pro Gly Thr
	85	90
Val Gln Ser Ala Gln	Ser Phe Phe Ser His Met	Lys Ala Ala Ser Gln
	100	105
Lys Thr Gln Glu Gly	Asp Glu Gly Leu Thr	Ala Asp Leu Cys Val Ser
	115	120
His Lys Arg Arg Ala	Ala Ala Val Cys Ser	Ile Ile Gly Gly Ile
	130	135
Thr Tyr Leu Ala Thr	Phe Gly Ala Ile Arg	Pro Ile Leu Phe Val Asn
	145	150
Lys Met Leu Ala Lys	Pro Phe Leu Ser Ser	Gln Thr Lys Ala Asn Met
	155	160
Gly Ser Ser Val Ser	Tyr Ile Met Ala Ala	Asn His Ala Ala Ser Val
	165	170
Val Gly Ala Gly Leu	Ala Ile Ser Ala Glu	Arg Ala Asp Cys Glu Ala
	175	180
Arg Cys Ala Arg Ile	Ala Arg Glu Glu Ser	Leu Leu Glu Val Pro Gly
	185	190
Glu Glu Asn Ala Cys	Glu Lys Lys Val Ala	Gly Glu Lys Ala Lys Thr
	195	200
Phe Thr Arg Ile Lys	Tyr Ala Leu Leu Thr	Met Leu Glu Lys Phe Leu
	205	210
Glu Cys Val Ala Asp	Val Phe Lys Leu Val	Pro Leu Pro Ile Thr Met
	215	220
Gly Ile Arg Ala Ile	Val Ala Ala Gly Cys	Thr Phe Thr Ser Ala Ile
	225	230
Ile Gly Leu Cys Thr	Phe Cys Ala Arg	Ala
	235	240
	245	250
	255	260
	265	270
	275	280
	285	
	290	295

<210> 128

<211> 897

<212> DNA

<213> Chlamydia

<400> 128

atggcttcta	tatgtggacg	tttaggggtct	ggtacagggga	atgctctaaa	agcttttttt	60
acacagccca	gcaataaaat	ggcaagggta	gtaaataaga	cgaaggggaat	ggataagact	120
gttaagggtcg	ccaagtctgc	tgccgaattg	accgcaaata	ttttggaaca	agctggaggc	180
gcgggctctt	ccgcacacat	tacagcttcc	caagtgtcca	aaggattagg	ggatacgaga	240
actgttgtcg	cttttagggaa	tgcccttaac	ggagcgttgc	caggaacagt	tcaaagtgcg	300
caaagcttct	tctctcacat	gaaagctgct	agtcagaaaa	cgcaagaagg	ggatgagggg	360
ctcacagcag	atcttttgtg	gtctcataag	cgcagagcgg	ctgcggctgt	ctgtggcttc	420
atcggaggaa	ttacctacct	cgcgacattc	ggagttatcc	gtccgattct	gtttgtcaac	480
aaaatgctgg	tgaaccggtt	tctttcttcc	caaactaaag	caaatatggg	atcttctggt	540
agctatatatta	tggcggctaa	ccatgcagcg	tctgtggtgg	gtgctggact	cgctatcagt	600
gcggaaagag	cagattgcga	agcccgctgc	gctcgtattg	cgagagaaga	gtcgttactc	660
gaagtgtcgg	gagaggaaaa	tgcttgcgag	aagagagtcg	ctggagagaa	agccaagacg	720
ttcacgcgca	tcaagtatgc	actcctcact	atgctcgaga	agtttttgga	atgcgttgcc	780
gacgttttca	aattgggtgc	gctgcctatt	acaatgggta	ttcgtgcgat	tgtggctgct	840
ggatgtacgt	tcacttctgc	aattattgga	ttgtgcactt	tctgcgccag	agcataa	897

<210> 129

<211> 298
 <212> PRT
 <213> Chlamydia

<400> 129
 Met Ala Ser Ile Cys Gly Arg Leu Gly Ser Gly Thr Gly Asn Ala Leu
 1 5 10 15
 Lys Ala Phe Phe Thr Gln Pro Ser Asn Lys Met Ala Arg Val Val Asn
 20 25 30
 Lys Thr Lys Gly Met Asp Lys Thr Val Lys Val Ala Lys Ser Ala Ala
 35 40 45
 Glu Leu Thr Ala Asn Ile Leu Glu Gln Ala Gly Gly Ala Gly Ser Ser
 50 55 60
 Ala His Ile Thr Ala Ser Gln Val Ser Lys Gly Leu Gly Asp Thr Arg
 65 70 75 80
 Thr Val Val Ala Leu Gly Asn Ala Phe Asn Gly Ala Leu Pro Gly Thr
 85 90 95
 Val Gln Ser Ala Gln Ser Phe Phe Ser His Met Lys Ala Ala Ser Gln
 100 105 110
 Lys Thr Gln Glu Gly Asp Glu Gly Leu Thr Ala Asp Leu Cys Val Ser
 115 120 125
 His Lys Arg Arg Ala Ala Ala Val Cys Gly Phe Ile Gly Gly Ile
 130 135 140
 Thr Tyr Leu Ala Thr Phe Gly Val Ile Arg Pro Ile Leu Phe Val Asn
 145 150 155 160
 Lys Met Leu Val Asn Pro Phe Leu Ser Ser Gln Thr Lys Ala Asn Met
 165 170 175
 Gly Ser Ser Val Ser Tyr Ile Met Ala Ala Asn His Ala Ala Ser Val
 180 185 190
 Val Gly Ala Gly Leu Ala Ile Ser Ala Glu Arg Ala Asp Cys Glu Ala
 195 200 205
 Arg Cys Ala Arg Ile Ala Arg Glu Glu Ser Leu Leu Glu Val Ser Gly
 210 215 220
 Glu Glu Asn Ala Cys Glu Lys Arg Val Ala Gly Glu Lys Ala Lys Thr
 225 230 235 240
 Phe Thr Arg Ile Lys Tyr Ala Leu Leu Thr Met Leu Glu Lys Phe Leu
 245 250 255
 Glu Cys Val Ala Asp Val Phe Lys Leu Val Pro Leu Pro Ile Thr Met
 260 265 270
 Gly Ile Arg Ala Ile Val Ala Ala Gly Cys Thr Phe Thr Ser Ala Ile
 275 280 285
 Ile Gly Leu Cys Thr Phe Cys Ala Arg Ala
 290 295

<210> 130
 <211> 897
 <212> DNA
 <213> Chlamydia

<400> 130
 atggctgcta tatgtggacg tttagggtct ggtacagggga atgctctaaa agcttttttt 60
 acacagccca gcaataaaat ggcaagggta gtaaataaga cgaagggaat ggataagact 120
 gttaaggctcg ccaagtctgc tgccgaattg accgcaaata ttttgggaaca agctggaggc 180
 gcgggtctt ccgcacacat tacagcttcc caagtgtcca aaggattagg ggatgcgaga 240
 actgttctcg ctttagggaa tgccttaaac ggagcgttgc caggaacagt tcaaagtgcg 300

```

caaagcttct tctcttacat gaaagctgct agtcagaaac cgcaagaagg ggatgagggg 360
ctcgtagcag atctttgtgt gtctcataag cgcagagcgg ctgagggtgt ctgtagcttc 420
atcggaggaa ttacctacct cgcgacattc ggagctatcc gtccgattct gtttgtcaac 480
aaaatgctgg cgcaaccgtt tctttcttcc caaactaaag caaatatggg atcttctgtt 540
agctatatta tggcgggctaa ccatgcagcg tttgtggtgg gttctggact cgctatcagt 600
gcggaaagag cagattgcga agcccgtgc gctcgtattg cgagagaaga gtcgtcactc 660
gaattgtcgg gagaggaaaa tgcttgcgag aggggagtcg ctggagagaa agccaagacg 720
ttcacgcgca tcaagtatgc actcctcact atgctcgaga agtttttggg atgcgttgcc 780
gacgttttca aattgggtgcc gttgcctatt acaatgggta ttcgtgcaat tgtggctgcg 840
ggatgtacgt tcacttctgc agttattgga ttgtggactt tctgcaacag agtataa 897

```

<210> 131
 <211> 298
 <212> PRT
 <213> Chlamydia

<400> 131

```

Met Ala Ala Ile Cys Gly Arg Leu Gly Ser Gly Thr Gly Asn Ala Leu
 1          5          10          15
Lys Ala Phe Phe Thr Gln Pro Ser Asn Lys Met Ala Arg Val Val Asn
          20          25          30
Lys Thr Lys Gly Met Asp Lys Thr Val Lys Val Ala Lys Ser Ala Ala
          35          40          45
Glu Leu Thr Ala Asn Ile Leu Glu Gln Ala Gly Gly Ala Gly Ser Ser
          50          55          60
Ala His Ile Thr Ala Ser Gln Val Ser Lys Gly Leu Gly Asp Ala Arg
          65          70          75          80
Thr Val Leu Ala Leu Gly Asn Ala Phe Asn Gly Ala Leu Pro Gly Thr
          85          90          95
Val Gln Ser Ala Gln Ser Phe Phe Ser Tyr Met Lys Ala Ala Ser Gln
          100         105         110
Lys Pro Gln Glu Gly Asp Glu Gly Leu Val Ala Asp Leu Cys Val Ser
          115         120         125
His Lys Arg Arg Ala Ala Ala Val Cys Ser Phe Ile Gly Gly Ile
          130         135         140
Thr Tyr Leu Ala Thr Phe Gly Ala Ile Arg Pro Ile Leu Phe Val Asn
          145         150         155         160
Lys Met Leu Ala Gln Pro Phe Leu Ser Ser Gln Thr Lys Ala Asn Met
          165         170         175
Gly Ser Ser Val Ser Tyr Ile Met Ala Ala Asn His Ala Ala Phe Val
          180         185         190
Val Gly Ser Gly Leu Ala Ile Ser Ala Glu Arg Ala Asp Cys Glu Ala
          195         200         205
Arg Cys Ala Arg Ile Ala Arg Glu Glu Ser Ser Leu Glu Leu Ser Gly
          210         215         220
Glu Glu Asn Ala Cys Glu Arg Gly Val Ala Gly Glu Lys Ala Lys Thr
          225         230         235         240
Phe Thr Arg Ile Lys Tyr Ala Leu Leu Thr Met Leu Glu Lys Phe Leu
          245         250         255
Glu Cys Val Ala Asp Val Phe Lys Leu Val Pro Leu Pro Ile Thr Met
          260         265         270
Gly Ile Arg Ala Ile Val Ala Ala Gly Cys Thr Phe Thr Ser Ala Val
          275         280         285
Ile Gly Leu Trp Thr Phe Cys Asn Arg Val
          290         295

```

<210> 132
 <211> 897
 <212> DNA
 <213> Chlamydia

<400> 132
 atggctgcta tatgcggacg tttaggggtct ggtacagggga atgctctaaa agcttttttt 60
 acacagccca gcaataaaaat ggcaagggta gtaaataaga cgaaggggaat ggataagact 120
 gttaaggctcg ccaagtctgc tgccgaattg accgcaaata ttttggaca agctggaggc 180
 gggggtctt cgcacacat tacagcttcc caagtgtcca aaggattagg ggatgcgaga 240
 actgttctcg ctttagggaa tgcctttaac ggagcgttgc caggaacagt tcaaagtgcg 300
 caaagcttct tctcttacat gaaagctgct agtcagaaac cgaagaagg ggatgagggg 360
 ctcttagcag atcttttgtgt gtctcataag cgcagagcgg ctgcggtgt ctgtagcttc 420
 atcggaggaa ttacctacct cgcgacattc ggagctatcc gtccgattct gtttgtcaac 480
 aaaatgctgg cgcaaccgtt tctttcttcc caaactaaag caaatatggg atcttctgtt 540
 agctatatta tggcggttaa ccatgcagcg tttgtggtgg gttctggact cgctatcagt 600
 gcggaaagag cagattgcga agcccgtctg gctcgtattg cgagagaaga gtcgtcactc 660
 gaattgtcgg gagaggaaaa tgcttgtgag aggagagtcg ctggagagaa agccaagacg 720
 ttcacgcgca tcaagtatgc actcctcact atgctcgaga agtttttggg atgcgttgcc 780
 gacgttttca aattggtgcc gttgcctatt acaatgggta ttcgtgcaat tgtggctgcg 840
 ggatgtacgt tcaattctgc agttattgga ttgtggactt tctgcaacag agtataa 897

<210> 133
 <211> 298
 <212> PRT
 <213> Chlamydia

<400> 133
 Met Ala Ala Ile Cys Gly Arg Leu Gly Ser Gly Thr Gly Asn Ala Leu
 1 5 10 15
 Lys Ala Phe Phe Thr Gln Pro Ser Asn Lys Met Ala Arg Val Val Asn
 20 25 30
 Lys Thr Lys Gly Met Asp Lys Thr Val Lys Val Ala Lys Ser Ala Ala
 35 40 45
 Glu Leu Thr Ala Asn Ile Leu Glu Gln Ala Gly Gly Ala Gly Ser Ser
 50 55 60
 Ala His Ile Thr Ala Ser Gln Val Ser Lys Gly Leu Gly Asp Ala Arg
 65 70 75 80
 Thr Val Leu Ala Leu Gly Asn Ala Phe Asn Gly Ala Leu Pro Gly Thr
 85 90 95
 Val Gln Ser Ala Gln Ser Phe Phe Ser Tyr Met Lys Ala Ala Ser Gln
 100 105 110
 Lys Pro Gln Glu Gly Asp Glu Gly Leu Val Ala Asp Leu Cys Val Ser
 115 120 125
 His Lys Arg Arg Ala Ala Ala Val Cys Ser Phe Ile Gly Gly Ile
 130 135 140
 Thr Tyr Leu Ala Thr Phe Gly Ala Ile Arg Pro Ile Leu Phe Val Asn
 145 150 155 160
 Lys Met Leu Ala Gln Pro Phe Leu Ser Ser Gln Thr Lys Ala Asn Met
 165 170 175
 Gly Ser Ser Val Ser Tyr Ile Met Ala Ala Asn His Ala Ala Phe Val
 180 185 190
 Val Gly Ser Gly Leu Ala Ile Ser Ala Glu Arg Ala Asp Cys Glu Ala
 195 200 205

Arg Cys Ala Arg Ile Ala Arg Glu Glu Ser Ser Leu Glu Leu Ser Gly
 210 215 220
 Glu Glu Asn Ala Cys Glu Arg Arg Val Ala Gly Glu Lys Ala Lys Thr
 225 230 235 240
 Phe Thr Arg Ile Lys Tyr Ala Leu Leu Thr Met Leu Glu Lys Phe Leu
 245 250 255
 Glu Cys Val Ala Asp Val Phe Lys Leu Val Pro Leu Pro Ile Thr Met
 260 265 270
 Gly Ile Arg Ala Ile Val Ala Ala Gly Cys Thr Phe Thr Ser Ala Val
 275 280 285
 Ile Gly Leu Trp Thr Phe Cys Asn Arg Val
 290 295

<210> 134
 <211> 897
 <212> DNA
 <213> Chlamydia

<400> 134
 atggcttcta tatgcggacg tttaggggtct ggtacagggga atgctctaaa agcttttttt 60
 acacagccca acaataaaat ggcaagggta gtaaataaga cgaaggggaat ggataagact 120
 attaaggttg ccaagtctgc tgccgaattg accgcaaata ttttggaca agctggagggc 180
 gcgggctctt ccgcacacat tacagcttcc caagtgtcca aaggattagg ggatgcgaga 240
 actggtgtcg ctttagggaa tgcctttaac ggagcgttgc caggaacagt tcaaagtgcg 300
 caaagcttct tctctcacat gaaagctgct agtcagaaaa cgcaagaagg ggatgagggg 360
 ctacacagcag atcttttgtgt gtctcataag cgcagagcgg ctgcggctgt ctgtagcatc 420
 atcggaggaa ttacctacct cgcgacattc ggagctatcc gtccgattct gtttgtcaac 480
 aaaatgctgg caaaaccgtt tctttcttcc caaactaaag caaatatggg atcttctgtt 540
 agctatatta tggcggctaa ccatgcagcg tctgtggtgg gtgctggact cgctatcagt 600
 gcggaaagag cagattgcga agcccgctgc gctcgtattg cgagagaaga gtcgttactc 660
 gaaatgccgg gagaggaaaa tgcttgcgag aagaaagtcg ctggagagaa agccaagacg 720
 ttacgcgca tcaagtatgc actctcact atgctcgaga agtttttggga atgcgttgcc 780
 gacgttttca aattggtgcc gctgcctatt acaatgggta ttcgtgcgat tgtggctgct 840
 ggatgtacgt tcacttctgc aattattgga ttgtgcactt tctgcgccag agcataa 897

<210> 135
 <211> 298
 <212> PRT
 <213> Chlamydia

<400> 135
 Met Ala Ser Ile Cys Gly Arg Leu Gly Ser Gly Thr Gly Asn Ala Leu
 1 5 10 15
 Lys Ala Phe Phe Thr Gln Pro Asn Asn Lys Met Ala Arg Val Val Asn
 20 25 30
 Lys Thr Lys Gly Met Asp Lys Thr Ile Lys Val Ala Lys Ser Ala Ala
 35 40 45
 Glu Leu Thr Ala Asn Ile Leu Glu Gln Ala Gly Gly Ala Gly Ser Ser
 50 55 60
 Ala His Ile Thr Ala Ser Gln Val Ser Lys Gly Leu Gly Asp Ala Arg
 65 70 75 80
 Thr Val Val Ala Leu Gly Asn Ala Phe Asn Gly Ala Leu Pro Gly Thr
 85 90 95
 Val Gln Ser Ala Gln Ser Phe Phe Ser His Met Lys Ala Ala Ser Gln
 100 105 110

Lys Thr Gln Glu Gly Asp Glu Gly Leu Thr Ala Asp Leu Cys Val Ser
 115 120 125
 His Lys Arg Arg Ala Ala Ala Val Cys Ser Ile Ile Gly Gly Ile
 130 135 140
 Thr Tyr Leu Ala Thr Phe Gly Ala Ile Arg Pro Ile Leu Phe Val Asn
 145 150 155 160
 Lys Met Leu Ala Lys Pro Phe Leu Ser Ser Gln Thr Lys Ala Asn Met
 165 170 175
 Gly Ser Ser Val Ser Tyr Ile Met Ala Ala Asn His Ala Ala Ser Val
 180 185 190
 Val Gly Ala Gly Leu Ala Ile Ser Ala Glu Arg Ala Asp Cys Glu Ala
 195 200 205
 Arg Cys Ala Arg Ile Ala Arg Glu Glu Ser Leu Leu Glu Met Pro Gly
 210 215 220
 Glu Glu Asn Ala Cys Glu Lys Lys Val Ala Gly Glu Lys Ala Lys Thr
 225 230 235 240
 Phe Thr Arg Ile Lys Tyr Ala Leu Leu Thr Met Leu Glu Lys Phe Leu
 245 250 255
 Glu Cys Val Ala Asp Val Phe Lys Leu Val Pro Leu Pro Ile Thr Met
 260 265 270
 Gly Ile Arg Ala Ile Val Ala Ala Gly Cys Thr Phe Thr Ser Ala Ile
 275 280 285
 Ile Gly Leu Cys Thr Phe Cys Ala Arg Ala
 290 295

<210> 136

<211> 882

<212> DNA

<213> Chlamydia

<400> 136

atggcttctg	tatgtgggcg	attaagtgtc	ggggtgggga	acagatttaa	cgcatttttc	60
acgcgtcccg	gtaacaagct	atcacggttt	gtaaatagcg	caaaaggatt	agacagatca	120
ataaagggtt	ggaagtctgc	tgctgaatta	acggcgagta	ttttagagca	aactgggggg	180
gcagggactg	atgcacatgt	tacggcggcc	aagggtgtct	aagcacttgg	ggacgcgcga	240
acagtaatgg	ctctagggaa	tgtcttcaat	gggtctgtgc	cagcaacccat	tcaaagtgcg	300
cgaagctgtc	tcgcccattt	acgagcggcc	ggcaaagaag	aagaaacatg	ctccaaggtg	360
aaagatctct	gtgtttctca	tagacgaaga	gctgcggctg	aggcttgtaa	tggtattgga	420
ggagcaactt	atattacaac	tttcggagcg	attcgtccga	cattactcgt	taacaagctt	480
cttgccaaac	cattcctttc	ctcccaagcc	aaagaagggt	tgggagcttc	tggtgggtat	540
atcatggcag	cgaaccatgc	ggcatctgtg	cttgggtctg	ctttaagtat	tagcgcagaa	600
agagcagact	gtgaagagcg	gtgtgatcgc	attcgatgta	gtgaggatgg	tgaaatttgc	660
gaaggcaata	aattaacagc	tatttcggaa	gagaaggcta	gatcatggac	tctcattaag	720
tacagattcc	ttactatgat	agaaaaacta	tttgagatgg	tggcggatat	cttcaagtta	780
attcctttgc	caatttcgca	tggaaattcgt	gctattgttg	ctgcgggatg	tacgttgact	840
tctgcagtta	ttggcttagg	tactttttgg	tctagagcat	aa		882

<210> 137

<211> 293

<212> PRT

<213> Chlamydia

<400> 137

Met Ala Ser Val Cys Gly Arg Leu Ser Ala Gly Val Gly Asn Arg Phe
 1 5 10 15

Asn Ala Phe Phe Thr Arg Pro Gly Asn Lys Leu Ser Arg Phe Val Asn
 20 25 30
 Ser Ala Lys Gly Leu Asp Arg Ser Ile Lys Val Gly Lys Ser Ala Ala
 35 40 45
 Glu Leu Thr Ala Ser Ile Leu Glu Gln Thr Gly Gly Ala Gly Thr Asp
 50 55 60
 Ala His Val Thr Ala Ala Lys Val Ser Lys Ala Leu Gly Asp Ala Arg
 65 70 75 80
 Thr Val Met Ala Leu Gly Asn Val Phe Asn Gly Ser Val Pro Ala Thr
 85 90 95
 Ile Gln Ser Ala Arg Ser Cys Leu Ala His Leu Arg Ala Ala Gly Lys
 100 105 110
 Glu Glu Glu Thr Cys Ser Lys Val Lys Asp Leu Cys Val Ser His Arg
 115 120 125
 Arg Arg Ala Ala Ala Glu Ala Cys Asn Val Ile Gly Gly Ala Thr Tyr
 130 135 140
 Ile Thr Thr Phe Gly Ala Ile Arg Pro Thr Leu Leu Val Asn Lys Leu
 145 150 155 160
 Leu Ala Lys Pro Phe Leu Ser Ser Gln Ala Lys Glu Gly Leu Gly Ala
 165 170 175
 Ser Val Gly Tyr Ile Met Ala Ala Asn His Ala Ala Ser Val Leu Gly
 180 185 190
 Ser Ala Leu Ser Ile Ser Ala Glu Arg Ala Asp Cys Glu Glu Arg Cys
 195 200 205
 Asp Arg Ile Arg Cys Ser Glu Asp Gly Glu Ile Cys Glu Gly Asn Lys
 210 215 220
 Leu Thr Ala Ile Ser Glu Lys Ala Arg Ser Trp Thr Leu Ile Lys
 225 230 235 240
 Tyr Arg Phe Leu Thr Met Ile Glu Lys Leu Phe Glu Met Val Ala Asp
 245 250 255
 Ile Phe Lys Leu Ile Pro Leu Pro Ile Ser His Gly Ile Arg Ala Ile
 260 265 270
 Val Ala Ala Gly Cys Thr Leu Thr Ser Ala Val Ile Gly Leu Gly Thr
 275 280 285
 Phe Trp Ser Arg Ala
 290

<210> 138
 <211> 16
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Made in a lab

<400> 138
 Asp Leu Cys Val Ser His Lys Arg Arg Ala Ala Ala Val Cys Ser
 1 5 10 15

<210> 139
 <211> 16
 <212> PRT
 <213> Artificial Sequence

<220>

<223> Made in a lab

<400> 139

Arg Ala Ala Ala Val Cys Ser Phe Ile Gly Gly Ile Thr Tyr Leu
1 5 10 15

<210> 140

<211> 18

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 140

Cys Ser Phe Ile Gly Gly Ile Thr Tyr Leu Ala Thr Phe Gly Ala Ile
1 5 10 15
Arg Pro

<210> 141

<211> 18

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 14

Tyr Leu Ala Thr Phe Gly Ala Ile Arg Pro Ile Leu Phe Val Asn Lys
1 5 10 15
Met Leu

<210> 142

<211> 18

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 142

Arg Pro Ile Leu Phe Val Asn Lys Met Leu Ala Gln Pro Phe Leu Ser
1 5 10 15
Ser Gln

<210> 143

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 143
Met Leu Ala Gln Pro Phe Leu Ser Ser Gln Thr Lys Ala Asn Met Gly
1 5 10 15
Ser

<210> 144
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Made in a lab

<400> 144
Cys Ser Phe Ile Gly Gly Ile Thr Tyr Leu
1 5 10

<210> 145
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Made in a lab

<400> 145
Ser Phe Ile Gly Gly Ile Thr Tyr Leu
1 5

<210> 146
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Made in a lab

<400> 146
Phe Ile Gly Gly Ile Thr Tyr Leu
1 5

<210> 147
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Made in a lab

<400> 147
Cys Ser Phe Ile Gly Gly Ile Thr Tyr
1 5

<210> 148
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Made in a lab

<400> 148
Cys Ser Phe Ile Gly Gly Ile Thr
1 5

<210> 149
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Made in a lab

<400> 149
Cys Ser Ile Ile Gly Gly Ile Thr Tyr Leu
1 5 10

<210> 150
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Made in a lab

<400> 150
Cys Gly Phe Ile Gly Gly Ile Thr Tyr Leu
1 5 10

<210> 151
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Made in a lab

<400> 151
Gly Phe Ile Gly Gly Ile Thr Tyr Leu
1 5

<210> 152
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Made in a lab

<400> 152

Gln Ile Phe Val Cys Leu Ile Ser Ala Glu Arg Leu Arg Leu Arg Leu
 1 5 10 15

Ser Val Ala Ser

20

<210> 153

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 153

Glu Arg Leu Arg Leu Arg Leu Ser Val Ala Ser Ser Glu Glu Leu Pro
 1 5 10 15

Thr Ser Arg His

20

<210> 154

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 154

Ala Ser Ser Glu Glu Leu Pro Thr Ser Arg His Ser Glu Leu Ser Val
 1 5 10 15

Arg Phe Cys Leu

20

<210> 155

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 155

Arg His Ser Glu Leu Ser Val Arg Phe Cys Leu Ser Thr Lys Cys Trp
 1 5 10 15

Arg Asn Arg Phe

20

<210> 156

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 156

Leu Ser Thr Lys Cys Trp Arg Asn Arg Phe Phe Leu Pro Lys Leu Lys
 1 5 10 15
 Gln Ile Trp Asp
 20

<210> 157

<211> 53

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 157

Ile Phe Val Cys Leu Ile Ser Ala Glu Arg Leu Arg Leu Ser Val Ala
 1 5 10 15
 Ser Ser Glu Glu Leu Pro Thr Ser Arg His Ser Glu Leu Ser Val Arg
 20 25 30
 Phe Cys Leu Ser Thr Lys Cys Trp Arg Asn Arg Phe Phe Leu Pro Lys
 35 40 45
 Leu Lys Gln Ile Trp
 50

<210> 158

<211> 52

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 158

Leu Cys Val Ser His Lys Arg Arg Ala Ala Ala Val Cys Ser Phe
 1 5 10 15
 Ile Gly Gly Ile Thr Tyr Leu Ala Thr Phe Gly Ala Ile Arg Pro Ile
 20 25 30
 Leu Phe Val Asn Lys Met Leu Ala Gln Pro Phe Leu Ser Ser Gln Ile
 35 40 45
 Lys Ala Asn Met
 50

<210> 159

<211> 24

<212> DNA

<213> Chlamydia

<400> 159

ttttgaagca ggtaggtgaa tatg

<210> 160

<211> 24

<212> DNA

<213> Chlamydia

<400> 160
ttaagaaatt taaaaaatcc cttta 24

<210> 161
<211> 24
<212> DNA
<213> Chlamydia

<400> 161
ggtataatat ctctctaaat tttg 24

<210> 162
<211> 19
<212> DNA
<213> Chlamydia

<400> 162
agataaaaaa ggctgtttc 19

<210> 163
<211> 24
<212> DNA
<213> Chlamydia

<400> 163
ttttgaagca ggtaggtgaa tatg 24

<210> 164
<211> 29
<212> DNA
<213> Chlamydia

<400> 164
tttacaataa gaaaagctaa gcactttgt 29

<210> 165
<211> 20
<212> DNA
<213> Chlamydia

<400> 165
ccttacacag tcctgctgac 20

<210> 166
<211> 20
<212> DNA
<213> Chlamydia

<400> 166
gtttccgggc cctcacattg 20

<210> 167
<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 167

Ser Phe Ile Gly Gly Ile Thr Tyr Leu

1

5

<210> 168

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 168

Ser Ile Ile Gly Gly Ile Thr Tyr Leu

1

5

<210> 169

<211> 2643

<212> DNA

<213> Chlamydia

<400> 169

gcaatcatgc	gacctgatca	tatgaacttc	tgttgctctat	gtgctgctat	tttgcatccc	60
acagcggtec	tctttggcca	ggatccctta	ggtgaaaccg	ccctcctcac	taaaaatcct	120
aatcatgtcg	tctgtacatt	ttttgaggac	tgtaccatgg	agagcctctt	tcctgctctt	180
tgtgctcatg	catcacaaga	cgatcctttg	tatgtacttg	gaaattccta	ctgttggttc	240
gtatctaaac	tccatatcac	ggaccccaaa	gaggctcttt	ttaaagaaaa	aggagatctt	300
tccattcaaa	actttcgctt	cctttccttc	acagattgct	cttccaagga	aagctctcct	360
tctattattc	atcaaaagaa	tggtcagtta	tccttgcgca	ataatggtag	catgagtttc	420
tgtcgaaatc	atgctgaagg	ctctggagga	gccatctctg	cggatgcctt	ttctctacag	480
cacaactatc	ttttcacagc	ttttgaagag	aattccttcta	aaggaaatgg	cggagccatt	540
caggctcaaa	ccttctcttt	atctagaaat	gtgtcgccta	tttctttcgc	ccgtaatcgt	600
gcggatttaa	atggcggcgc	tatttgctgt	agtaatctta	tttgttcagg	gaatgtaaac	660
cctctctttt	tacttggaag	ctccgccacg	aatggaggcg	ctatttggtg	tatcagcgat	720
ctaaacacct	cagaaaaagg	ctctctctct	cttgcttgta	accaagaaac	gctatttgca	780
agcaattctg	ctaaagaaaa	aggcggggct	atttatgcca	agcacatggg	attgcgttat	840
aacggtcctg	tttccttcat	taacaacagc	gctaaaatag	gtggagctat	cgccatccag	900
tccggaggga	gtctctctat	ccttgccagg	gaaggatctg	ttctgttcca	gaataactcc	960
caacgcacct	ccgaccaagg	tctagtaaga	aacgccatct	acttaragaa	agatgcgatt	1020
ctttcttctt	tagaagctcg	caacggagat	attcttttct	ttgatcctat	tgtacaagaa	1080
agtagcagca	aagaatcgcc	tcttccctcc	tctttgcaag	ccagcgtgac	ttctcccacc	1140
ccagccaccg	catctccttt	agttattcag	acaagtgcaa	accgttcagt	gattttctcg	1200
agcgaacgtc	tttctgaaga	agaaaaaact	cctgataacc	tcacttccca	actacagcag	1260
cctatcgaac	tgaatccgg	acgcttagtt	ttaaaagatc	gcgctgtcct	ttccgcgcct	1320
tctctctctc	aggatcctca	agctctcttc	attatggaag	cgggaacttc	tttaaaaact	1380
tcctctgatt	tgaagttagc	tacgctaagt	attcccttct	attccttaga	tactgaaaaa	1440
agcgtaaact	tccacgcccc	taatctttct	atccaaaaga	tcttctctct	taactctgga	1500
gatgagaatt	tttatgaaaa	tgtagagctt	ctcagtaaag	agcaaaacaa	tattcctctc	1560
cttactctcc	ctaaagagca	atctcattta	catcttctctg	atgggaacct	ctcttctcac	1620

tttggatatac	aaggagattg	gacttttttct	tggaaagatt	ctgatgaagg	gcattctctg	1680
attgctaatt	ggacgcctaa	aaactatgtg	cctcatccag	aacgtcaatc	tacactcggt	1740
gcgaacactc	tttgaacac	ctattccgat	atgcaagctg	tgcagtcgat	gattaataca	1800
acagcgcacg	gaggagccta	tctatttgga	acgtggggat	ctgctgtttc	taattttattc	1860
tatgttcacg	acagctctgg	gaaacctatc	gataattggc	atcatagaag	ccttgggtac	1920
ctattcggtg	tcagtactca	cagtttagat	gaccattctt	tctgcttggc	tgcaggacaa	1980
ttactcggga	aatcgtccga	ttcctttatt	acgtctacag	aaacgacctc	ctatatagct	2040
actgtacaag	cgcaactcgc	tacctctcta	atgaaaatct	ctgcacaggc	atgctacaat	2100
gaaagtatcc	atgagctaaa	aacaaaatat	cgctccttct	ctaaagaagg	attcggatcc	2160
tggcatagcg	ttgcagtatc	cggagaagtg	tgcgcacga	ttccrattgt	atcccatggt	2220
tccggactgt	tcagctcctt	ctctattttc	tctaaactgc	aaggattttc	aggaacacag	2280
gacggttttg	aggagagttc	gggagagatt	cggtcctttt	ctgccagctc	tttcagaaat	2340
atttcacttc	ctataggaat	aacatttgaa	aaaaaatccc	aaaaaacacg	aacctactat	2400
tactttctag	gagcctacat	ccaagacctg	aaacgtgatg	tggaaatcggg	acctgtagtg	2460
ttactcaaaa	atgccgtctc	ctgggatgct	cctatggcga	acttggattc	acgagcctac	2520
atgttccggc	ttacgaatca	aagagctcta	cacagacttc	agacgctggt	aaatgtgtct	2580
tgtgtgctgc	gtgggcaaag	ccatagttaa	tccctggatc	tggggaccac	ttacaggttc	2640
tag						2643

<210> 170

<211> 2949

<212> DNA

<213> Chlamydia

<400> 170

atgattcctc	aaggaaattta	cgatggggag	acgttaactg	tatcatttcc	ctatactggt	60
ataggagatc	cgagtgggac	tactgttttt	tctgcaggag	agttaacatt	aaaaaatctt	120
gacaattcta	ttgcagcttt	gcctttaagt	tgttttgga	acttattagg	gagttttact	180
gttttaggga	gaggacactc	gttgactttc	gagaacatac	ggacttctac	aaatggggca	240
gctctaagta	atagcgctgc	tgatggactg	tttactattg	agggttttta	agaattatcc	300
ttttccaatt	gcaattcatt	acttgcctga	ctgcctgctg	caacgactaa	taagggtagc	360
cagactccga	cgacaacatc	tacaccgtct	aatggtaata	tttattctaa	aacagatctt	420
ttgttactca	ataatgagaa	gttctcattc	tatagtaatt	tagtctctgg	agatggggga	480
gctatagatg	ctaagagctt	aacggttcaa	ggaattagca	agctttgtgt	cttccaagaa	540
aatactgctc	aagctgatgg	gggagcttgt	caagtatgca	ccagtttctc	tgctatggct	600
aacgaggctc	ctattgcctt	tgtagcgaat	gttgacagg	taagaggggg	agggattgct	660
gctgttcagg	atgggcagca	gggagtgtca	tcactctact	caacagaaga	tcagtagta	720
agtttttcca	gaaatactgc	ggtagagttt	gatgggaacg	tagcccagat	aggaggaggg	780
atttactcct	acgggaacgt	tgttttcctg	aataatggaa	aaaccttggt	tctcaacaat	840
gttgcttctc	ctgtttacat	tgtgtctaag	caaccaacaa	gtggacaggc	ttctaatacg	900
agtaataatt	acggagatgg	aggagctatc	ttctgtaaga	atggtgcgca	agcaggatcc	960
aataactctg	gatcagtttc	ctttgatgga	gagggagtag	ttttcttttag	tagcaatgta	1020
gctgctggga	aagggggagc	tatttatgcc	aaaaagctct	cggttgctaa	ctgtggccct	1080
gtacaatttt	taaggaatat	cgctaattgat	ggtggagcga	tttatttagg	agaatctgga	1140
gagctcagtt	tatctgctga	ttatggagat	attattttcg	atgggaatct	taaaagaaca	1200
gccaaagaga	atgctgccga	tgttaatggc	gtaactgtgt	cctcacaagc	catttcgatg	1260
ggatcgggag	ggaaaataac	gacattaaga	gctaaagcag	ggcatcagat	tctctttaat	1320
gatcccatcg	agatggcaaa	cggaaaataac	cagccagcgc	agtcttccaa	acttctaaaa	1380
attaacgatg	gtgaaggata	cacaggggat	attgtttttg	ctaattggaag	cagtactttg	1440
taccaaaatg	ttacgataga	gcaagggaag	attgttcttc	gtgaaaaggc	aaaattatca	1500
gtgaattctc	taagtcagac	aggtgggag	ctgtatatgg	aagctgggag	tacattggat	1560
tttgtaactc	cacaaccacc	acaacagcct	cctgccgcta	atcagttgat	cacgctttcc	1620
aatctgcatt	tgtctctttc	ttctttgtta	gcaaacaaatg	cagttacgaa	tcctctacc	1680
aatcctccag	cgcaagattc	tcatectgca	gtcattggta	gcacaactgc	tggttctggt	1740
acaatttagtg	ggcctatctt	ttttgaggat	ttggatgata	cagcttatga	taggtatgat	1800

tggctaggtt	ctaataaaaa	aatcaatgtc	ctgaaattac	agttagggac	taagccccc	1860
gctaatagcc	catcagattt	gactctaggg	aatgagatgc	ctaagtatgg	ctatcaagga	1920
agctggaagc	ttgctggtga	tcctaataca	gcaataatg	gtccttatac	tctgaaagct	1980
acatggacta	aaactgggta	taatcctggg	cctgagcgag	tagcttcttt	ggttccaaat	2040
agtttatggg	gatccatttt	agatatacga	tctgcgcat	cagcaattca	agcaagtgtg	2100
gatgggcgct	cttattgtcg	aggattatgg	gtttctggag	tttcgaattt	cttctatcat	2160
gaccgcgatg	ctttaggtca	gggatatcgg	tatatttagt	ggggttattc	cttaggagca	2220
aactcctact	ttggatcctc	gatgtttggg	ctagcattta	ccgaagtatt	tggtagatct	2280
aaagattatg	tagtgtgtcg	ttccaatcat	catgcttgca	taggatccgt	ttatctatct	2340
accnaacaag	ctttatgtgg	atcctatttg	ttcggagatg	cgtttatccg	tgctagctac	2400
gggtttggga	atcagcatat	gaaaacctca	tatacatttg	cagaggagag	cgatgttcgt	2460
tgggataata	actgtctggc	tggagagatt	ggagcgggat	taccgattgt	gattactcca	2520
tctaagctct	atttgaatga	gttgcgtcct	ttcgtgcaag	ctgagttttc	ttatgccgat	2580
catgaatcct	ttacagagga	aggcgatcaa	gctcgggcat	tcaagagcgg	acatctccca	2640
aatctatcag	ttcctgttgg	agtgaagttt	gatcgatgtt	ctagtacaca	tcctaataaa	2700
tatagcttta	tggcggttta	tatctgtgat	gcttatcgca	ccatctctgg	tactgagaca	2760
acgctcctat	cccatcaaga	gacatggaca	acagatgcct	ttcatttagc	aagacatgga	2820
gttgtgggta	gaggatctat	gtatgcttct	ctaacaagta	atatagaagt	atatggccat	2880
ggaagatatg	agtatcgaga	tgttctctga	ggctatgggt	tgagtgcagg	magtaaagtc	2940
yggttctaa						2949

<210> 171

<211> 2895

<212> DNA

<213> Chlamydia

<400> 171

atgaaaaaag	cgtttttctt	tttctttatc	ggaaactccc	tatcaggact	agcttagagag	60
gttctttcta	gaatctttct	tatgcccac	tcagttccag	atcctacgaa	agagtcgcta	120
tcaataaaaa	ttagtctgac	aggagacact	cacaatctca	ctaactgcta	tctcgataac	180
ctacgctaca	tactggctat	tctacaaaaa	actcccgaat	aaggagctgc	tgtcacaata	240
acagattacc	taagcttttt	tgatacacaa	aaagaaggta	tttattttgc	aaaaaatccc	300
acctctgaaa	gtgggtggg	gattgggtat	gcgagtccca	attctcctac	cgtggagatt	360
cgtgatacaa	taggtcctgt	aatctttgaa	aataatactt	gttgcagact	atttacctgg	420
agaaatcctt	atgctgctga	taaaataaga	gaaggcggag	ccattcatgc	tcaaaatctt	480
tacataaatc	ataatcatga	tgtgggtcga	tttatgaaga	acttttctta	tgtccaagga	540
ggagccatta	gtaccgctaa	tacctttggt	gtgagcgaga	atcagtcctt	ttttctcttt	600
atggacaaca	tctgtattca	aactaataca	gcaggaaaa	gtggcgctat	ctatgctgga	660
acgagcaatt	cttttgagag	taataactgc	gatctcttct	tcatcaataa	cgctgttgt	720
gcaggaggag	cgatcttctc	ccctatctgt	tctctaacag	gaaatcgtgg	taacatcggt	780
ttctataaca	atcgctgctt	taaaaatgta	gaaacagctt	cttcagaagc	ttctgatgga	840
ggagcaatta	aagtaactac	tcgcctagat	gttacaggca	atcgtggtag	gatctttttt	900
agtgacaata	tcacaaaaaa	ttatggcgga	gctatttacg	ctcctgtagt	taccttagtg	960
gataatggcc	ctacctactt	tataaacaat	atcgccaata	ataagggggg	cgctatctat	1020
atagacggaa	ccagtaactc	caaaatttct	gccgaccgcc	atgctattat	ttttaatgaa	1080
aatattgtga	ctaattgtaac	taatgcaaat	ggtaccagta	cgtcagctaa	tcctcctaga	1140
agaaatgcaa	taacagtagc	aagctcctct	ggtgaaattc	tattaggagc	agggagtagc	1200
caaaatttaa	ttttttatga	tctattgaa	gttagcaatg	caggggtctc	tgtgtccttc	1260
aataaggaag	ctgatcaaac	aggctctgta	gtattttcag	gagctactgt	taattctgca	1320
gattttctac	aacgcaattt	acaaacaaaa	acacctgcac	cccttactct	cagtaatggt	1380
tttctatgta	tcgaagatca	tgctcagctt	acagtgaatc	gattcacaca	aactgggggt	1440
gttgtttctc	ttgggaatgg	agcagttctg	agttgctata	aaaatggtag	aggagattct	1500
gctagcaatg	cctctataac	actgaagcat	attggattga	atctttcttc	cattctgaaa	1560
agtggtgctg	agattccttt	attgtgggta	gagcctacaa	ataacagcaa	taactataca	1620
gcagatactg	cagctacctt	ttcattaagt	gatgtaaaac	tctcactcat	tgatgactac	1680

gggaactctc	cttatgaatc	cacagatctg	acccatgctc	tgtcatcaca	gcctatgcta	1740
tctatctctg	aagctagcga	taaccagcta	caatcagaaa	atatagattt	ttcgggacta	1800
aatgtccctc	attatggatg	gcaaggactt	tggacttggg	gctgggcaaa	aactcaagat	1860
ccagaaccag	catcttcagc	aacaatcaat	gateccacaaa	aagccaatag	atttcataga	1920
accttactac	taacatggct	tcctgcccgg	tatgttccta	gcccacaaaca	cagaagtccc	1980
ctcatagcta	acaccttatg	ggggaatatg	ctgcttgcaa	cagaaagctt	aaaaaatagt	2040
gcagagctga	cacctagtgg	tcctcctttc	tggggaatta	caggaggagg	actaggcatg	2100
atggtttacc	aagatcctcg	agaaaatcat	cctggattcc	atatgcgctc	ttccggatac	2160
tctgcccggg	tgatagcagg	gcagacacac	accttctcat	tgaaattcag	tcagacctac	2220
accaaactca	atgagcgtta	cgcaaaaaac	aacgtatctt	ctaaaaatta	ctcatgccaa	2280
ggagaaatgc	tcttctcatt	gcaagaagg	ttcttgctga	ctaaattagt	tgggctttac	2340
agctatggag	accataactg	tcaccatttc	tatactcaag	gagaaaatct	aacatctcaa	2400
gggacgttcc	gcagtcaaac	gatgggagg	gctgtctttt	ttgatctccc	tatgaaaccc	2460
tttggatcaa	cgcatatact	gacagctccc	tttttaggtg	ctcttggtat	ttattctagc	2520
ctgtctcact	ttactgagg	gggagcctat	ccgcgaagct	tttctacaaa	gactcctttg	2580
atcaatgtcc	tagtccctat	tggagttaaa	ggtagcttta	tgaatgctac	ccacagacct	2640
caagcctgga	ctgtagaatt	ggcataccaa	ccggttctgt	atagacaaga	accagggatc	2700
gcgacccagc	tcctagccag	ttaaaggatt	tgggttggtg	gtggaagccc	ctcatcgctg	2760
catgccatgt	cctataaaat	ctcacagcaa	acacaacctt	tgagttgggt	aactctccat	2820
ttccagtatc	atggattcta	ctcctcttca	accttctgta	attatctcaa	tggggaaatt	2880
gctctgcgat	tctag					2895

<210> 172

<211> 4593

<212> DNA

<213> Chlamydia

<400> 172

atgagttccg	agaaagatat	aaaaagcacc	tgttctaagt	tttctttgtc	tgtagtagca	60
gctatccttg	cctctgttag	cgggttagct	agttgcgtag	atcttcatgc	tggaggacag	120
tctgtaaatg	agctggtata	tgtaggccct	caagcggttt	tattgttaga	ccaaattcga	180
gatctattcg	ttgggtctaa	agatagtcag	gctgaaggac	agtatagggt	aattgttaga	240
gatccaagtt	ctttccaaga	gaaagatgca	gatactcttc	ccgggaagg	agagcaaagt	300
actttgttct	cagtaacca	tcccgtggtt	ttccaagggt	tggaccaaca	ggatcaagtc	360
tcttcccaag	ggtaattttg	tagttttacg	agcagcaacc	ttgattctcc	ccgtgacgga	420
gaatcttttt	taggtattgc	ttttgttggg	gatagtagta	aggctggaat	cacattaact	480
gacgtgaaag	cttctttgtc	tggagcggct	ttatattcta	cagaagatct	tatctttgaa	540
aagattaagg	gtggattgga	atttgcata	tgttcttctc	tagaacagg	gggagcttgt	600
gcagctcaaa	gtattttgat	tcatgattgt	caaggattgc	agggttaaaca	ctgtactaca	660
gccgtgaatg	ctgaggggtc	tagtgcgaat	gatcatcttg	gatttggagg	aggcgctttc	720
tttgttacgg	gttctctttc	tggagagaaa	agtctctata	tgccctgcagg	agatatggta	780
gttgcgaaat	gtgatggggc	tatatctttt	gaaggaaaaca	gcgcgaactt	tgctaattgga	840
ggagcgattg	ctgcctctgg	gaaagtgctt	tttgtcgcta	atgataaaaa	gacttctttt	900
atagagaacc	gagctttgtc	tggaggagcg	attgcagcct	cttctgatat	tgcccttcaa	960
aactgcgcag	aactagtttt	caaaggcaat	tgtgcaattg	gaacagagga	taaaggttct	1020
ttagggtggag	gggctatata	ttctctaggc	accgttcttt	tgcaagggaa	tcacgggata	1080
acttgtgata	agaatgagtc	tgccttcgca	ggaggcgcca	tttttggcaa	aaattgtcag	1140
atttctgaca	acgagggggc	agtggttttc	agagatagta	cagcttgctt	aggaggaggc	1200
gctattgcag	ctcaagaaat	tgtttctatt	cagaacaatc	aggctgggat	ttccttcgag	1260
ggaggtaagg	ctagtttcgg	aggaggtatt	gcgtgtggat	ctttttcttc	cgcaggcggg	1320
gcttctgttt	tagggactat	tgatatttcg	aagaatttag	gcgcgatttc	gttctctcgt	1380
actttatgta	cgacctcaga	tttaggacaa	attggagtacc	aggaggagg	agctctattt	1440
ggtgaaaata	tttctctttc	tgagaatgct	ggtgtgctca	cctttaaaga	caacattgtg	1500
aagacttttg	cttcgaatgg	gaaaattctg	ggaggaggag	cgatttttagc	tactggtaag	1560
gtggaaatta	ccaataattc	cggaggaatt	tcttttacag	gaaatgcgag	agctccacaa	1620

gctcttccaa	ctcaagagga	gtttccttta	ttcagcaaaa	aagaagggcg	accactctct	1680
tcaggatatt	ctgggggagg	agcgatttta	ggaagagaag	tagctattct	ccacaacgct	1740
gcagtagtat	ttgagcaaaa	tcgtttgcag	tgacgcgaag	aagaagcgac	attattaggt	1800
tgttgtggag	gaggcgctgt	tcattgggatg	gatagcactt	cgattgttgg	caactcttca	1860
gtaagatttg	gtaataatta	cgcaatggga	caaggagtct	caggaggagc	tcttttatct	1920
aaaacagtgc	agtttagctgg	aaatggaagc	gtcgattttt	ctcgaaatat	tgctagtttg	1980
ggaggaggag	ctcttcaagc	ttctgaagga	aattgtgagc	tagttgataa	cggctatgtg	2040
ctattcagag	ataatcgagg	gagggtttat	gggggtgcta	tttcttgctt	acgtggagat	2100
gtagtcatct	ctggaaacaa	gggttagagtt	gaatttaaag	acaacatagc	aacacgtctt	2160
tatgtggaag	aaactgtaga	aaaggttgaa	gaggttagagc	cagctcctga	gcaaaaagac	2220
aataatgagc	tttctttctt	agggagtgtg	gaacagagtt	ttattactgc	agctaataca	2280
gctcttttcg	catctgaaga	tggggattta	tcacctgagt	catccatttc	ttctgaagaa	2340
cttgcgaaaa	gaagagagtg	tgctggagga	gctatttttg	caaaacgggt	tcgtattgta	2400
gataaccaag	agggcggtgt	attctcgaa	aacttctctg	atatttatgg	cggcgccatt	2460
tttacagggt	ctcttcgaga	agaggataag	ttagatgggc	aaatccctga	agctctgac	2520
tcaggcaatg	caggggatgt	tggtttttcc	ggaaattcct	cgaagcgtga	tgagcatctt	2580
cctcatacag	gtgggggagc	catttgta	caaaatttga	cgattttctca	gaatacaggg	2640
aatgttctgt	tttataacaa	cgtggcctgt	tcgggaggag	ctgttcgtat	agaggatcat	2700
ggtaatgttc	ttttagaagc	ttttggagga	gatattgttt	ttaaaggaaa	ttcttctttc	2760
agagcacaag	gatccgatgc	tatctatttt	gcaggtaaag	aatcgcatat	tacagccctg	2820
aatgctcagg	aaggacatgc	tattgttttc	cacgacgc	tagtttttga	aaatctaaaa	2880
gaaaggaaat	ctgctgaagt	attgttaatc	aatagtcgag	aaaatccagg	ttacactgga	2940
tctattcgat	ttttagaagc	agaaaagtaa	gttccctcaat	gtattcatgt	acaacaagga	3000
agccttgagt	tgctaaatgg	agctacatta	tgtagttatg	gttttaaa	agatgctgga	3060
gctaagtgtg	tattggctgc	tggatctaaa	ctgaagattt	tagattcagg	aactcctgta	3120
caaggggcatg	ctatcagtaa	acctgaagca	gaaatcgagt	catcttctga	accagggggt	3180
gcacattctc	tttggtatgc	gaagaatgct	caaacaacag	ttcctatggt	tgatatccat	3240
actatttctg	tagatttagc	ctccttctct	tctagtcaac	aggaggggac	agtagaagct	3300
cctcagggtta	ttgttcctgg	aggaagtatt	gttcgatctg	gagagcttaa	tttggagttta	3360
gttaacacaa	cagggtactgg	ttatgaaaat	catgctttgt	tgaagaatga	ggctaaagtt	3420
ccattgatgt	ctttcgttgc	ttctagtgat	gaagcttcag	ccgaaatcag	taacttgctg	3480
gtttctgatt	tacagattca	tgtagcaact	ccagagattg	aagaagacac	atcgggcat	3540
atgggagatt	ggtctgaggc	taaaattcaa	gatggaactc	ttgtcattaa	ttggaatcct	3600
actggatatc	gattagatcc	tcaaaaagca	ggggctttag	tatttaatgc	attatgggaa	3660
gaaggggctg	tcttgtctgc	tctgaaaaat	gcacgctttg	ctcataatct	cactgctcag	3720
cgtatggaat	tcgattattc	tacaaatgtg	tggggattcg	cctttggtgg	tttccgaact	3780
ctatctgcag	agaatctggt	tgctattgat	ggatacaaa	gagcttatgg	tggtgcttct	3840
gctggagtcg	atattcaatt	gatggaagat	tttgttctag	gagttagtgg	agctgctttc	3900
ctaggtaaaa	tggatagtc	gaagtttgat	gctggaggtt	ctcggaagg	agttgttggt	3960
tctgtatata	caggattttt	agctggatcc	tgggtcttca	aaggacaata	tagccttgga	4020
gaaacacaga	acgatatgaa	aacgcgttat	ggagtactag	gagagtcgag	tgcttcttgg	4080
acatctcgag	gagtagctgg	agatgcttta	gttgaatacc	gaagtttagt	tggtcctgtg	4140
agacctactt	tttatgcttt	gcatttcaat	ccttatgtcg	aagtatctta	tgcttctatg	4200
aaattccctg	gctttacaga	acaaggaaga	gaagcgcgtt	cttttgaaga	cgttccctt	4260
accaatatca	ccattccctt	agggatgaag	tttgaattgg	cgttcataaa	aggacagttt	4320
tcagagggtga	actctttggg	aataagttat	gcattgggaag	cttatcgaaa	agtagaagga	4380
ggcgcggtgc	agctttttaga	agctgggttt	gattgggagg	gagctccaat	ggatcttctt	4440
agacaggagc	tgcgtgtcgc	tctggaaaat	aatacggaa	ggagttctta	cttcagcaca	4500
gtcttaggat	taacagcttt	ttgtggagga	tttacttcta	cagatagtaa	actaggatat	4560
gaggcgaata	ctggattgag	attgatcttt	taa			4593

<210> 173

<211> 5331

<212> DNA

<213> Chlamydia

<400> 173

gcaatcatga	aatttatgtc	agctactgct	gtatttgctg	cagtactctc	ctccgttact	60
gaggcgagct	cgatccaaga	tcaaataaag	aataccgact	gcaatgttag	caaagtagga	120
tattcaactt	ctcaagcatt	tactgatatg	atgctagcag	acaacacaga	gtatcgagct	180
gctgatagtg	tttcattcta	tgacttttcg	acatcttccg	gattacctag	aaaacatctt	240
agtagtagta	gtgaagcttc	tccaacgaca	gaaggagtgt	cttcatcttc	atctggagaa	300
aatactgaga	attcacaaga	ttcagctccc	tcttctggag	aaactgataa	gaaaacagaa	360
gaagaactag	acaatggcgg	aatcatttat	gctagagaga	aactaactat	ctcagaatct	420
caggactctc	tctctaatec	aagcatagaa	ctccatgaca	atagtttttt	cttcggagaa	480
ggtgaagtta	tctttgatca	cagagttgcc	ctcaaaaacg	gaggagctat	ttatggagag	540
aaagaggtag	tctttgaaaa	cataaaatct	ctactagtag	aagtaaataat	ctcggctcgag	600
aaagggggtg	gcgtctatgc	aaaagaacga	gtatcttttag	aaaatgttac	cgaagcaacc	660
ttctctccca	atggtgggga	acaaggtggt	ggtggaatct	attcagaaca	agatattgta	720
atcagtgatt	gcaacaatgt	acatttccaa	gggaatgctg	caggagcaac	agcagtaaaa	780
caatgtctgg	atgaagaaat	gatcgtattg	ctcacagaat	gcgttgatag	cttatccgaa	840
gatacactgg	atagcactcc	agaaacggaa	cagactaagt	caaatggaaa	tcaagatggg	900
tctgtctgaaa	caaaagatac	acaagtatca	gaatcaccag	aatcaactcc	tagccccgac	960
gatgttttag	gtaaagggtg	tggtatctat	acagaaaaat	ctttgaccat	cactggaatt	1020
acagggacta	tagattttgt	cagtaacata	gctaccgatt	ctggagcagg	tgtattcact	1080
aaagaaaact	tgtcttgac	caacacgaat	agcctacagt	ttttgaaaaa	ctcggcagggt	1140
caacatggag	gaggagccta	cgttactcaa	accatgtctg	ttactaatac	aactagttaa	1200
agtataacta	ctccccctct	cgtaggagaa	gtgattttct	ctgaaaatac	agctaaaggg	1260
cacggtgggtg	gtatctgcac	taacaaactt	tcttttatcta	atttaaaaac	ggtgactctc	1320
actaaaaact	ctgcaaagga	gtctggagga	gctatttttta	cagatctagc	gtctatacca	1380
acaacagata	ccccagagtc	tcttaccctc	tcttctctct	cgcttgcaag	cactcccgaa	1440
gtagttgctt	ctgctaaaaa	aaatcgattc	tttgctctta	cggcagaacc	ggcagccctc	1500
tctctaacag	aggctgagtc	tgatcaaacg	gatcaaacag	aaacttctga	tactaatagc	1560
gatatagacg	tgtcgattga	gaacattttg	aatgtcgtta	tcaatcaaaa	cacttctgcg	1620
aaaaaaggag	gggctattta	cgggaaaaaa	gctaaacttt	cccgtattaa	caatcttgaa	1680
ctttcagggg	atgctcccca	ggatgtagga	ggaggtctct	gtttaaactga	aagcgtagaa	1740
tttgatgcaa	ttggatcgct	cttatccctc	tataactctg	ctgctaaaga	aggtgggggt	1800
attcatctcta	aaacggttac	tctatctaac	ctcaagtcta	ccttcacttt	tgcagataac	1860
actgtttaaag	caatagtaga	aagcactcct	gaagctccag	aagagattcc	tccagtagaa	1920
ggagaagagt	ctacagcaac	agaaaatccg	aattctaata	cagaaggaag	ttcggctaac	1980
actaaccttg	aaggatctca	aggggatact	gctgatacag	ggactgggtg	tgttaacaat	2040
gagtctcaag	acacatcaga	tactggaaac	gctgaatctg	gayaacaact	acaagattct	2100
acacaatcta	atgaagaaaa	tacccttccc	aatagtagta	ttgatcaatc	taacgaaaac	2160
acagacgaat	catctgatag	ccacactgag	gaaataactg	acgagagtgt	ctcatcgtec	2220
tctaaaagtg	gatcatctac	tctcaagat	ggaggagcag	cttcttcagg	ggctccctca	2280
ggagatcaat	ctatctctgc	aaacgcttgt	ttagctaaaa	gctatgctgc	gagtactgat	2340
agctcccttg	tatctaattc	ttcagggtca	gacgttactg	catcttctga	taatccagac	2400
tcttctctcat	ctggagatag	cgctggagac	tctgaaggac	cgactgagcc	agaagctggt	2460
tctacaacag	aaactcctac	tttaatagga	ggaggtgcta	tctatggaga	aactgttaag	2520
attgagaact	tctctggcca	aggaatatct	tctggaaaca	aagctatcga	taacaccaca	2580
gaaggctcct	cttccaaatc	taacgtcctc	ggaggtgcgg	tctatgctaa	aacattgttt	2640
aatctcgata	gcgggagctc	tagacgaact	gtcaccttct	ccgggaatac	tgtctcttct	2700
caatctacaa	caggctcagg	tgctggagga	gctatctact	ctcctactgt	aaccattgct	2760
actcctgtag	tattttctaa	aaactctgca	acaaacaatg	ctaataacgc	tacagatact	2820
cagagaaaag	acacctttgg	aggagctatc	ggagctactt	ctgctgtttc	tctatcagga	2880
ggggctcatt	tcttagaaaa	cgttgctgac	ctcggatctg	ctattgggtt	ggtgccagac	2940
acacaaaata	cagaaacagt	gaaattagag	tctggctcct	actactttga	aaaaaataaa	3000
gcttttaaac	gagctactat	ttacgcacct	gtcgtttcca	ttaaagccta	tactgcgaca	3060
tttaaccaaa	acagatctct	agaagaagga	agcgcgattt	actttacaaa	agaagcatct	3120
attgagtctt	taggctctgt	tctcttcaca	ggaaacttag	taaccccaac	gctaagcaca	3180

actacagaag	gcacaccagc	cacaacctca	ggagatgtaa	caaaatatgg	tgctgctatc	3240
tttggacaaa	tagcaagctc	aaacggatct	cagacggata	accttcccct	gaaactcatt	3300
gcttcaggag	gaaatatttg	tttccgaaac	aatgaatacc	gtcctacttc	ttctgatacc	3360
ggaacctcta	ctttctgtag	tattgcggga	gatgttaa	taaccatgca	agctgcaaaa	3420
gggaaaacga	tcagtttctt	tgatgcaatc	cggacctcta	ctaagaaaac	aggtacacag	3480
gcaactgcct	acgatactct	cgatattaat	aaatctgagg	attcagaaac	tgtaaactct	3540
gcgtttacag	gaacgattct	gttctcctct	gaattacatg	aaaataaatc	ctatattcca	3600
caaaacgtag	ttctacacag	tggatctctt	gtattgaagc	caaataccga	gcttcatgtc	3660
atttcttttg	agcagaaa	aggctcttct	ctcgttatga	cacctggatc	tggtctttcg	3720
aaccagactg	ttgctgatgg	agctttggtc	ataaataaca	tgaccattga	tttatccagc	3780
gtagagaaaa	atggtattgc	tgaaggaaat	atctttactc	ctccagaatt	gagaatcata	3840
gacactacta	caagtggga	cgggtggaacc	ccatctacag	atagtgaag	taaccagaat	3900
agtgatgata	ccaaggagca	aaataataat	gacgcctcga	atcaaggaga	aagcgcgaa	3960
ggatcgtctt	ctcctgcagt	agctgctgca	cacacatctc	gtacaagaaa	ctttgccgct	4020
gcagctacag	ccacacctac	gacaacacca	acggctacaa	ctacaacaag	caaccaagta	4080
atcctaggag	gagaaatcaa	actcatcgat	cctaattgga	ccttcttcca	gaaccttgca	4140
ttaaagatccg	accaacaaat	ctccttggtt	gtgctcccta	cagactcatt	aaaaatgcaa	4200
gctcagaaaa	tagtactgac	gggtgatatt	gctcctcaga	aaggatatac	aggaacactc	4260
actctggatc	ctgatcaact	acaaaatgga	acgatctcag	cgctctggaa	atttgactct	4320
tatagacaat	gggcttatgt	acctagagac	aatcatttct	atgcgaactc	gattctggga	4380
tctcaaatgt	caatggtcac	agtcnaacaa	ggcttgctca	acgataaaat	gaatctagct	4440
cgctttgatg	aagtttagct	taacaacctg	tggatatcag	gactaggaac	gatgctatcg	4500
caagtaggaa	cacctacttc	tgaagaattc	acttattaca	gcagaggagc	ttctgttgcc	4560
ttagatgcta	aaccagccca	tgatgtgatt	gttggagctg	catttagtaa	gatgatcggg	4620
aaaacaaaaat	ccttgaaaag	agagaataac	tacactcaca	aaggatccga	atattcttac	4680
caagcatcgg	tatacggag	caaaccattc	cactttgtaa	tcaataaaaa	aacggaaaaa	4740
tgcctaccgc	tattgtttaca	aggagtcatt	tcttacggat	atatcaaaca	tgatacagtg	4800
actcactatc	caacgatccg	tgaacgaaac	caaggagaat	gggaagactt	aggatggctg	4860
acagctctcc	gtgtctcctc	tgtcttaaga	actcctgcac	aaggggatac	taaacgcatc	4920
actgttttacg	gagaattgga	atactccagt	atccgtcaga	aacaattcac	agaaacagaa	4980
tacgatcctc	gttacttcga	caactgcacc	tatagaaact	tagcaattcc	tatggggtta	5040
gcattcgaag	gagagctctc	tggtaacgat	attttgatgt	acaacagatt	ctctgtagca	5100
tacatgccat	caatctatcg	aaattctcca	acatgcaa	accaagtgtc	ctcttcagga	5160
gaaggcggag	aaattatttg	tggagtaccg	acaagaaact	cagctcgcgg	agaatacagc	5220
acgcagctgt	acccgggacc	tttgtggact	ctgtatggat	cctacacgat	agaagcagac	5280
gcacatacac	tagctcatat	gatgaactgc	ggtgctcgta	tgacattcta	a	5331

<210> 174

<211> 5265

<212> DNA

<213> Chlamydia

<400> 174

gcaatcatga	aatggctgtc	agctactgcy	gtgtttgctg	ctgtttctcc	ctcagtttca	60
gggttttctg	tcccagaacc	taaagaatta	aattttctct	gcgtagaaac	ttcttctctt	120
accactttta	ctgaacaat	tggagaagct	ggggcagaat	atctcgtctc	tggtaacgca	180
tctttcacaa	aattttacca	cattcctact	accgatataa	caactccac	gaactcaa	240
tcctctagct	ctagcggaga	aactgcttcc	gtttctgagg	atagtgaact	tacaacaacg	300
actcctgatc	ctaaagggtg	cggcgctttt	tataacgcgc	actccggagt	tttgtccttt	360
atgacacgat	caggaacaga	aggttcctta	actctgtctg	agataaaaa	gactggtgaa	420
ggcgggtgcta	tcttctctca	aggagagctg	ctattttacag	atctgacaag	tctaaccatc	480
caaaataact	tatcccagct	atccggagga	gcgatttttg	gaggatctac	aatctcccta	540
tcaggggatta	ctaaagcgac	tttctcctgc	aactctgcag	aagttcctgc	tcctgttaag	600

aaacctacag	aacctaaagc	tcaaacagca	agcgaaacgt	cgggttctag	tagttctagc	660
ggaaatgatt	cgggtgtcttc	ccccagttcc	agtagagctg	aaccgcgagc	agctaattctt	720
caaagtcact	ttatttgtgc	tacagctact	cctgctgctc	aaaccgatac	agaaacatca	780
actccctctc	ataagccagg	atctggggga	gctatctatg	ctaaaggcgā	ccttactatc	840
gcagactctc	aagagggtact	attctcaata	aataaagcta	ctaaagatgg	aggagcgatc	900
tttgctgaga	aagatgtttc	tttcgagaat	attacatcat	taaaagtaca	aactaacggt	960
gctgaagaaa	agggaggagc	tatctatgct	aaagggtgacc	tctcaattca	atcttctaaa	1020
cagagtcttt	ttaattctaa	ctacagtaaa	caagggtggg	gggctctata	tgttgaagga	1080
ggtataaact	tccaagatct	tgaagaaatt	cgcattaagt	acaataaagc	tggaacgttc	1140
gaaacaaaaa	aaatcacttt	accttcttta	aaagctcaag	catctgcagg	aaatgcagat	1200
gcttgggctt	cttctctctc	tcaatctggg	tctggagcaa	ctacagtctc	cgactcagga	1260
gactctagct	ctggctcaga	ctcgataacc	tcagaaacag	ttccagtcac	agctaaaggc	1320
ggtgggcttt	atactgataa	gaatctttcg	attactaaca	tcacaggaat	tatcgaaatt	1380
gcaaataaca	aagcgacaga	tgttggagggt	ggtgcttacg	taaaagggaac	ccttacttgt	1440
gaaaactctc	accgtctaca	atttttgaaa	aactcttccg	ataaacaagg	tggaggaatc	1500
tacggagaag	acaacatcac	cctatctaat	ttgacaggga	agactctatt	ccaagagaat	1560
actgccaaag	aagagggcgg	tggactcttc	ataaaaggta	cagataaagc	tcttacaatg	1620
acaggactgg	atagtttctg	tttaattaat	aacacatcag	aaaaacatgg	tgggtggagcc	1680
tttgttacca	aagaaatctc	tcagacttac	acctctgatg	tggaaacaat	tccaggaatc	1740
acgcctgtac	atggtgaaac	agtcattact	ggcaataaat	ctacaggagg	taatggtgga	1800
ggcgtgtgta	caaaacgtct	tgccttatct	aaccttcaaa	gcatttctat	atccgggaat	1860
tctgcagcag	aaaatggtgg	tggagccac	acatgccag	atagcttccc	aacggcggat	1920
actgcagaac	agcccgagc	agcttctgcc	gcgacgtcta	ctcccaaate	tgcctcggtc	1980
tcaactgctc	taagcacacc	ttcatcttct	accgtctctt	cattaacctt	actagcagcc	2040
tcttcacaag	cctctcctgc	aacctctaat	aaggaaactc	aagatcctaa	tgctgataca	2100
gacttattga	tcgattatgt	agttgatacy	actatcagca	aaaacactgc	taagaaaggc	2160
ggtggaatct	atgctaaaaa	agccaagatg	tcccgcatag	acaaactgaa	tatctctgag	2220
aactccgcta	cagagatagg	tggaggatct	tgtctgtaaag	aatctttaga	actagatgct	2280
ctagtctcct	tatctgtaac	agagaacctt	ggtgggaaag	aagggtggagg	cttacatgct	2340
aaaactgtaa	atatttctaa	tctgaaatca	ggcttctctt	tctcgaacaa	caaagcaaac	2400
tcctcatcca	caggagtgcg	aacaacagct	tcagcacctg	ctgcagctgc	tgcttcctta	2460
caagcagccg	cagcagccgc	accatcatct	ccagcaacac	caacttatcc	aggtgtagta	2520
ggaggagcta	tctatggaga	aaaggttaca	ttctctcaat	gtagcgggac	ttgtcagttc	2580
tctgggaacc	aagctatcga	taacaatccc	tcccaatcat	cgttgaacgt	acaaggagga	2640
gccatctatg	ccaaaacctc	tttgtctatt	ggatcttccg	atgctggaac	ctcctatatt	2700
ttctcgggga	acagtgtctc	cactgggaaa	tctcaacaa	cagggcaaat	agcgggagga	2760
gcgatctact	cccctactgt	tacattgaat	tgtcctgcga	cattctctaa	caatacagcc	2820
tctatagcta	caccgaagac	ttcttctgaa	gatggatcct	caggaaatcc	tattaaagat	2880
accattggag	gagccattgc	agggacagcc	attaccctat	ctggagtctc	tcgattttca	2940
gggaatacgg	ctgatttagg	agctgcaata	ggaactctag	ctaatagcaa	tacacccagt	3000
gcaactagcg	gatctcaaaa	tagcattaca	gaaaaaatta	ctttagaaaa	cggttctttt	3060
atttttgaaa	gaaaccaagc	taataaacgt	ggagcgattt	actctcctag	cgtttccatt	3120
aaagggaata	atattacctt	caatcaaaat	acatccactc	atgatggaag	cgctatctac	3180
tttacaaaag	atgctacgat	tgagtcttta	ggatctgttc	tttttacagg	aaataacggt	3240
acagctacac	aagctagtcc	tgcaacatct	ggacaaaata	caaatactgc	caactatggg	3300
gcagccatct	ttggagatcc	aggaaccact	caatcgtctc	aaacagatgc	cattttaacc	3360
cttcttgctt	cttctggaaa	cattactttt	agcaacaaca	gtttacagaa	taaccaaggt	3420
gatactcccg	ctagcaagtt	ttgtagtatt	gcaggatagc	tcaaactctc	tctacaagcc	3480
gctaaaggga	agactattag	ctttttcgat	tgtgtgcaca	cctctacca	aaaaacaggt	3540
tcaacacaaa	acgtttatga	aacttttagat	attaataaag	aagagaacag	taatccatat	3600
acaggaacta	ttgtgttctc	ttctgaatta	catgaaaaca	aatcttacat	cccacagaat	3660
gcaatccttc	acaacggaac	tttagttctt	aaagagaaaa	cagaactcca	cgtagtctct	3720
tttgagcaga	aagaagggtc	taaattaat	atggaaacccg	gagctgtgtt	atctaaccac	3780
aacatagcta	acggagctct	agctatcaat	gggttaacga	ttgatctttc	cagtatgggg	3840
actcctcaag	caggggaaat	cttctctcct	ccagaattac	gtatcgttgc	cacgacctct	3900

```

agtgcacccg gaggaagcgg ggtcagcagt agtataccaaa caaatcctaa aaggattttct 3960
gcagcagtgcc cttcaggttc tgccgcaact actccaacta tgagcgagaa caaagttttc 4020
ctaacaggag accttacttt aatagatcct aatggaaact ttaccacaaa ccctatgtta 4080
ggaagcgatc tagatgtacc actaattaag cttccgacta acacaagtga cgtccaagtc 4140
tatgatttaa ctttatctgg ggatcttttc cctcagaaaag ggtacatggg aacctggaca 4200
ttagattcta atccacaaaac agggaaaactt caagccagat ggacattcga tacctatcgt 4260
cgctgggtat acatacctag ggataatcat ttttatgcga actctatctt aggcctccaa 4320
aactcaatga ttgttgtgaa gcaagggtt atcaacaaca tggtgaataa tgcccgttc 4380
gatgatatcg cttacaataa cttctgggtt tcaggagtag gaactttctt agctcaacaa 4440
ggaactcctc tttccgaaga attcagttac tacagccgcg gaacttcagt tgccatcgat 4500
gccaaaccta gacaagattt tatcctagga gctgcattta gtaagatagt ggggaaaacc 4560
aaagccatca aaaaaatgca taattacttc cataagggct ctgagtactc ttaccaagct 4620
tctgtctatg gaggtaaatt cctgtatttc ttgtctcaata agcaacatgg ttgggcactt 4680
cctttcctaa tacaaggagt cgtgtcctat ggacatatta aacatgatac aacacactt 4740
tacccttcta tccatgaaag aaataaagga gattgggaag atttaggatg gttagcggat 4800
cttcgtatct ctatggatct taaagaacct tctaaagatt cttctaaacg gatcactgtc 4860
tatggggaac tcgagtattc cagcattcgc cagaaacagt tcacagaaat cgattacgat 4920
ccaagacact tcgatgattg tgcttacaga aatctgtcgc ttctgtggg atgcgctgtc 4980
gaaggagcta tcatgaactg taatattctt atgtataata agcttgcat agcctacatg 5040
ccttctatct acagaaataa tctgtctgt aaatatcggg tattgtcttc gaatgaagct 5100
ggtaagttta tctgcggagt gccaaactaga acctctgcta gagcagaata cagtactcaa 5160
ctatatcttg gtccctcttg gactctctac ggaaactata ctatcgatgt aggcattgat 5220
acgctatcgc aatgactag ctgcggtgct cgcattgatct tctaa 5265

```

<210> 175

<211> 880

<212> PRT

<213> Chlamydia

<220>

<221> VARIANT

<222> (1)...(880)

<223> Xaa = Any Amino Acid

<400> 175

```

Ala Ile Met Arg Pro Asp His Met Asn Phe Cys Cys Leu Cys Ala Ala
 1             5             10             15
Ile Leu Ser Ser Thr Ala Val Leu Phe Gly Gln Asp Pro Leu Gly Glu
      20             25             30
Thr Ala Leu Leu Thr Lys Asn Pro Asn His Val Val Cys Thr Phe Phe
      35             40             45
Glu Asp Cys Thr Met Glu Ser Leu Phe Pro Ala Leu Cys Ala His Ala
      50             55             60
Ser Gln Asp Asp Pro Leu Tyr Val Leu Gly Asn Ser Tyr Cys Trp Phe
65             70             75             80
Val Ser Lys Leu His Ile Thr Asp Pro Lys Glu Ala Leu Phe Lys Glu
      85             90             95
Lys Gly Asp Leu Ser Ile Gln Asn Phe Arg Phe Leu Ser Phe Thr Asp
      100            105            110
Cys Ser Ser Lys Glu Ser Ser Pro Ser Ile Ile His Gln Lys Asn Gly
      115            120            125
Gln Leu Ser Leu Arg Asn Asn Gly Ser Met Ser Phe Cys Arg Asn His
      130            135            140

```

Ala Glu Gly Ser Gly Gly Ala Ile Ser Ala Asp Ala Phe Ser Leu Gln
 145 150 155 160
 His Asn Tyr Leu Phe Thr Ala Phe Glu Glu Asn Ser Ser Lys Gly Asn
 165 170 175
 Gly Gly Ala Ile Gln Ala Gln Thr Phe Ser Leu Ser Arg Asn Val Ser
 180 185 190
 Pro Ile Ser Phe Ala Arg Asn Arg Ala Asp Leu Asn Gly Gly Ala Ile
 195 200 205
 Cys Cys Ser Asn Leu Ile Cys Ser Gly Asn Val Asn Pro Leu Phe Phe
 210 215 220
 Thr Gly Asn Ser Ala Thr Asn Gly Gly Ala Ile Cys Cys Ile Ser Asp
 225 230 235 240
 Leu Asn Thr Ser Glu Lys Gly Ser Leu Ser Leu Ala Cys Asn Gln Glu
 245 250 255
 Thr Leu Phe Ala Ser Asn Ser Ala Lys Glu Lys Gly Gly Ala Ile Tyr
 260 265 270
 Ala Lys His Met Val Leu Arg Tyr Asn Gly Pro Val Ser Phe Ile Asn
 275 280 285
 Asn Ser Ala Lys Ile Gly Gly Ala Ile Ala Ile Gln Ser Gly Gly Ser
 290 295 300
 Leu Ser Ile Leu Ala Gly Glu Gly Ser Val Leu Phe Gln Asn Asn Ser
 305 310 315 320
 Gln Arg Thr Ser Asp Gln Gly Leu Val Arg Asn Ala Ile Tyr Leu Xaa
 325 330 335
 Lys Asp Ala Ile Leu Ser Ser Leu Glu Ala Arg Asn Gly Asp Ile Leu
 340 345 350
 Phe Phe Asp Pro Ile Val Gln Glu Ser Ser Ser Lys Glu Ser Pro Leu
 355 360 365
 Pro Ser Ser Leu Gln Ala Ser Val Thr Ser Pro Thr Pro Ala Thr Ala
 370 375 380
 Ser Pro Leu Val Ile Gln Thr Ser Ala Asn Arg Ser Val Ile Phe Ser
 385 390 395 400
 Ser Glu Arg Leu Ser Glu Glu Glu Lys Thr Pro Asp Asn Leu Thr Ser
 405 410 415
 Gln Leu Gln Gln Pro Ile Glu Leu Lys Ser Gly Arg Leu Val Leu Lys
 420 425 430
 Asp Arg Ala Val Leu Ser Ala Pro Ser Leu Ser Gln Asp Pro Gln Ala
 435 440 445
 Leu Leu Ile Met Glu Ala Gly Thr Ser Leu Lys Thr Ser Ser Asp Leu
 450 455 460
 Lys Leu Ala Thr Leu Ser Ile Pro Leu His Ser Leu Asp Thr Glu Lys
 465 470 475 480
 Ser Val Thr Ile His Ala Pro Asn Leu Ser Ile Gln Lys Ile Phe Leu
 485 490 495
 Ser Asn Ser Gly Asp Glu Asn Phe Tyr Glu Asn Val Glu Leu Leu Ser
 500 505 510
 Lys Glu Gln Asn Asn Ile Pro Leu Thr Leu Pro Lys Glu Gln Ser
 515 520 525
 His Leu His Leu Pro Asp Gly Asn Leu Ser Ser His Phe Gly Tyr Gln
 530 535 540
 Gly Asp Trp Thr Phe Ser Trp Lys Asp Ser Asp Glu Gly His Ser Leu
 545 550 555 560
 Ile Ala Asn Trp Thr Pro Lys Asn Tyr Val Pro His Pro Glu Arg Gln
 565 570 575
 Ser Thr Leu Val Ala Asn Thr Leu Trp Asn Thr Tyr Ser Asp Met Gln

580 585 590
 Ala Val Gln Ser Met Ile Asn Thr Thr Ala His Gly Gly Ala Tyr Leu
 595 600 605
 Phe Gly Thr Trp Gly Ser Ala Val Ser Asn Leu Phe Tyr Val His Asp
 610 615 620
 Ser Ser Gly Lys Pro Ile Asp Asn Trp His His Arg Ser Leu Gly Tyr
 625 630 635 640
 Leu Phe Gly Ile Ser Thr His Ser Leu Asp Asp His Ser Phe Cys Leu
 645 650 655
 Ala Ala Gly Gln Leu Leu Gly Lys Ser Ser Asp Ser Phe Ile Thr Ser
 660 665 670
 Thr Glu Thr Thr Ser Tyr Ile Ala Thr Val Gln Ala Gln Leu Ala Thr
 675 680 685
 Ser Leu Met Lys Ile Ser Ala Gln Ala Cys Tyr Asn Glu Ser Ile His
 690 695 700
 Glu Leu Lys Thr Lys Tyr Arg Ser Phe Ser Lys Glu Gly Phe Gly Ser
 705 710 715 720
 Trp His Ser Val Ala Val Ser Gly Glu Val Cys Ala Ser Ile Pro Ile
 725 730 735
 Val Ser Asn Gly Ser Gly Leu Phe Ser Ser Phe Ser Ile Phe Ser Lys
 740 745 750
 Leu Gln Gly Phe Ser Gly Thr Gln Asp Gly Phe Glu Glu Ser Ser Gly
 755 760 765
 Glu Ile Arg Ser Phe Ser Ala Ser Ser Phe Arg Asn Ile Ser Leu Pro
 770 775 780
 Ile Gly Ile Thr Phe Glu Lys Lys Ser Gln Lys Thr Arg Thr Tyr Tyr
 785 790 795 800
 Tyr Phe Leu Gly Ala Tyr Ile Gln Asp Leu Lys Arg Asp Val Glu Ser
 805 810 815
 Gly Pro Val Val Leu Leu Lys Asn Ala Val Ser Trp Asp Ala Pro Met
 820 825 830
 Ala Asn Leu Asp Ser Arg Ala Tyr Met Phe Arg Leu Thr Asn Gln Arg
 835 840 845
 Ala Leu His Arg Leu Gln Thr Leu Leu Asn Val Ser Cys Val Leu Arg
 850 855 860
 Gly Gln Ser His Ser Tyr Ser Leu Asp Leu Gly Thr Thr Tyr Arg Phe
 865 870 875 880

<210> 176

<211> 982

<212> PRT

<213> Chlamydia

<220>

<221> VARIANT

<222> (1)...(982)

<223> Xaa = Any Amino Acid

<400> 176

Met Ile Pro Gln Gly Ile Tyr Asp Gly Glu Thr Leu Thr Val Ser Phe
 1 5 10 15
 Pro Tyr Thr Val Ile Gly Asp Pro Ser Gly Thr Thr Val Phe Ser Ala
 20 25 30
 Gly Glu Leu Thr Leu Lys Asn Leu Asp Asn Ser Ile Ala Ala Leu Pro
 35 40 45

Leu Ser Cys Phe Gly Asn Leu Leu Gly Ser Phe Thr Val Leu Gly Arg
 50 55 60
 Gly His Ser Leu Thr Phe Glu Asn Ile Arg Thr Ser Thr Asn Gly Ala
 65 70 75 80
 Ala Leu Ser Asn Ser Ala Ala Asp Gly Leu Phe Thr Ile Glu Gly Phe
 85 90 95
 Lys Glu Leu Ser Phe Ser Asn Cys Asn Ser Leu Leu Ala Val Leu Pro
 100 105 110
 Ala Ala Thr Thr Asn Lys Gly Ser Gln Thr Pro Thr Thr Ser Thr
 115 120 125
 Pro Ser Asn Gly Thr Ile Tyr Ser Lys Thr Asp Leu Leu Leu Asn
 130 135 140
 Asn Glu Lys Phe Ser Phe Tyr Ser Asn Leu Val Ser Gly Asp Gly Gly
 145 150 155 160
 Ala Ile Asp Ala Lys Ser Leu Thr Val Gln Gly Ile Ser Lys Leu Cys
 165 170 175
 Val Phe Gln Glu Asn Thr Ala Gln Ala Asp Gly Gly Ala Cys Gln Val
 180 185 190
 Val Thr Ser Phe Ser Ala Met Ala Asn Glu Ala Pro Ile Ala Phe Val
 195 200 205
 Ala Asn Val Ala Gly Val Arg Gly Gly Gly Ile Ala Ala Val Gln Asp
 210 215 220
 Gly Gln Gln Gly Val Ser Ser Ser Thr Ser Thr Glu Asp Pro Val Val
 225 230 235 240
 Ser Phe Ser Arg Asn Thr Ala Val Glu Phe Asp Gly Asn Val Ala Arg
 245 250 255
 Val Gly Gly Gly Ile Tyr Ser Tyr Gly Asn Val Ala Phe Leu Asn Asn
 260 265 270
 Gly Lys Thr Leu Phe Leu Asn Asn Val Ala Ser Pro Val Tyr Ile Ala
 275 280 285
 Ala Lys Gln Pro Thr Ser Gly Gln Ala Ser Asn Thr Ser Asn Asn Tyr
 290 295 300
 Gly Asp Gly Gly Ala Ile Phe Cys Lys Asn Gly Ala Gln Ala Gly Ser
 305 310 315 320
 Asn Asn Ser Gly Ser Val Ser Phe Asp Gly Glu Gly Val Val Phe Phe
 325 330 335
 Ser Ser Asn Val Ala Ala Gly Lys Gly Gly Ala Ile Tyr Ala Lys Lys
 340 345 350
 Leu Ser Val Ala Asn Cys Gly Pro Val Gln Phe Leu Arg Asn Ile Ala
 355 360 365
 Asn Asp Gly Gly Ala Ile Tyr Leu Gly Glu Ser Gly Glu Leu Ser Leu
 370 375 380
 Ser Ala Asp Tyr Gly Asp Ile Ile Phe Asp Gly Asn Leu Lys Arg Thr
 385 390 395 400
 Ala Lys Glu Asn Ala Ala Asp Val Asn Gly Val Thr Val Ser Ser Gln
 405 410 415
 Ala Ile Ser Met Gly Ser Gly Gly Lys Ile Thr Thr Leu Arg Ala Lys
 420 425 430
 Ala Gly His Gln Ile Leu Phe Asn Asp Pro Ile Glu Met Ala Asn Gly
 435 440 445
 Asn Asn Gln Pro Ala Gln Ser Ser Lys Leu Leu Lys Ile Asn Asp Gly
 450 455 460
 Glu Gly Tyr Thr Gly Asp Ile Val Phe Ala Asn Gly Ser Ser Thr Leu
 465 470 475 480
 Tyr Gln Asn Val Thr Ile Glu Gln Gly Arg Ile Val Leu Arg Glu Lys

485 490 495
 Ala Lys Leu Ser Val Asn Ser Leu Ser Gln Thr Gly Gly Ser Leu Tyr
 500 505 510
 Met Glu Ala Gly Ser Thr Leu Asp Phe Val Thr Pro Gln Pro Pro Gln
 515 520 525
 Gln Pro Pro Ala Ala Asn Gln Leu Ile Thr Leu Ser Asn Leu His Leu
 530 535 540
 Ser Leu Ser Ser Leu Leu Ala Asn Asn Ala Val Thr Asn Pro Pro Thr
 545 550 555 560
 Asn Pro Pro Ala Gln Asp Ser His Pro Ala Val Ile Gly Ser Thr Thr
 565 570 575
 Ala Gly Ser Val Thr Ile Ser Gly Pro Ile Phe Phe Glu Asp Leu Asp
 580 585 590
 Asp Thr Ala Tyr Asp Arg Tyr Asp Trp Leu Gly Ser Asn Gln Lys Ile
 595 600 605
 Asn Val Leu Lys Leu Gln Leu Gly Thr Lys Pro Pro Ala Asn Ala Pro
 610 615 620
 Ser Asp Leu Thr Leu Gly Asn Glu Met Pro Lys Tyr Gly Tyr Gln Gly
 625 630 635 640
 Ser Trp Lys Leu Ala Trp Asp Pro Asn Thr Ala Asn Asn Gly Pro Tyr
 645 650 655
 Thr Leu Lys Ala Thr Trp Thr Lys Thr Gly Tyr Asn Pro Gly Pro Glu
 660 665 670
 Arg Val Ala Ser Leu Val Pro Asn Ser Leu Trp Gly Ser Ile Leu Asp
 675 680 685
 Ile Arg Ser Ala His Ser Ala Ile Gln Ala Ser Val Asp Gly Arg Ser
 690 695 700
 Tyr Cys Arg Gly Leu Trp Val Ser Gly Val Ser Asn Phe Phe Tyr His
 705 710 715 720
 Asp Arg Asp Ala Leu Gly Gln Gly Tyr Arg Tyr Ile Ser Gly Gly Tyr
 725 730 735
 Ser Leu Gly Ala Asn Ser Tyr Phe Gly Ser Ser Met Phe Gly Leu Ala
 740 745 750
 Phe Thr Glu Val Phe Gly Arg Ser Lys Asp Tyr Val Val Cys Arg Ser
 755 760 765
 Asn His His Ala Cys Ile Gly Ser Val Tyr Leu Ser Thr Gln Gln Ala
 770 775 780
 Leu Cys Gly Ser Tyr Leu Phe Gly Asp Ala Phe Ile Arg Ala Ser Tyr
 785 790 795 800
 Gly Phe Gly Asn Gln His Met Lys Thr Ser Tyr Thr Phe Ala Glu Glu
 805 810 815
 Ser Asp Val Arg Trp Asp Asn Asn Cys Leu Ala Gly Glu Ile Gly Ala
 820 825 830
 Gly Leu Pro Ile Val Ile Thr Pro Ser Lys Leu Tyr Leu Asn Glu Leu
 835 840 845
 Arg Pro Phe Val Gln Ala Glu Phe Ser Tyr Ala Asp His Glu Ser Phe
 850 855 860
 Thr Glu Glu Gly Asp Gln Ala Arg Ala Phe Lys Ser Gly His Leu Leu
 865 870 875 880
 Asn Leu Ser Val Pro Val Gly Val Lys Phe Asp Arg Cys Ser Ser Thr
 885 890 895
 His Pro Asn Lys Tyr Ser Phe Met Ala Ala Tyr Ile Cys Asp Ala Tyr
 900 905 910
 Arg Thr Ile Ser Gly Thr Glu Thr Leu Leu Ser His Gln Glu Thr
 915 920 925

Trp Thr Thr Asp Ala Phe His Leu Ala Arg His Gly Val Val Val Arg
 930 935 940
 Gly Ser Met Tyr Ala Ser Leu Thr Ser Asn Ile Glu Val Tyr Gly His
 945 950 955 960
 Gly Arg Tyr Glu Tyr Arg Asp Ala Ser Arg Gly Tyr Gly Leu Ser Ala
 965 970 975
 Gly Ser Lys Val Xaa Phe
 980

<210> 177
 <211> 964
 <212> PRT
 <213> Chlamydia

<400> 177
 Met Lys Lys Ala Phe Phe Phe Phe Leu Ile Gly Asn Ser Leu Ser Gly
 1 5 10 15
 Leu Ala Arg Glu Val Pro Ser Arg Ile Phe Leu Met Pro Asn Ser Val
 20 25 30
 Pro Asp Pro Thr Lys Glu Ser Leu Ser Asn Lys Ile Ser Leu Thr Gly
 35 40 45
 Asp Thr His Asn Leu Thr Asn Cys Tyr Leu Asp Asn Leu Arg Tyr Ile
 50 55 60
 Leu Ala Ile Leu Gln Lys Thr Pro Asn Glu Gly Ala Ala Val Thr Ile
 65 70 75 80
 Thr Asp Tyr Leu Ser Phe Phe Asp Thr Gln Lys Glu Gly Ile Tyr Phe
 85 90 95
 Ala Lys Asn Leu Thr Pro Glu Ser Gly Gly Ala Ile Gly Tyr Ala Ser
 100 105 110
 Pro Asn Ser Pro Thr Val Glu Ile Arg Asp Thr Ile Gly Pro Val Ile
 115 120 125
 Phe Glu Asn Asn Thr Cys Cys Arg Leu Phe Thr Trp Arg Asn Pro Tyr
 130 135 140
 Ala Ala Asp Lys Ile Arg Glu Gly Gly Ala Ile His Ala Gln Asn Leu
 145 150 155 160
 Tyr Ile Asn His Asn His Asp Val Val Gly Phe Met Lys Asn Phe Ser
 165 170 175
 Tyr Val Gln Gly Gly Ala Ile Ser Thr Ala Asn Thr Phe Val Val Ser
 180 185 190
 Glu Asn Gln Ser Cys Phe Leu Phe Met Asp Asn Ile Cys Ile Gln Thr
 195 200 205
 Asn Thr Ala Gly Lys Gly Gly Ala Ile Tyr Ala Gly Thr Ser Asn Ser
 210 215 220
 Phe Glu Ser Asn Asn Cys Asp Leu Phe Phe Ile Asn Asn Ala Cys Cys
 225 230 235 240
 Ala Gly Gly Ala Ile Phe Ser Pro Ile Cys Ser Leu Thr Gly Asn Arg
 245 250 255
 Gly Asn Ile Val Phe Tyr Asn Asn Arg Cys Phe Lys Asn Val Glu Thr
 260 265 270
 Ala Ser Ser Glu Ala Ser Asp Gly Gly Ala Ile Lys Val Thr Thr Arg
 275 280 285
 Leu Asp Val Thr Gly Asn Arg Gly Arg Ile Phe Phe Ser Asp Asn Ile
 290 295 300
 Thr Lys Asn Tyr Gly Gly Ala Ile Tyr Ala Pro Val Val Thr Leu Val
 305 310 315 320

Asp Asn Gly Pro Thr Tyr Phe Ile Asn Asn Ile Ala Asn Asn Lys Gly
 325 330 335
 Gly Ala Ile Tyr Ile Asp Gly Thr Ser Asn Ser Lys Ile Ser Ala Asp
 340 345 350
 Arg His Ala Ile Ile Phe Asn Glu Asn Ile Val Thr Asn Val Thr Asn
 355 360 365
 Ala Asn Gly Thr Ser Thr Ser Ala Asn Pro Pro Arg Arg Asn Ala Ile
 370 375 380
 Thr Val Ala Ser Ser Ser Gly Glu Ile Leu Leu Gly Ala Gly Ser Ser
 385 390 395 400
 Gln Asn Leu Ile Phe Tyr Asp Pro Ile Glu Val Ser Asn Ala Gly Val
 405 410 415
 Ser Val Ser Phe Asn Lys Glu Ala Asp Gln Thr Gly Ser Val Val Phe
 420 425 430
 Ser Gly Ala Thr Val Asn Ser Ala Asp Phe His Gln Arg Asn Leu Gln
 435 440 445
 Thr Lys Thr Pro Ala Pro Leu Thr Leu Ser Asn Gly Phe Leu Cys Ile
 450 455 460
 Glu Asp His Ala Gln Leu Thr Val Asn Arg Phe Thr Gln Thr Gly Gly
 465 470 475 480
 Val Val Ser Leu Gly Asn Gly Ala Val Leu Ser Cys Tyr Lys Asn Gly
 485 490 495
 Thr Gly Asp Ser Ala Ser Asn Ala Ser Ile Thr Leu Lys His Ile Gly
 500 505 510
 Leu Asn Leu Ser Ser Ile Leu Lys Ser Gly Ala Glu Ile Pro Leu Leu
 515 520 525
 Trp Val Glu Pro Thr Asn Asn Ser Asn Asn Tyr Thr Ala Asp Thr Ala
 530 535 540
 Ala Thr Phe Ser Leu Ser Asp Val Lys Leu Ser Leu Ile Asp Asp Tyr
 545 550 555 560
 Gly Asn Ser Pro Tyr Glu Ser Thr Asp Leu Thr His Ala Leu Ser Ser
 565 570 575
 Gln Pro Met Leu Ser Ile Ser Glu Ala Ser Asp Asn Gln Leu Gln Ser
 580 585 590
 Glu Asn Ile Asp Phe Ser Gly Leu Asn Val Pro His Tyr Gly Trp Gln
 595 600 605
 Gly Leu Trp Thr Trp Gly Trp Ala Lys Thr Gln Asp Pro Glu Pro Ala
 610 615 620
 Ser Ser Ala Thr Ile Thr Asp Pro Gln Lys Ala Asn Arg Phe His Arg
 625 630 635 640
 Thr Leu Leu Leu Thr Trp Leu Pro Ala Gly Tyr Val Pro Ser Pro Lys
 645 650 655
 His Arg Ser Pro Leu Ile Ala Asn Thr Leu Trp Gly Asn Met Leu Leu
 660 665 670
 Ala Thr Glu Ser Leu Lys Asn Ser Ala Glu Leu Thr Pro Ser Gly His
 675 680 685
 Pro Phe Trp Gly Ile Thr Gly Gly Gly Leu Gly Met Met Val Tyr Gln
 690 695 700
 Asp Pro Arg Glu Asn His Pro Gly Phe His Met Arg Ser Ser Gly Tyr
 705 710 715 720
 Ser Ala Gly Met Ile Ala Gly Gln Thr His Thr Phe Ser Leu Lys Phe
 725 730 735
 Ser Gln Thr Tyr Thr Lys Leu Asn Glu Arg Tyr Ala Lys Asn Asn Val
 740 745 750
 Ser Ser Lys Asn Tyr Ser Cys Gln Gly Glu Met Leu Phe Ser Leu Gln

755 760 765
 Glu Gly Phe Leu Leu Thr Lys Leu Val Gly Leu Tyr Ser Tyr Gly Asp
 770 775 780
 His Asn Cys His His Phe Tyr Thr Gln Gly Glu Asn Leu Thr Ser Gln
 785 790 795 800
 Gly Thr Phe Arg Ser Gln Thr Met Gly Gly Ala Val Phe Phe Asp Leu
 805 810 815
 Pro Met Lys Pro Phe Gly Ser Thr His Ile Leu Thr Ala Pro Phe Leu
 820 825 830
 Gly Ala Leu Gly Ile Tyr Ser Ser Leu Ser His Phe Thr Glu Val Gly
 835 840 845
 Ala Tyr Pro Arg Ser Phe Ser Thr Lys Thr Pro Leu Ile Asn Val Leu
 850 855 860
 Val Pro Ile Gly Val Lys Gly Ser Phe Met Asn Ala Thr His Arg Pro
 865 870 875 880
 Gln Ala Trp Thr Val Glu Leu Ala Tyr Gln Pro Val Leu Tyr Arg Gln
 885 890 895
 Glu Pro Gly Ile Ala Thr Gln Leu Leu Ala Ser Lys Gly Ile Trp Phe
 900 905 910
 Gly Ser Gly Ser Pro Ser Ser Arg His Ala Met Ser Tyr Lys Ile Ser
 915 920 925
 Gln Gln Thr Gln Pro Leu Ser Trp Leu Thr Leu His Phe Gln Tyr His
 930 935 940
 Gly Phe Tyr Ser Ser Ser Thr Phe Cys Asn Tyr Leu Asn Gly Glu Ile
 945 950 955 960
 Ala Leu Arg Phe

<210> 178
 <211> 1530
 <212> PRT
 <213> Chlamydia

<400> 178
 Met Ser Ser Glu Lys Asp Ile Lys Ser Thr Cys Ser Lys Phe Ser Leu
 1 5 10 15
 Ser Val Val Ala Ala Ile Leu Ala Ser Val Ser Gly Leu Ala Ser Cys
 20 25 30
 Val Asp Leu His Ala Gly Gly Gln Ser Val Asn Glu Leu Val Tyr Val
 35 40 45
 Gly Pro Gln Ala Val Leu Leu Leu Asp Gln Ile Arg Asp Leu Phe Val
 50 55 60
 Gly Ser Lys Asp Ser Gln Ala Glu Gly Gln Tyr Arg Leu Ile Val Gly
 65 70 75 80
 Asp Pro Ser Ser Phe Gln Glu Lys Asp Ala Asp Thr Leu Pro Gly Lys
 85 90 95
 Val Glu Gln Ser Thr Leu Phe Ser Val Thr Asn Pro Val Val Phe Gln
 100 105 110
 Gly Val Asp Gln Gln Asp Gln Val Ser Ser Gln Gly Leu Ile Cys Ser
 115 120 125
 Phe Thr Ser Ser Asn Leu Asp Ser Pro Arg Asp Gly Glu Ser Phe Leu
 130 135 140
 Gly Ile Ala Phe Val Gly Asp Ser Ser Lys Ala Gly Ile Thr Leu Thr
 145 150 155 160
 Asp Val Lys Ala Ser Leu Ser Gly Ala Ala Leu Tyr Ser Thr Glu Asp

165 170 175
 Leu Ile Phe Glu Lys Ile Lys Gly Gly Leu Glu Phe Ala Ser Cys Ser
 180 185 190
 Ser Leu Glu Gln Gly Gly Ala Cys Ala Ala Gln Ser Ile Leu Ile His
 195 200 205
 Asp Cys Gln Gly Leu Gln Val Lys His Cys Thr Thr Ala Val Asn Ala
 210 215 220
 Glu Gly Ser Ser Ala Asn Asp His Leu Gly Phe Gly Gly Gly Ala Phe
 225 230 235 240
 Phe Val Thr Gly Ser Leu Ser Gly Glu Lys Ser Leu Tyr Met Pro Ala
 245 250 255
 Gly Asp Met Val Val Ala Asn Cys Asp Gly Ala Ile Ser Phe Glu Gly
 260 265 270
 Asn Ser Ala Asn Phe Ala Asn Gly Gly Ala Ile Ala Ala Ser Gly Lys
 275 280 285
 Val Leu Phe Val Ala Asn Asp Lys Lys Thr Ser Phe Ile Glu Asn Arg
 290 295 300
 Ala Leu Ser Gly Gly Ala Ile Ala Ala Ser Ser Asp Ile Ala Phe Gln
 305 310 315 320
 Asn Cys Ala Glu Leu Val Phe Lys Gly Asn Cys Ala Ile Gly Thr Glu
 325 330 335
 Asp Lys Gly Ser Leu Gly Gly Gly Ala Ile Ser Ser Leu Gly Thr Val
 340 345 350
 Leu Leu Gln Gly Asn His Gly Ile Thr Cys Asp Lys Asn Glu Ser Ala
 355 360 365
 Ser Gln Gly Gly Ala Ile Phe Gly Lys Asn Cys Gln Ile Ser Asp Asn
 370 375 380
 Glu Gly Pro Val Val Phe Arg Asp Ser Thr Ala Cys Leu Gly Gly Gly
 385 390 395 400
 Ala Ile Ala Ala Gln Glu Ile Val Ser Ile Gln Asn Asn Gln Ala Gly
 405 410 415
 Ile Ser Phe Glu Gly Gly Lys Ala Ser Phe Gly Gly Gly Ile Ala Cys
 420 425 430
 Gly Ser Phe Ser Ser Ala Gly Gly Ala Ser Val Leu Gly Thr Ile Asp
 435 440 445
 Ile Ser Lys Asn Leu Gly Ala Ile Ser Phe Ser Arg Thr Leu Cys Thr
 450 455 460
 Thr Ser Asp Leu Gly Gln Met Glu Tyr Gln Gly Gly Ala Leu Phe
 465 470 475 480
 Gly Glu Asn Ile Ser Leu Ser Glu Asn Ala Gly Val Leu Thr Phe Lys
 485 490 495
 Asp Asn Ile Val Lys Thr Phe Ala Ser Asn Gly Lys Ile Leu Gly Gly
 500 505 510
 Gly Ala Ile Leu Ala Thr Gly Lys Val Glu Ile Thr Asn Asn Ser Gly
 515 520 525
 Gly Ile Ser Phe Thr Gly Asn Ala Arg Ala Pro Gln Ala Leu Pro Thr
 530 535 540
 Gln Glu Glu Phe Pro Leu Phe Ser Lys Lys Glu Gly Arg Pro Leu Ser
 545 550 555 560
 Ser Gly Tyr Ser Gly Gly Gly Ala Ile Leu Gly Arg Glu Val Ala Ile
 565 570 575
 Leu His Asn Ala Ala Val Val Phe Glu Gln Asn Arg Leu Gln Cys Ser
 580 585 590
 Glu Glu Glu Ala Thr Leu Leu Gly Cys Cys Gly Gly Gly Ala Val His
 595 600 605

Gly Met Asp Ser Thr Ser Ile Val Gly Asn Ser Ser Val Arg Phe Gly
 610 615 620
 Asn Asn Tyr Ala Met Gly Gln Gly Val Ser Gly Gly Ala Leu Leu Ser
 625 630 635 640
 Lys Thr Val Gln Leu Ala Gly Asn Gly Ser Val Asp Phe Ser Arg Asn
 645 650 655
 Ile Ala Ser Leu Gly Gly Gly Ala Leu Gln Ala Ser Glu Gly Asn Cys
 660 665 670
 Glu Leu Val Asp Asn Gly Tyr Val Leu Phe Arg Asp Asn Arg Gly Arg
 675 680 685
 Val Tyr Gly Gly Ala Ile Ser Cys Leu Arg Gly Asp Val Val Ile Ser
 690 695 700
 Gly Asn Lys Gly Arg Val Glu Phe Lys Asp Asn Ile Ala Thr Arg Leu
 705 710 715 720
 Tyr Val Glu Glu Thr Val Glu Lys Val Glu Glu Val Glu Pro Ala Pro
 725 730 735
 Glu Gln Lys Asp Asn Asn Glu Leu Ser Phe Leu Gly Ser Val Glu Gln
 740 745 750
 Ser Phe Ile Thr Ala Ala Asn Gln Ala Leu Phe Ala Ser Glu Asp Gly
 755 760 765
 Asp Leu Ser Pro Glu Ser Ser Ile Ser Ser Glu Glu Leu Ala Lys Arg
 770 775 780
 Arg Glu Cys Ala Gly Gly Ala Ile Phe Ala Lys Arg Val Arg Ile Val
 785 790 795 800
 Asp Asn Gln Glu Ala Val Val Phe Ser Asn Asn Phe Ser Asp Ile Tyr
 805 810 815
 Gly Gly Ala Ile Phe Thr Gly Ser Leu Arg Glu Glu Asp Lys Leu Asp
 820 825 830
 Gly Gln Ile Pro Glu Val Leu Ile Ser Gly Asn Ala Gly Asp Val Val
 835 840 845
 Phe Ser Gly Asn Ser Ser Lys Arg Asp Glu His Leu Pro His Thr Gly
 850 855 860
 Gly Gly Ala Ile Cys Thr Gln Asn Leu Thr Ile Ser Gln Asn Thr Gly
 865 870 875 880
 Asn Val Leu Phe Tyr Asn Asn Val Ala Cys Ser Gly Gly Ala Val Arg
 885 890 895
 Ile Glu Asp His Gly Asn Val Leu Leu Glu Ala Phe Gly Gly Asp Ile
 900 905 910
 Val Phe Lys Gly Asn Ser Ser Phe Arg Ala Gln Gly Ser Asp Ala Ile
 915 920 925
 Tyr Phe Ala Gly Lys Glu Ser His Ile Thr Ala Leu Asn Ala Thr Glu
 930 935 940
 Gly His Ala Ile Val Phe His Asp Ala Leu Val Phe Glu Asn Leu Lys
 945 950 955 960
 Glu Arg Lys Ser Ala Glu Val Leu Leu Ile Asn Ser Arg Glu Asn Pro
 965 970 975
 Gly Tyr Thr Gly Ser Ile Arg Phe Leu Glu Ala Glu Ser Lys Val Pro
 980 985 990
 Gln Cys Ile His Val Gln Gln Gly Ser Leu Glu Leu Leu Asn Gly Ala
 995 1000 1005
 Thr Leu Cys Ser Tyr Gly Phe Lys Gln Asp Ala Gly Ala Lys Leu Val
 1010 1015 1020
 Leu Ala Ala Gly Ser Lys Leu Lys Ile Leu Asp Ser Gly Thr Pro Val
 1025 1030 1035 1040
 Gln Gly His Ala Ile Ser Lys Pro Glu Ala Glu Ile Glu Ser Ser Ser

1045 1050 1055
 Glu Pro Glu Gly Ala His Ser Leu Trp Ile Ala Lys Asn Ala Gln Thr
 1060 1065 1070
 Thr Val Pro Met Val Asp Ile His Thr Ile Ser Val Asp Leu Ala Ser
 1075 1080 1085
 Phe Ser Ser Ser Gln Gln Glu Gly Thr Val Glu Ala Pro Gln Val Ile
 1090 1095 1100
 Val Pro Gly Gly Ser Tyr Val Arg Ser Gly Glu Leu Asn Leu Glu Leu
 1105 1110 1115 1120
 Val Asn Thr Thr Gly Thr Gly Tyr Glu Asn His Ala Leu Leu Lys Asn
 1125 1130 1135
 Glu Ala Lys Val Pro Leu Met Ser Phe Val Ala Ser Ser Asp Glu Ala
 1140 1145 1150
 Ser Ala Glu Ile Ser Asn Leu Ser Val Ser Asp Leu Gln Ile His Val
 1155 1160 1165
 Ala Thr Pro Glu Ile Glu Glu Asp Thr Tyr Gly His Met Gly Asp Trp
 1170 1175 1180
 Ser Glu Ala Lys Ile Gln Asp Gly Thr Leu Val Ile Asn Trp Asn Pro
 1185 1190 1195 1200
 Thr Gly Tyr Arg Leu Asp Pro Gln Lys Ala Gly Ala Leu Val Phe Asn
 1205 1210 1215
 Ala Leu Trp Glu Gly Ala Val Leu Ser Ala Leu Lys Asn Ala Arg
 1220 1225 1230
 Phe Ala His Asn Leu Thr Ala Gln Arg Met Glu Phe Asp Tyr Ser Thr
 1235 1240 1245
 Asn Val Trp Gly Phe Ala Phe Gly Gly Phe Arg Thr Leu Ser Ala Glu
 1250 1255 1260
 Asn Leu Val Ala Ile Asp Gly Tyr Lys Gly Ala Tyr Gly Gly Ala Ser
 1265 1270 1275 1280
 Ala Gly Val Asp Ile Gln Leu Met Glu Asp Phe Val Leu Gly Val Ser
 1285 1290 1295
 Gly Ala Ala Phe Leu Gly Lys Met Asp Ser Gln Lys Phe Asp Ala Glu
 1300 1305 1310
 Val Ser Arg Lys Gly Val Val Gly Ser Val Tyr Thr Gly Phe Leu Ala
 1315 1320 1325
 Gly Ser Trp Phe Phe Lys Gly Gln Tyr Ser Leu Gly Glu Thr Gln Asn
 1330 1335 1340
 Asp Met Lys Thr Arg Tyr Gly Val Leu Gly Glu Ser Ser Ala Ser Trp
 1345 1350 1355 1360
 Thr Ser Arg Gly Val Leu Ala Asp Ala Leu Val Glu Tyr Arg Ser Leu
 1365 1370 1375
 Val Gly Pro Val Arg Pro Thr Phe Tyr Ala Leu His Phe Asn Pro Tyr
 1380 1385 1390
 Val Glu Val Ser Tyr Ala Ser Met Lys Phe Pro Gly Phe Thr Glu Gln
 1395 1400 1405
 Gly Arg Glu Ala Arg Ser Phe Glu Asp Ala Ser Leu Thr Asn Ile Thr
 1410 1415 1420
 Ile Pro Leu Gly Met Lys Phe Glu Leu Ala Phe Ile Lys Gly Gln Phe
 1425 1430 1435 1440
 Ser Glu Val Asn Ser Leu Gly Ile Ser Tyr Ala Trp Glu Ala Tyr Arg
 1445 1450 1455
 Lys Val Glu Gly Gly Ala Val Gln Leu Leu Glu Ala Gly Phe Asp Trp
 1460 1465 1470
 Glu Gly Ala Pro Met Asp Leu Pro Arg Gln Glu Leu Arg Val Ala Leu
 1475 1480 1485

Glu Asn Asn Thr Glu Trp Ser Ser Tyr Phe Ser Thr Val Leu Gly Leu
 1490 1495 1500
 Thr Ala Phe Cys Gly Gly Phe Thr Ser Thr Asp Ser Lys Leu Gly Tyr
 1505 1510 1515 1520
 Glu Ala Asn Thr Gly Leu Arg Leu Ile Phe
 1525 1530

<210> 179
 <211> 1776
 <212> PRT
 <213> Chlamydia

<400> 179
 Ala Ile Met Lys Phe Met Ser Ala Thr Ala Val Phe Ala Ala Val Leu
 1 5 10 15
 Ser Ser Val Thr Glu Ala Ser Ser Ile Gln Asp Gln Ile Lys Asn Thr
 20 25 30
 Asp Cys Asn Val Ser Lys Val Gly Tyr Ser Thr Ser Gln Ala Phe Thr
 35 40 45
 Asp Met Met Leu Ala Asp Asn Thr Glu Tyr Arg Ala Ala Asp Ser Val
 50 55 60
 Ser Phe Tyr Asp Phe Ser Ser Ser Gly Leu Pro Arg Lys His Leu
 65 70 75 80
 Ser Ser Ser Ser Glu Ala Ser Pro Thr Thr Glu Gly Val Ser Ser Ser
 85 90 95
 Ser Ser Gly Glu Asn Thr Glu Asn Ser Gln Asp Ser Ala Pro Ser Ser
 100 105 110
 Gly Glu Thr Asp Lys Lys Thr Glu Glu Leu Asp Asn Gly Gly Ile
 115 120 125
 Ile Tyr Ala Arg Glu Lys Leu Thr Ile Ser Glu Ser Gln Asp Ser Leu
 130 135 140
 Ser Asn Pro Ser Ile Glu Leu His Asp Asn Ser Phe Phe Phe Gly Glu
 145 150 155 160
 Gly Glu Val Ile Phe Asp His Arg Val Ala Leu Lys Asn Gly Gly Ala
 165 170 175
 Ile Tyr Gly Glu Lys Glu Val Val Phe Glu Asn Ile Lys Ser Leu Leu
 180 185 190
 Val Glu Val Asn Ile Ser Val Glu Lys Gly Gly Ser Val Tyr Ala Lys
 195 200 205
 Glu Arg Val Ser Leu Glu Asn Val Thr Glu Ala Thr Phe Ser Ser Asn
 210 215 220
 Gly Gly Glu Gln Gly Gly Gly Gly Ile Tyr Ser Glu Gln Asp Met Leu
 225 230 235 240
 Ile Ser Asp Cys Asn Asn Val His Phe Gln Gly Asn Ala Ala Gly Ala
 245 250 255
 Thr Ala Val Lys Gln Cys Leu Asp Glu Glu Met Ile Val Leu Leu Thr
 260 265 270
 Glu Cys Val Asp Ser Leu Ser Glu Asp Thr Leu Asp Ser Thr Pro Glu
 275 280 285
 Thr Glu Gln Thr Lys Ser Asn Gly Asn Gln Asp Gly Ser Ser Glu Thr
 290 295 300
 Lys Asp Thr Gln Val Ser Glu Ser Pro Glu Ser Thr Pro Ser Pro Asp
 305 310 315 320
 Asp Val Leu Gly Lys Gly Gly Gly Ile Tyr Thr Glu Lys Ser Leu Thr
 325 330 335

Ile Thr Gly Ile Thr Gly Thr Ile Asp Phe Val Ser Asn Ile Ala Thr
 340 345 350
 Asp Ser Gly Ala Gly Val Phe Thr Lys Glu Asn Leu Ser Cys Thr Asn
 355 360 365
 Thr Asn Ser Leu Gln Phe Leu Lys Asn Ser Ala Gly Gln His Gly Gly
 370 375 380
 Gly Ala Tyr Val Thr Gln Thr Met Ser Val Thr Asn Thr Thr Ser Glu
 385 390 395 400
 Ser Ile Thr Thr Pro Leu Val Gly Glu Val Ile Phe Ser Glu Asn
 405 410 415
 Thr Ala Lys Gly His Gly Gly Gly Ile Cys Thr Asn Lys Leu Ser Leu
 420 425 430
 Ser Asn Leu Lys Thr Val Thr Leu Thr Lys Asn Ser Ala Lys Glu Ser
 435 440 445
 Gly Gly Ala Ile Phe Thr Asp Leu Ala Ser Ile Pro Thr Thr Asp Thr
 450 455 460
 Pro Glu Ser Ser Thr Pro Ser Ser Ser Ser Pro Ala Ser Thr Pro Glu
 465 470 475 480
 Val Val Ala Ser Ala Lys Ile Asn Arg Phe Phe Ala Ser Thr Ala Glu
 485 490 495
 Pro Ala Ala Pro Ser Leu Thr Glu Ala Glu Ser Asp Gln Thr Asp Gln
 500 505 510
 Thr Glu Thr Ser Asp Thr Asn Ser Asp Ile Asp Val Ser Ile Glu Asn
 515 520 525
 Ile Leu Asn Val Ala Ile Asn Gln Asn Thr Ser Ala Lys Lys Gly Gly
 530 535 540
 Ala Ile Tyr Gly Lys Lys Ala Lys Leu Ser Arg Ile Asn Asn Leu Glu
 545 550 555 560
 Leu Ser Gly Asn Ser Ser Gln Asp Val Gly Gly Gly Leu Cys Leu Thr
 565 570 575
 Glu Ser Val Glu Phe Asp Ala Ile Gly Ser Leu Leu Ser His Tyr Asn
 580 585 590
 Ser Ala Ala Lys Glu Gly Gly Val Ile His Ser Lys Thr Val Thr Leu
 595 600 605
 Ser Asn Leu Lys Ser Thr Phe Thr Phe Ala Asp Asn Thr Val Lys Ala
 610 615 620
 Ile Val Glu Ser Thr Pro Glu Ala Pro Glu Glu Ile Pro Pro Val Glu
 625 630 635 640
 Gly Glu Glu Ser Thr Ala Thr Glu Asn Pro Asn Ser Asn Thr Glu Gly
 645 650 655
 Ser Ser Ala Asn Thr Asn Leu Glu Gly Ser Gln Gly Asp Thr Ala Asp
 660 665 670
 Thr Gly Thr Gly Val Val Asn Asn Glu Ser Gln Asp Thr Ser Asp Thr
 675 680 685
 Gly Asn Ala Glu Ser Gly Glu Gln Leu Gln Asp Ser Thr Gln Ser Asn
 690 695 700
 Glu Glu Asn Thr Leu Pro Asn Ser Ser Ile Asp Gln Ser Asn Glu Asn
 705 710 715 720
 Thr Asp Glu Ser Ser Asp Ser His Thr Glu Glu Ile Thr Asp Glu Ser
 725 730 735
 Val Ser Ser Ser Ser Lys Ser Gly Ser Ser Thr Pro Gln Asp Gly Gly
 740 745 750
 Ala Ala Ser Ser Gly Ala Pro Ser Gly Asp Gln Ser Ile Ser Ala Asn
 755 760 765
 Ala Cys Leu Ala Lys Ser Tyr Ala Ala Ser Thr Asp Ser Ser Pro Val

770	775	780
Ser Asn Ser Ser Gly Ser Asp Val Thr Ala Ser Ser Asp Asn Pro Asp		
785	790	795
Ser Ser Ser Ser Gly Asp Ser Ala Gly Asp Ser Glu Gly Pro Thr Glu		800
	805	810
Pro Glu Ala Gly Ser Thr Thr Glu Thr Pro Thr Leu Ile Gly Gly Gly		815
	820	825
Ala Ile Tyr Gly Glu Thr Val Lys Ile Glu Asn Phe Ser Gly Gln Gly		830
	835	840
Ile Phe Ser Gly Asn Lys Ala Ile Asp Asn Thr Thr Glu Gly Ser Ser		845
	850	855
Ser Lys Ser Asn Val Leu Gly Gly Ala Val Tyr Ala Lys Thr Leu Phe		860
865	870	875
Asn Leu Asp Ser Gly Ser Ser Arg Arg Thr Val Thr Phe Ser Gly Asn		880
	885	890
Thr Val Ser Ser Gln Ser Thr Thr Gly Gln Val Ala Gly Gly Ala Ile		895
	900	905
Tyr Ser Pro Thr Val Thr Ile Ala Thr Pro Val Val Phe Ser Lys Asn		910
	915	920
Ser Ala Thr Asn Asn Ala Asn Asn Ala Thr Asp Thr Gln Arg Lys Asp		925
	930	935
Thr Phe Gly Gly Ala Ile Gly Ala Thr Ser Ala Val Ser Leu Ser Gly		940
945	950	955
Gly Ala His Phe Leu Glu Asn Val Ala Asp Leu Gly Ser Ala Ile Gly		960
	965	970
Leu Val Pro Asp Thr Gln Asn Thr Glu Thr Val Lys Leu Glu Ser Gly		975
	980	985
Ser Tyr Tyr Phe Glu Lys Asn Lys Ala Leu Lys Arg Ala Thr Ile Tyr		990
	995	1000
Ala Pro Val Val Ser Ile Lys Ala Tyr Thr Ala Thr Phe Asn Gln Asn		1005
	1010	1015
Arg Ser Leu Glu Glu Gly Ser Ala Ile Tyr Phe Thr Lys Glu Ala Ser		1020
1025	1030	1035
Ile Glu Ser Leu Gly Ser Val Leu Phe Thr Gly Asn Leu Val Thr Pro		1040
	1045	1050
Thr Leu Ser Thr Thr Thr Glu Gly Thr Pro Ala Thr Thr Ser Gly Asp		1055
	1060	1065
Val Thr Lys Tyr Gly Ala Ala Ile Phe Gly Gln Ile Ala Ser Ser Asn		1070
	1075	1080
Gly Ser Gln Thr Asp Asn Leu Pro Leu Lys Leu Ile Ala Ser Gly Gly		1085
	1090	1095
Asn Ile Cys Phe Arg Asn Asn Glu Tyr Arg Pro Thr Ser Ser Asp Thr		1100
1105	1110	1115
Gly Thr Ser Thr Phe Cys Ser Ile Ala Gly Asp Val Lys Leu Thr Met		1120
	1125	1130
Gln Ala Ala Lys Gly Lys Thr Ile Ser Phe Phe Asp Ala Ile Arg Thr		1135
	1140	1145
Ser Thr Lys Lys Thr Gly Thr Gln Ala Thr Ala Tyr Asp Thr Leu Asp		1150
	1155	1160
Ile Asn Lys Ser Glu Asp Ser Glu Thr Val Asn Ser Ala Phe Thr Gly		1165
	1170	1175
Thr Ile Leu Phe Ser Ser Glu Leu His Glu Asn Lys Ser Tyr Ile Pro		1180
1185	1190	1195
Gln Asn Val Val Leu His Ser Gly Ser Leu Val Leu Lys Pro Asn Thr		1200
	1205	1210
		1215

Glu Leu His Val Ile Ser Phe Glu Gln Lys Glu Gly Ser Ser Leu Val
 1220 1225 1230
 Met Thr Pro Gly Ser Val Leu Ser Asn Gln Thr Val Ala Asp Gly Ala
 1235 1240 1245
 Leu Val Ile Asn Asn Met Thr Ile Asp Leu Ser Ser Val Glu Lys Asn
 1250 1255 1260
 Gly Ile Ala Glu Gly Asn Ile Phe Thr Pro Pro Glu Leu Arg Ile Ile
 1265 1270 1275 1280
 Asp Thr Thr Thr Ser Gly Ser Gly Gly Thr Pro Ser Thr Asp Ser Glu
 1285 1290 1295
 Ser Asn Gln Asn Ser Asp Asp Thr Lys Glu Gln Asn Asn Asn Asp Ala
 1300 1305 1310
 Ser Asn Gln Gly Glu Ser Ala Asn Gly Ser Ser Ser Pro Ala Val Ala
 1315 1320 1325
 Ala Ala His Thr Ser Arg Thr Arg Asn Phe Ala Ala Ala Thr Ala
 1330 1335 1340
 Thr Pro Thr Thr Thr Pro Thr Ala Thr Thr Thr Ser Asn Gln Val
 1345 1350 1355 1360
 Ile Leu Gly Gly Glu Ile Lys Leu Ile Asp Pro Asn Gly Thr Phe Phe
 1365 1370 1375
 Gln Asn Pro Ala Leu Arg Ser Asp Gln Gln Ile Ser Leu Leu Val Leu
 1380 1385 1390
 Pro Thr Asp Ser Ser Lys Met Gln Ala Gln Lys Ile Val Leu Thr Gly
 1395 1400 1405
 Asp Ile Ala Pro Gln Lys Gly Tyr Thr Gly Thr Leu Thr Leu Asp Pro
 1410 1415 1420
 Asp Gln Leu Gln Asn Gly Thr Ile Ser Ala Leu Trp Lys Phe Asp Ser
 1425 1430 1435 1440
 Tyr Arg Gln Trp Ala Tyr Val Pro Arg Asp Asn His Phe Tyr Ala Asn
 1445 1450 1455
 Ser Ile Leu Gly Ser Gln Met Ser Met Val Thr Val Lys Gln Gly Leu
 1460 1465 1470
 Leu Asn Asp Lys Met Asn Leu Ala Arg Phe Asp Glu Val Ser Tyr Asn
 1475 1480 1485
 Asn Leu Trp Ile Ser Gly Leu Gly Thr Met Leu Ser Gln Val Gly Thr
 1490 1495 1500
 Pro Thr Ser Glu Glu Phe Thr Tyr Tyr Ser Arg Gly Ala Ser Val Ala
 1505 1510 1515 1520
 Leu Asp Ala Lys Pro Ala His Asp Val Ile Val Gly Ala Ala Phe Ser
 1525 1530 1535
 Lys Met Ile Gly Lys Thr Lys Ser Leu Lys Arg Glu Asn Asn Tyr Thr
 1540 1545 1550
 His Lys Gly Ser Glu Tyr Ser Tyr Gln Ala Ser Val Tyr Gly Gly Lys
 1555 1560 1565
 Pro Phe His Phe Val Ile Asn Lys Lys Thr Glu Lys Ser Leu Pro Leu
 1570 1575 1580
 Leu Leu Gln Gly Val Ile Ser Tyr Gly Tyr Ile Lys His Asp Thr Val
 1585 1590 1595 1600
 Thr His Tyr Pro Thr Ile Arg Glu Arg Asn Gln Gly Glu Trp Glu Asp
 1605 1610 1615
 Leu Gly Trp Leu Thr Ala Leu Arg Val Ser Ser Val Leu Arg Thr Pro
 1620 1625 1630
 Ala Gln Gly Asp Thr Lys Arg Ile Thr Val Tyr Gly Glu Leu Glu Tyr
 1635 1640 1645
 Ser Ser Ile Arg Gln Lys Gln Phe Thr Glu Thr Glu Tyr Asp Pro Arg

1650 1655 1660
 Tyr Phe Asp Asn Cys Thr Tyr Arg Asn Leu Ala Ile Pro Met Gly Leu
 1665 1670 1675 1680
 Ala Phe Glu Gly Glu Leu Ser Gly Asn Asp Ile Leu Met Tyr Asn Arg
 1685 1690 1695
 Phe Ser Val Ala Tyr Met Pro Ser Ile Tyr Arg Asn Ser Pro Thr Cys
 1700 1705 1710
 Lys Tyr Gln Val Leu Ser Ser Gly Glu Gly Gly Glu Ile Ile Cys Gly
 1715 1720 1725
 Val Pro Thr Arg Asn Ser Ala Arg Gly Glu Tyr Ser Thr Gln Leu Tyr
 1730 1735 1740
 Pro Gly Pro Leu Trp Thr Leu Tyr Gly Ser Tyr Thr Ile Glu Ala Asp
 1745 1750 1755 1760
 Ala His Thr Leu Ala His Met Met Asn Cys Gly Ala Arg Met Thr Phe
 1765 1770 1775

<210> 180

<211> 1752

<212> PRT

<213> Chlamydia

<400> 180

Met Lys Trp Leu Ser Ala Thr Ala Val Phe Ala Ala Val Leu Pro Ser
 1 5 10 15
 Val Ser Gly Phe Cys Phe Pro Glu Pro Lys Glu Leu Asn Phe Ser Arg
 20 25 30
 Val Glu Thr Ser Ser Ser Thr Thr Phe Thr Glu Thr Ile Gly Glu Ala
 35 40 45
 Gly Ala Glu Tyr Ile Val Ser Gly Asn Ala Ser Phe Thr Lys Phe Thr
 50 55 60
 Asn Ile Pro Thr Thr Asp Thr Thr Thr Pro Thr Asn Ser Asn Ser Ser
 65 70 75 80
 Ser Ser Ser Gly Glu Thr Ala Ser Val Ser Glu Asp Ser Asp Ser Thr
 85 90 95
 Thr Thr Thr Pro Asp Pro Lys Gly Gly Gly Ala Phe Tyr Asn Ala His
 100 105 110
 Ser Gly Val Leu Ser Phe Met Thr Arg Ser Gly Thr Glu Gly Ser Leu
 115 120 125
 Thr Leu Ser Glu Ile Lys Met Thr Gly Glu Gly Gly Ala Ile Phe Ser
 130 135 140
 Gln Gly Glu Leu Leu Phe Thr Asp Leu Thr Ser Leu Thr Ile Gln Asn
 145 150 155 160
 Asn Leu Ser Gln Leu Ser Gly Gly Ala Ile Phe Gly Gly Ser Thr Ile
 165 170 175
 Ser Leu Ser Gly Ile Thr Lys Ala Thr Phe Ser Cys Asn Ser Ala Glu
 180 185 190
 Val Pro Ala Pro Val Lys Lys Pro Thr Glu Pro Lys Ala Gln Thr Ala
 195 200 205
 Ser Glu Thr Ser Gly Ser Ser Ser Ser Ser Gly Asn Asp Ser Val Ser
 210 215 220
 Ser Pro Ser Ser Ser Arg Ala Glu Pro Ala Ala Ala Asn Leu Gln Ser
 225 230 235 240
 His Phe Ile Cys Ala Thr Ala Thr Pro Ala Ala Gln Thr Asp Thr Glu
 245 250 255
 Thr Ser Thr Pro Ser His Lys Pro Gly Ser Gly Gly Ala Ile Tyr Ala

260 265 270
 Lys Gly Asp Leu Thr Ile Ala Asp Ser Gln Glu Val Leu Phe Ser Ile
 275 280 285
 Asn Lys Ala Thr Lys Asp Gly Gly Ala Ile Phe Ala Glu Lys Asp Val
 290 295 300
 Ser Phe Glu Asn Ile Thr Ser Leu Lys Val Gln Thr Asn Gly Ala Glu
 305 310 315 320
 Glu Lys Gly Gly Ala Ile Tyr Ala Lys Gly Asp Leu Ser Ile Gln Ser
 325 330 335
 Ser Lys Gln Ser Leu Phe Asn Ser Asn Tyr Ser Lys Gln Gly Gly Gly
 340 345 350
 Ala Leu Tyr Val Glu Gly Gly Ile Asn Phe Gln Asp Leu Glu Glu Ile
 355 360 365
 Arg Ile Lys Tyr Asn Lys Ala Gly Thr Phe Glu Thr Lys Lys Ile Thr
 370 375 380
 Leu Pro Ser Leu Lys Ala Gln Ala Ser Ala Gly Asn Ala Asp Ala Trp
 385 390 395 400
 Ala Ser Ser Ser Pro Gln Ser Gly Ser Gly Ala Thr Thr Val Ser Asp
 405 410 415
 Ser Gly Asp Ser Ser Ser Gly Ser Asp Ser Asp Thr Ser Glu Thr Val
 420 425 430
 Pro Val Thr Ala Lys Gly Gly Gly Leu Tyr Thr Asp Lys Asn Leu Ser
 435 440 445
 Ile Thr Asn Ile Thr Gly Ile Ile Glu Ile Ala Asn Asn Lys Ala Thr
 450 455 460
 Asp Val Gly Gly Gly Ala Tyr Val Lys Gly Thr Leu Thr Cys Glu Asn
 465 470 475 480
 Ser His Arg Leu Gln Phe Leu Lys Asn Ser Ser Asp Lys Gln Gly Gly
 485 490 495
 Gly Ile Tyr Gly Glu Asp Asn Ile Thr Leu Ser Asn Leu Thr Gly Lys
 500 505 510
 Thr Leu Phe Gln Glu Asn Thr Ala Lys Glu Glu Gly Gly Gly Leu Phe
 515 520 525
 Ile Lys Gly Thr Asp Lys Ala Leu Thr Met Thr Gly Leu Asp Ser Phe
 530 535 540
 Cys Leu Ile Asn Asn Thr Ser Glu Lys His Gly Gly Gly Ala Phe Val
 545 550 555 560
 Thr Lys Glu Ile Ser Gln Thr Tyr Thr Ser Asp Val Glu Thr Ile Pro
 565 570 575
 Gly Ile Thr Pro Val His Gly Glu Thr Val Ile Thr Gly Asn Lys Ser
 580 585 590
 Thr Gly Gly Asn Gly Gly Gly Val Cys Thr Lys Arg Leu Ala Leu Ser
 595 600 605
 Asn Leu Gln Ser Ile Ser Ile Ser Gly Asn Ser Ala Ala Glu Asn Gly
 610 615 620
 Gly Gly Ala His Thr Cys Pro Asp Ser Phe Pro Thr Ala Asp Thr Ala
 625 630 635 640
 Glu Gln Pro Ala Ala Ala Ser Ala Ala Thr Ser Thr Pro Lys Ser Ala
 645 650 655
 Pro Val Ser Thr Ala Leu Ser Thr Pro Ser Ser Ser Thr Val Ser Ser
 660 665 670
 Leu Thr Leu Leu Ala Ala Ser Ser Gln Ala Ser Pro Ala Thr Ser Asn
 675 680 685
 Lys Glu Thr Gln Asp Pro Asn Ala Asp Thr Asp Leu Leu Ile Asp Tyr
 690 695 700

Val Val Asp Thr Thr Ile Ser Lys Asn Thr Ala Lys Lys Gly Gly Gly
 705 710 715 720
 Ile Tyr Ala Lys Lys Ala Lys Met Ser Arg Ile Asp Gln Leu Asn Ile
 725 730 735
 Ser Glu Asn Ser Ala Thr Glu Ile Gly Gly Gly Ile Cys Cys Lys Glu
 740 745 750
 Ser Leu Glu Leu Asp Ala Leu Val Ser Leu Ser Val Thr Glu Asn Leu
 755 760 765
 Val Gly Lys Glu Gly Gly Gly Leu His Ala Lys Thr Val Asn Ile Ser
 770 775 780
 Asn Leu Lys Ser Gly Phe Ser Phe Ser Asn Asn Lys Ala Asn Ser Ser
 785 790 795 800
 Ser Thr Gly Val Ala Thr Thr Ala Ser Ala Pro Ala Ala Ala Ala
 805 810 815
 Ser Leu Gln Ala Ala Ala Ala Ala Ala Pro Ser Ser Pro Ala Thr Pro
 820 825 830
 Thr Tyr Ser Gly Val Val Gly Gly Ala Ile Tyr Gly Glu Lys Val Thr
 835 840 845
 Phe Ser Gln Cys Ser Gly Thr Cys Gln Phe Ser Gly Asn Gln Ala Ile
 850 855 860
 Asp Asn Asn Pro Ser Gln Ser Ser Leu Asn Val Gln Gly Gly Ala Ile
 865 870 875 880
 Tyr Ala Lys Thr Ser Leu Ser Ile Gly Ser Ser Asp Ala Gly Thr Ser
 885 890 895
 Tyr Ile Phe Ser Gly Asn Ser Val Ser Thr Gly Lys Ser Gln Thr Thr
 900 905 910
 Gly Gln Ile Ala Gly Gly Ala Ile Tyr Ser Pro Thr Val Thr Leu Asn
 915 920 925
 Cys Pro Ala Thr Phe Ser Asn Asn Thr Ala Ser Ile Ala Thr Pro Lys
 930 935 940
 Thr Ser Ser Glu Asp Gly Ser Ser Gly Asn Ser Ile Lys Asp Thr Ile
 945 950 955 960
 Gly Gly Ala Ile Ala Gly Thr Ala Ile Thr Leu Ser Gly Val Ser Arg
 965 970 975
 Phe Ser Gly Asn Thr Ala Asp Leu Gly Ala Ala Ile Gly Thr Leu Ala
 980 985 990
 Asn Ala Asn Thr Pro Ser Ala Thr Ser Gly Ser Gln Asn Ser Ile Thr
 995 1000 1005
 Glu Lys Ile Thr Leu Glu Asn Gly Ser Phe Ile Phe Glu Arg Asn Gln
 1010 1015 1020
 Ala Asn Lys Arg Gly Ala Ile Tyr Ser Pro Ser Val Ser Ile Lys Gly
 1025 1030 1035 1040
 Asn Asn Ile Thr Phe Asn Gln Asn Thr Ser Thr His Asp Gly Ser Ala
 1045 1050 1055
 Ile Tyr Phe Thr Lys Asp Ala Thr Ile Glu Ser Leu Gly Ser Val Leu
 1060 1065 1070
 Phe Thr Gly Asn Asn Val Thr Ala Thr Gln Ala Ser Ser Ala Thr Ser
 1075 1080 1085
 Gly Gln Asn Thr Asn Thr Ala Asn Tyr Gly Ala Ala Ile Phe Gly Asp
 1090 1095 1100
 Pro Gly Thr Thr Gln Ser Ser Gln Thr Asp Ala Ile Leu Thr Leu Leu
 1105 1110 1115 1120
 Ala Ser Ser Gly Asn Ile Thr Phe Ser Asn Asn Ser Leu Gln Asn Asn
 1125 1130 1135
 Gln Gly Asp Thr Pro Ala Ser Lys Phe Cys Ser Ile Ala Gly Tyr Val

1140 1145 1150
 Lys Leu Ser Leu Gln Ala Ala Lys Gly Lys Thr Ile Ser Phe Phe Asp
 1155 1160 1165
 Cys Val His Thr Ser Thr Lys Lys Thr Gly Ser Thr Gln Asn Val Tyr
 1170 1175 1180
 Glu Thr Leu Asp Ile Asn Lys Glu Glu Asn Ser Asn Pro Tyr Thr Gly
 1185 1190 1195 1200
 Thr Ile Val Phe Ser Ser Glu Leu His Glu Asn Lys Ser Tyr Ile Pro
 1205 1210 1215
 Gln Asn Ala Ile Leu His Asn Gly Thr Leu Val Leu Lys Glu Lys Thr
 1220 1225 1230
 Glu Leu His Val Val Ser Phe Glu Gln Lys Glu Gly Ser Lys Leu Ile
 1235 1240 1245
 Met Glu Pro Gly Ala Val Leu Ser Asn Gln Asn Ile Ala Asn Gly Ala
 1250 1255 1260
 Leu Ala Ile Asn Gly Leu Thr Ile Asp Leu Ser Ser Met Gly Thr Pro
 1265 1270 1275 1280
 Gln Ala Gly Glu Ile Phe Ser Pro Pro Glu Leu Arg Ile Val Ala Thr
 1285 1290 1295
 Thr Ser Ser Ala Ser Gly Gly Ser Gly Val Ser Ser Ser Ile Pro Thr
 1300 1305 1310
 Asn Pro Lys Arg Ile Ser Ala Ala Val Pro Ser Gly Ser Ala Ala Thr
 1315 1320 1325
 Thr Pro Thr Met Ser Glu Asn Lys Val Phe Leu Thr Gly Asp Leu Thr
 1330 1335 1340
 Leu Ile Asp Pro Asn Gly Asn Phe Tyr Gln Asn Pro Met Leu Gly Ser
 1345 1350 1355 1360
 Asp Leu Asp Val Pro Leu Ile Lys Leu Pro Thr Asn Thr Ser Asp Val
 1365 1370 1375
 Gln Val Tyr Asp Leu Thr Leu Ser Gly Asp Leu Phe Pro Gln Lys Gly
 1380 1385 1390
 Tyr Met Gly Thr Trp Thr Leu Asp Ser Asn Pro Gln Thr Gly Lys Leu
 1395 1400 1405
 Gln Ala Arg Trp Thr Phe Asp Thr Tyr Arg Arg Trp Val Tyr Ile Pro
 1410 1415 1420
 Arg Asp Asn His Phe Tyr Ala Asn Ser Ile Leu Gly Ser Gln Asn Ser
 1425 1430 1435 1440
 Met Ile Val Val Lys Gln Gly Leu Ile Asn Asn Met Leu Asn Asn Ala
 1445 1450 1455
 Arg Phe Asp Asp Ile Ala Tyr Asn Asn Phe Trp Val Ser Gly Val Gly
 1460 1465 1470
 Thr Phe Leu Ala Gln Gln Gly Thr Pro Leu Ser Glu Glu Phe Ser Tyr
 1475 1480 1485
 Tyr Ser Arg Gly Thr Ser Val Ala Ile Asp Ala Lys Pro Arg Gln Asp
 1490 1495 1500
 Phe Ile Leu Gly Ala Ala Phe Ser Lys Ile Val Gly Lys Thr Lys Ala
 1505 1510 1515 1520
 Ile Lys Lys Met His Asn Tyr Phe His Lys Gly Ser Glu Tyr Ser Tyr
 1525 1530 1535
 Gln Ala Ser Val Tyr Gly Gly Lys Phe Leu Tyr Phe Leu Leu Asn Lys
 1540 1545 1550
 Gln His Gly Trp Ala Leu Pro Phe Leu Ile Gln Gly Val Val Ser Tyr
 1555 1560 1565
 Gly His Ile Lys His Asp Thr Thr Leu Tyr Pro Ser Ile His Glu
 1570 1575 1580

Arg Asn Lys Gly Asp Trp Glu Asp Leu Gly Trp Leu Ala Asp Leu Arg
 1585 1590 1595 1600
 Ile Ser Met Asp Leu Lys Glu Pro Ser Lys Asp Ser Ser Lys Arg Ile
 1605 1610 1615
 Thr Val Tyr Gly Glu Leu Glu Tyr Ser Ser Ile Arg Gln Lys Gln Phe
 1620 1625 1630
 Thr Glu Ile Asp Tyr Asp Pro Arg His Phe Asp Asp Cys Ala Tyr Arg
 1635 1640 1645
 Asn Leu Ser Leu Pro Val Gly Cys Ala Val Glu Gly Ala Ile Met Asn
 1650 1655 1660
 Cys Asn Ile Leu Met Tyr Asn Lys Leu Ala Leu Ala Tyr Met Pro Ser
 1665 1670 1675 1680
 Ile Tyr Arg Asn Asn Pro Val Cys Lys Tyr Arg Val Leu Ser Ser Asn
 1685 1690 1695
 Glu Ala Gly Gln Val Ile Cys Gly Val Pro Thr Arg Thr Ser Ala Arg
 1700 1705 1710
 Ala Glu Tyr Ser Thr Gln Leu Tyr Leu Gly Pro Phe Trp Thr Leu Tyr
 1715 1720 1725
 Gly Asn Tyr Thr Ile Asp Val Gly Met Tyr Thr Leu Ser Gln Met Thr
 1730 1735 1740
 Ser Cys Gly Ala Arg Met Ile Phe
 1745 1750

<210> 181

<211> 2601

<212> DNA

<213> Chlamydia

<400> 181

atggctagcc	atcaccatca	ccatcacctc	tttggccagg	atcccttagg	tgaaaccgcc	60
ctctcacta	aaaatcctaa	tcatgtcgtc	tgtacatttt	ttgaggactg	taccatggag	120
agcctctttc	ctgctctttg	tgctcatgca	tcacaagacg	atcctttgta	tgtacttgga	180
aattcctact	gttggttcgt	atctaaactc	catatcacgg	accccaaaga	ggctcttttt	240
aaagaaaaag	gagatctttc	cattcaaaac	tttcgcttcc	tttccttcac	agattgctct	300
tccaaggaaa	gctctccttc	tattattcat	caaaagaatg	gtcagttatc	cttgcgcaat	360
aatggtagca	tgagtttctg	tcgaaatcat	gctgaaggct	ctggaggagc	catctctgcg	420
gatgcctttt	ctctacagca	caactatctt	ttcacagctt	ttgaagagaa	ttcttctaaa	480
ggaaatggcg	gagccattca	ggctcaaacc	ttctctttat	ctagaaatgt	gtcgccattt	540
tctttcgccc	gtaatcgtgc	ggatttaaat	ggcggcgcta	tttgctgtag	taattcttatt	600
tgttcagggg	atgtaaaccc	tctctttttc	actggaaact	ccgccacraa	tggaggcsct	660
atttgttgta	tcagcgatct	aaacacctca	gaaaaaggct	ctctctctct	tgcttgtaac	720
caaaaaacgc	tatttgcaag	caattctgct	aaagaaaaag	gcggggctat	ttatgccaag	780
cacatggtat	tcggttataa	cggtcctggt	tccttcatta	acaacagcgc	taaaataggt	840
ggagctatcg	ccatccagtc	cggagggagt	ctctctatcc	ttgcaggtga	aggatctggt	900
ctgttccaga	ataactccca	acgcacctcc	gaccaaggtc	tagtaagaaa	cgccatctac	960
ttagagaaaag	atgcgattct	ttcttcctta	gaagctcgca	acggagatat	tcttttcttt	1020
gacctatttg	tacaagaaag	tagcagcaaa	gaatcgcttc	ttccctcttc	tttgcaagcc	1080
agcgtgactt	ctccaccccc	agccaccgca	tctcctttag	ttattcagac	aagtgcaaac	1140
cgttcagtga	ttttctcgag	cgaacgtctt	tctgaagaag	aaaaaactcc	tgataacctc	1200
acttcccaac	tacagcagcc	tatcgaaactg	aaatccggac	gcttagtttt	aaaagatcgc	1260
gctgtccttt	ccgsgccttc	tctctctcag	gacctcaag	ctctcctcat	tatggaagcg	1320
ggaacttctt	taaaaacttc	ctytgatttg	aagttagsta	cgstaagtat	tccccctcat	1380
tccttagata	ctgaaaaaag	cgtaactatc	cacgccccta	atctttctat	ccaaaagatc	1440
ttcctctcta	actctggaga	tgagaatttt	tatgaaaatg	tagagcttct	cagtaaaagag	1500
caaaacaata	ttcctctcct	tactctccct	aaagagcaat	ctcatttaca	tcttctgtat	1560

gggaacctct	cttctcactt	tggatatcaa	ggagattgga	ctttttcttg	gaaagattct	1620
gatgaagggc	attctctgat	tgctaattgg	acgcctaaaa	actatgtgcc	tcatccagaa	1680
cgtcaatcta	cactcgttgc	gaacactctt	tggaacacct	attccgatat	gcaagctgtg	1740
cagtcgatga	ttaatacaac	agcgcacgga	ggagcctatc	tatttggaac	gtggggatct	1800
gctgtttcta	atttattcta	tgttcacgac	agctctggga	aacctatcga	taattggcat	1860
catagaagcc	ttggctacct	attcgggtatc	agtactcaca	gttttagatga	ccattctttc	1920
tgcttggtcg	caggacaatt	actcgggaaa	tcgtccgatt	cctttattac	gtctacagaa	1980
acgacctcct	atatagetac	tgtacaagcg	caactcgcta	cctctctaata	gaaaatctct	2040
gcacaggcat	gctacaatga	aagtatccat	gagctaaaaa	caaaatatcg	ctccttctct	2100
aaagaaggat	tcggatcctg	gcatagcggt	gcagtatccg	gagaagtgtg	cgcatcgatt	2160
cctattgtat	ccaatggttc	cggactgttc	agctccttct	ctattttctc	taaactgcaa	2220
ggattttcag	gaacacagga	cggttttgag	gagagttcgg	gagagattcg	gtccttttct	2280
gccagctctt	tcagaaatat	ttcacttctt	ataggaataa	catttgaaaa	aaaatcccaa	2340
aaaacacgaa	cctactatta	ctttctagga	gcctacatcc	aagacctgaa	acgtgatgtg	2400
gaatcgggac	ctgtagtgtt	actcaaaaat	gccgtctcct	gggatgctcc	tatggcgaac	2460
ttggattcac	gagcctacat	gttccggctt	acgaatcaaa	gagctctaca	cagacttcag	2520
acgctgttaa	atgtgtcttg	tgtgctgcgt	gggcaaagcc	atagttactc	cctggatctg	2580
gggaccactt	acaggttcta	g				2601

<210> 182

<211> 3021

<212> DNA

<213> Chlamydia

<400> 182

atggctagca	tgactggtgg	acagcaaaty	ggtcgggatt	caagcttggg	accgcattcac	60
catcaccatc	acatgattcc	tcaaggaatt	tacgatgggg	agacgttaac	cgtatcattt	120
ccctatactg	ttataggaga	tcagagtggg	actactgttt	tttctgcagg	agagttaaca	180
ttaaaaaatc	ttgacaattc	tattgcagct	ttgcctttaa	gttggttttg	gaacttatta	240
gggagtttta	ctgttttagg	gagaggacac	tcgttgactt	tcgagaacat	acggacttct	300
acaaatgggg	cagctctaag	taatagcgtc	gctgatggac	tgtttactat	tgagggtttt	360
aaagaattat	ccttttccaa	ttgcaattca	ttacttgccg	tactgctgc	tgcaacgact	420
aataagggta	gccagactcc	gacgacaaca	tctacaccgt	ctaattggtac	tattttattct	480
aaaacagatc	ttttgttact	caataatgag	aagttctcat	tctatagtaa	tttagtctct	540
ggagatgggg	gagctataga	tgctaagagc	ttaacggttc	aaggaattag	caagctttgt	600
gtcttccaa	aaaatactgc	tcaagctgat	gggggagctt	gtcaagtagt	caccagtttc	660
tctgctatgg	ctaacgaggc	tcctattgcc	tttgtagcga	atgttgcagg	agtaagaggg	720
ggaggggattg	ctgctgttca	ggatggggcag	cagggagtgt	catcatctac	ttcaacagaa	780
gatccagtag	taagtttttc	cagaaatact	gcggtagagt	ttgatgggaa	cgtagcccga	840
gtagggaggag	ggattttactc	ctacyggaac	gttgctttcc	tgaataatgg	aaaaaccttg	900
tttctcaaca	atgttgcttc	tcctgtttac	attgctgcta	agcaaccaac	aagtggacag	960
gcttctaata	cgagtaataa	ttacggagat	ggaggagcta	tcttctgtaa	gaatggtgcg	1020
caagcaggat	ccaataactc	tggatcagtt	tcctttgatg	gagagggagt	agttttcttt	1080
agtagcaatg	tagctgctgg	gaaaggggga	gctatttatg	ccaaaaagct	ctcggttgct	1140
aactgtggcc	ctgtacaatt	tttaaggaat	atcgctaatt	atggtggagc	gatttattta	1200
ggagaatctg	gagagctcag	tttatctgct	gattatggag	atattatttt	cgatgggaat	1260
cttaaaagaa	cagccaaaga	gaatgctgcc	gatgttaatg	gcgtaactgt	gtcctcacia	1320
gccatttcga	tgggatcggg	agggaaaata	acgacattaa	gagctaaagc	agggcatcag	1380
attctcttta	atgatcccat	cgagatggca	aacggaaata	accagccagc	gcagtcttcc	1440
aaacttctaa	aaattaacga	tgggtgaagga	tacacagggg	atattgtttt	tgctaattgga	1500
agcagtactt	tgtacaaaaa	tgttacgata	gagcaaggaa	ggattgttct	tcgtgaaaag	1560
gcaaaattat	cagtgaattc	tctaagtcag	acaggtggga	gtctgtatat	ggaagctggg	1620
agtacattgg	attttgtaac	tccacaacca	ccacaacagc	ctcctgccgc	taatcagttg	1680
atcacgcttt	ccaatctgca	tttgtctctt	tcttctttgt	tagcaaacia	tgagtttacg	1740
aatcctccta	ccaatcctcc	agcgcaagat	tctcatcctg	cagtcattgg	tagcacaact	1800

gctgggttctg	ttacaattag	tgggcctatc	ttttttgagg	atttggaatga	tacagcttat	1860
gataggtatg	attgggctagg	ttctaataca	aaaatcaatg	tcctgaaatt	acagttaggg	1920
actaagcccc	cagctaatac	cccatcagat	ttgactctag	ggaatgagat	gcctaagtat	1980
ggctatcaag	gaagctggaa	gcttgctgtg	gatcctaata	cagcaaataa	tggctcctat	2040
actctgaaag	ctacatggac	taaaactggg	tataatcctg	ggcctgagcg	agtagcttct	2100
ttgggttccaa	atagtttatg	gggatccatt	ttagatatac	gatctgcgca	ttcagcaatt	2160
caagcaagtg	tggatgggcg	ctcttattgt	cgaggattat	gggtttcttg	agtttcgaat	2220
ttcttctatc	atgaccgcga	tgcttttagt	cagggatatc	ggtatattag	tgggggttat	2280
tccttaggag	caaactccta	ctttggatca	tcgatgtttg	gtctagcatt	taccgaagta	2340
tttggtatag	ctaaagatta	tgtagtgtgt	cgttccaatc	atcatgcttg	cataggatcc	2400
gtttatctat	ctaccaaca	agctttatgt	ggatcctatt	tgttcggaga	tgcgtttatc	2460
cgtgctagct	acgggttttg	gaatcagcat	atgaaaacct	catatacatt	tgcagaggag	2520
agcgatgttc	gttgggataa	taactgtctg	gctggagaga	ttggagcggg	attaccgatt	2580
gtgattactc	catctaagct	ctatttgaat	gagttgcgtc	ctttcgtgca	agctgagttt	2640
tcttatgccc	atcatgaatc	ttttacagag	gaaggcgatc	aagctcgggc	attcaagagc	2700
ggacatctcc	taaatctatc	agttcctgtt	ggagtgaagt	ttgatcgatg	ttctagtaca	2760
catcctaata	aatatagctt	tatggcggtt	tatatctgtg	atgcttatcg	caccatctct	2820
ggtactgaga	caacgctcct	atcccatcaa	gagacatgga	caacagatgc	ctttcattta	2880
gcaagacatg	gagttgtggt	tagaggatct	atgtatgctt	ctctaacaag	taatatagaa	2940
gtatatggcc	atggaagata	tgagtatcga	gatgcttctc	gaggctatgg	tttgagtgca	3000
ggaagtaaag	tccggttcta	a				3021

<210> 183

<211> 2934

<212> DNA

<213> Chlamydia

<400> 183

atggctagca	tgactgggtg	acagcaaattg	ggtcgggatt	caagcttggg	accgagctcg	60
gatccacatc	accatcacca	tcacggacta	gctagagagg	ttccttctag	aatctttctt	120
atgcccact	cagttccaga	tcttacgaaa	gagtcgctat	caaataaaat	tagtttgaca	180
ggagacactc	acaatctcac	taactgctat	ctcgataacc	tacgctacat	actggctatt	240
ctacaaaaaa	ctcccaatga	aggagctgct	gtcacaataa	cagattacct	aagctttttt	300
gatacacaaa	aagaagggtat	ttattttgca	aaaaatctca	cccctgaaag	tgggtgggtcg	360
attgggttatg	cgagtcccaa	ttctcctacc	gtggagattc	gtgatacaat	aggtcctgta	420
atctttgaaa	ataatacttg	ttgcagacta	tttcatgga	gaaatcctta	tgtcgtcgat	480
aaaataagag	aaggcggagc	cattcatgct	caaaatcttt	acataaatca	taatcatgat	540
gtggctggat	ttatgaagaa	cttttcttat	gtccaaggag	gagccattag	taccgctaata	600
acctttgttg	tgagcgagaa	tcagtcttgt	tttctcttta	tggacaacat	ctgtattcaa	660
actaatacag	caggaaaagg	tggcgctatc	tatgctggaa	cgagcaattc	ttttgagagt	720
aataactgcg	atctcttctt	catcaataac	gcctgtttgt	caggaggagc	gatcttctcc	780
cctatctgtt	ctctaacagg	aaatcgtggt	aacatcgttt	tctataacaa	tcgctgcttt	840
aaaaatgtag	aaacagcttc	ttcagaagct	tctgatggag	gagcaatcaa	agtaactact	900
cgcttagatg	ttacaggcaa	tcgtggtagg	atctttttta	gtgacaatat	cacaaaaaat	960
tatggcggag	ctatttacgc	tcctgtagtt	accctagtgg	ataatggccc	tacctacttt	1020
ataaacaata	tcgccaataa	taaggggggc	gctatctata	tagacgggaa	cagtaactcc	1080
aaaatttctg	ccgaccgcca	tgctattatt	tttaatgaaa	atattgtgac	taatgtaact	1140
aatgcaaatg	gtaccagtac	gtcagctaata	cctcctagaa	gaaatgcaat	aacagtagca	1200
agctcctctg	gtgaaattct	attaggagca	gggagtagcc	aaaatttaata	tttttatgat	1260
cctattgaag	ttagcaatgc	aggggtctct	gtgtccttca	ataaggaagc	tgatcaaaca	1320
ggctctgtag	tattttcagg	agctactgtt	aattctgcag	attttcatca	acgcaattta	1380
caaacaaaaa	cacctgcacc	ccttactctc	agtaatgggt	ttctatgtat	cgaagatcat	1440
gctcagctta	cagtgaatcg	attcacacaa	actgggggtg	ttgtttctct	tgggaatgga	1500
gcagttctga	gttgctataa	aaatgggtaca	ggagattctg	ctagcaatgc	ctctataaca	1560
ctgaagcata	ttggattgaa	tctttcttcc	attctgaaaa	gtggtgctga	gattccttta	1620

ttgtgggtag	agcctacaaa	taacagcaat	aactatacag	cagatactgc	agctaccttt	1680
tcattaagtg	atgtaaaact	ctcactcatt	gatgactacg	ggaactctcc	ttatgaatcc	1740
acagatctga	cccatgctct	gtcatcacag	cctatgctat	ctattttctga	agctagcgat	1800
aaccagctac	aatcagaaaa	tatagatttt	tgggactaa	atgtccctca	ttatggatgg	1860
caaggacttt	ggacttgggg	ctgggcaaaa	actcaagatc	cagaaccagc	atcttcagca	1920
acaatcactg	atccacaaaa	agccaataga	tttcatagaa	ccttactact	aacatggctt	1980
cctgccgggt	atgttcctag	cccaaaacac	agaagtcccc	tcatagctaa	caccttatgg	2040
gggaatatgc	tgcttgcaac	agaaagctta	aaaaatagtg	cagagctgac	acctagtggg	2100
catcctttct	ggggaattac	aggaggagga	ctaggcatga	tggtttacca	agatcctcga	2160
gaaaatcatc	ctggattcca	tatgcgctct	tccggatact	ctgcggggat	gatagcaggg	2220
cagacacaca	ccttctcatt	gaaattcagt	cagacctaca	ccaaactcaa	tgagcgttac	2280
gcaaaaaaca	acgtatcttc	taaaaattac	tcatgccaaag	gagaaatgct	cttctcattg	2340
caagaagggt	tcttgctgac	taaattagtt	gggttttaca	gctatggaga	ccataactgt	2400
caccatttct	atactcaagg	agaaaatcta	acatctcaag	ggacgttccg	cagtcaaacg	2460
atgggaggtg	ctgtcttttt	tgatctccct	atgaaacctt	ttggatcaac	gcataacttg	2520
acagctccct	ttttaggtgc	tcttggtatt	tattctagcc	tgtctcactt	tactgaggtg	2580
ggagcctatc	cgcgaagctt	ttctacaaag	actcctttga	tcaatgtcct	agtccttatt	2640
ggagttaaag	gtagtcttat	gaatgctacc	cacagacctc	aagcctggac	tgtagaattg	2700
gcataccaac	ccgttctgta	tagacaagaa	ccagggatcg	cgaccagct	cctagccagt	2760
aaagggtatt	ggtttggtag	tgggaagccc	tcctgcgctc	atgccatgtc	ctataaaatc	2820
tcacagcaaa	cacaaccttt	gagttggtta	actctccatt	tcagtatca	tggattctac	2880
tcctcttcaa	ccttctgtaa	ttatctcaat	ggggaaattg	ctctgcgatt	ctag	2934

<210> 184

<211> 2547

<212> DNA

<213> Chlamydia

<400> 184

atggctagcc	atcaccatca	ccatcacggg	gctatttctt	gcttacgtgg	agatgtagtc	60
atttctggaa	acaagggtag	agttgaattt	aaagacaaca	tagcaacacg	tctttatgtg	120
gaagaaactg	tagaaaagg	tgaagaggta	gagccagctc	ctgagcaaaa	agacaataat	180
gagctttctt	tcttagggag	tgtagaacag	agttttatta	ctgcagctaa	tcaagctctt	240
ttcgcactct	aagatgggga	tttatcacct	gagtcattcca	tttcttctga	agaacttgcg	300
aaaagaagag	agtgtgctgg	aggagctatt	tttgcaaaac	gggttcgtat	tgtagataac	360
caagaggccg	ttgtattctc	gaataacttc	tctgatattt	atggcggcgc	cattttttaca	420
ggttctcttc	gagaagagga	taagtttagat	gggcaaatcc	ctgaagtctt	gatctcaggc	480
aatgcagggg	atgttggttt	ttccggaaat	tcctcgaagc	gtgatgagca	tcttctcat	540
acaggtgggg	gagccatttg	tactcaaaat	ttgacgattt	ctcagaatac	agggatgtt	600
ctgttttata	acaacgtggc	ctgttcggga	ggagctgttc	gtatagagga	tcatggtaat	660
gttcttttag	aagcttttgg	aggagatatt	gtttttaaag	gaaattcttc	tttcagagca	720
caaggatccg	atgctatcta	ttttgcaggt	aaagaatcgc	atattacagc	cctgaatgct	780
acggaaggac	atgctattgt	tttccacgac	gcattagttt	ttgaaaatct	aaaagaaagg	840
aaatctgctg	aagtattggt	aatcaatagt	cgagaaaatc	caggttacac	tggatctatt	900
cgatttttag	aagcagaaag	taaagtctct	caatgtattc	atgtacaaca	aggaagcctt	960
gagttgctaa	atggagctac	attatgtagt	tatggtttta	aacaagatgc	tggagctaag	1020
ttggtattgg	ctgctggatc	taaactgaag	atttttagatt	caggaactcc	tgtacaaggg	1080
catgctatca	gtaaacctga	agcagaaatc	gagtcattct	ctgaaccaga	gggtgcacat	1140
tctcttttga	ttgcgaagaa	tgctcaaaca	acagttccta	tggttgatat	ccatactatt	1200
tctgtagatt	tagcctcctt	ctcttctagt	caacaggagg	ggacagtaga	agctcctcag	1260
gttattgttc	ctggaggaag	ttatgttcga	tctggagagc	ttaatttgga	gttagttaac	1320
acaacaggta	ctggttatga	aaatcatgct	ttgttgaaaga	atgaggctaa	agttccattg	1380
atgtctttcg	ttgcttctag	tgatgaagct	tcagccgaaa	tcagtaactt	gtcggtttct	1440
gatttacaga	ttcatgtagc	aactccagag	attgaagaag	acacatacgg	ccatatggga	1500
gattggctctg	aggctaaaaat	tcaagatgga	actcttgtca	ttaattggaa	tcctactgga	1560

tatcgattag	atcctcaaaa	agcaggggct	ttagtattta	atgcattatg	ggaagaaggg	1620
gctgtcttgt	ctgctctgaa	aaatgcacgc	tttgctcata	atctcactgc	tcagcgtatg	1680
gaattcgatt	attctacaaa	tgtgtgggga	ttcgcccttg	gtggtttccg	aactctatct	1740
gcagagaatc	tggttgctat	tgatggatac	aaaggagctt	atggtggtgc	ttctgctgga	1800
gtcgatattc	aattgatgga	agattttgtt	ctaggagtta	gtggagctgc	tttcctaggt	1860
aaaatggata	gtcagaagtt	tgatgcgagg	gtttctcgga	agggagtgtg	tggttctgta	1920
tatacaggat	ttttagctgg	atcctgggtc	ttcaaaggac	aatatagcct	tggagaaaca	1980
cagaacgata	tgaaaacgcg	ttatggagta	ctaggagagt	cgagtgcctc	ttggacatct	2040
cgaggagtac	tggcagatgc	tttagttgaa	taccgaagtt	tagttggtcc	tgtgagacct	2100
actttttatg	ctttgcattt	caatccttat	gtcgaagtat	cttatgcttc	tatgaaattc	2160
cctggcttta	cagaacaagg	aagagaagcg	cgttcttttg	aagacgcttc	ccttaccaat	2220
atcaccattc	ctttagggat	gaagtttgaa	ttggcgttca	taaaaggaca	gttttcagag	2280
gtgaactctt	tgggaataag	ttatgcatgg	gaagcttata	gaaaagtaga	aggaggcgcg	2340
gtgcagcttt	tagaagctgg	gtttgattgg	gagggagctc	caatggatct	tcctagacag	2400
gagctgcgtg	tcgctctgga	aaataatacg	gaatggagtt	cttacttcag	cacagtctta	2460
ggattaacag	ctttttgtgg	aggatttact	tctacagata	gtaaaactagg	atatgaggcg	2520
aatactggat	tgcgattgat	cttttaa				2547

<210> 185

<211> 2337

<212> DNA

<213> Chlamydia

<400> 185

atgcatcacc	atcaccatca	cgggttagct	agttgcgtag	atcttcatgc	tggaggacag	60
tctgtaaata	agctgggata	tgtaggcctt	caagcggttt	tattgttaga	ccaaattcga	120
gatctattcg	ttgggtctaa	agatagtcag	gctgaaggac	agtataggtt	aattgttagga	180
gatccaagtt	ctttccaaga	gaaagatgca	gatactcttc	ccgggaaggt	agagcaaagt	240
actttgttct	cagtaaccaa	tcccgtgggt	ttccaagggt	tggaccaaca	ggatcaaytc	300
tcttcccaag	gggttaattg	tagttttacg	agcagcaacc	ttgattctcc	ccgtgacgga	360
gaatcttttt	taggtattgc	ttttgttggg	gatagtagta	aggctggaat	cacattaact	420
gacgtgaaag	cttctttgtc	tggagcgggt	ttatattcta	cagaagatct	tatctttgaa	480
aagattaagg	gtggattgga	atctgcatca	tgttcttctc	tagaacaggg	gggagcttgt	540
gcagctcaaa	gtattttgat	tcatgattgt	caaggattgc	aggttaaaca	ctgtactaca	600
gccgtgaatg	ctgaggggtc	tagtgcgaaat	gatcatcttg	gatttggagg	aggcgctttc	660
tttgttacgg	gttctctttc	tggagagaaa	agtctctata	tgcttgagg	agataggtta	720
gttgcgaaat	gtgatggggc	tatatctttt	gaaggaaaca	gcgcgaactt	tgctaattgga	780
ggagcgattg	ctgcctctgg	gaaagtgcct	tttgtcgcta	atgataaaaa	gacttctttt	840
atagagaacc	gagctttgtc	tggaggagcg	attgcagcct	cttctgatat	tgcccttcaa	900
aactgcgcag	aactagtttt	caaaggcaat	tgtgcaattg	gaacagagga	taaaggttct	960
ttaggtggag	gggttatatc	ttctctaggc	accgttcttt	tgcaagggaa	tcacgggata	1020
acttgtgata	agaatgagtc	tgcttcgcaa	ggaggcgcca	tttttggcaa	aaattgtcag	1080
atttctgaca	acgagggggc	agtgggtttc	agagatagta	cagcttgctt	aggaggaggc	1140
gctattgcag	ctcaagaaat	tgtttctatt	cagaacaatc	aggctgggat	ttccttcgag	1200
ggaggtaagg	ctagtttcgg	aggaggtatt	gcgtgtggat	ctttttcttc	cgcaggcggt	1260
gcttctgttt	tagggactat	tgatatttcg	aagaatttag	gcgcgatttc	gttctctcgt	1320
actttatgta	cgacctcaga	tttaggacaa	atggagtacc	agggaggagg	agctctattt	1380
ggtgaaaata	tttctctttc	tgagaatgct	ggtgtgctca	cctttaaaga	caacattgtg	1440
aagacttttg	cttcgaatgg	gaaaattctg	ggaggaggag	cgatttttagc	tactggtaag	1500
gtggaaatta	ccaataattc	cggaggaatt	tcttttacag	gaaatgcgag	agctccacaa	1560
gctcttccaa	ctcaagagga	gtttccttta	ttcagcaaaa	aagaaggggc	accactctct	1620
tcaggatatt	ctggggggagg	agcgattttta	ggaagagaag	tagctattct	ccacaacgct	1680
gcagtagtat	ttgagcaaaa	tcgtttgcag	tgacgcgaag	aagaagcgac	attattaggt	1740
tgttgtggag	gaggcgctgt	tcatgggatg	gatagcactt	cgattgttgg	caactcttca	1800
gtaagatttg	gtaataatta	cgcaatggga	caaggagtct	caggaggagc	tcttttatct	1860

aaaacagtgc	agtttagctgg	aaatggaagc	gtcgaattttt	ctcgaaatat	tgctagtttg	1920
ggaggaggag	ctcttcaagc	ttctgaagga	aattgtgagc	tagttgataa	cggctatgtg	1980
ctattcagag	ataatcgagg	gagggtttat	gggggtgcta	tttcttgctt	acgtggagat	2040
gtagtcatTT	ctggaaacaa	gggtagagtt	gaatttaaag	acaacatagc	aacacgtctt	2100
tatgtggaag	aaactgtaga	aaagggtgaa	gaggtagagc	cagctcctga	gcaaaaagac	2160
aataatgagc	tttctttctt	agggagtgtg	gaacagagtt	ttattactgc	agctaataca	2220
gctcttttctg	catctgaaga	tggggattta	tcacctgagt	catccatttc	ttctgaagaa	2280
cttgcgaaaa	gaagagagtg	tgctggagga	gctgactcga	gcagatccgg	ctgctaa	2337

<210> 186

<211> 2847

<212> DNA

<213> Chlamydia

<400> 186

atggctagca	tgcattacca	tcaccatcac	gttaagattg	agaacttctc	tggccaagga	60
atattttctg	gaaacaaagc	tatcgataac	accacagaag	gctcctcttc	caaatacaac	120
gtcctcggag	gtgcgggtcta	tgctaaaaca	ttgtttaatc	tcgatagcgg	gagctctaga	180
cgaactgtca	ccttctccgg	gaatactgtc	tcttctcaat	ctacaacagg	tcaggttgct	240
ggaggagcta	tctactctcc	tactgtaacc	attgctactc	ctgtagtatt	ttctaaaaac	300
tctgcaacaa	acaatgctaa	taacgctaca	gatactcaga	gaaaagacac	ctttggagga	360
gctatcggag	ctacttctgc	tgtttctcta	tcaggagggg	ctcatttctt	agaaaacgtt	420
gctgacctcg	gatctgctat	tgggttggtg	ccagacacac	aaaatacaga	aacagtgaag	480
ttagagtctg	gctcctacta	ctttgaaaaa	aataaagctt	taaaacgagc	tactatttac	540
gcacctgtcg	tttccattaa	agcctatact	gcgacattta	accaaaacag	atctctagaa	600
gaaggaagcg	cgatttactt	tacaaaagaa	gcatttattg	agtctttagg	ctctgttctc	660
ttcacaggaa	acttagtaac	cccaacgcta	agcacaacta	cagaaggcac	accagccaca	720
acctcaggag	atgtaacaaa	atatggtgct	gctatctttg	gacaaaatgc	aagctcaaac	780
ggatctcaga	cggataacct	tccctgaaa	ctcattgctt	caggaggaaa	tatttgtctc	840
cgaacaatg	aataccgtcc	tacttctctt	gataccggaa	cctctacttt	ctgtagtatt	900
gcgggagatg	ttaaattaac	catgcaagct	gcaaaaggga	aaacgatcag	tttctttgat	960
gcaatccgga	cctctactaa	gaaaacaggt	acacaggcaa	ctgcctacga	tactctcgat	1020
attaataaat	ctgaggattc	agaaactgta	aactctgcgt	ttacagggaac	gattctgttc	1080
tctcttgaat	tacatgaaaa	taaatcctat	attccacaaa	acgtagtctt	acacagtgga	1140
tctcttgtat	tgaagccaaa	taccgagctt	catgtcattt	cttttgagca	gaaagaaggc	1200
tcttctctcg	ttatgacacc	tggatctggt	ctttcgaaac	agactgttgc	tgatggagct	1260
ttggtcataa	ataacatgac	cattgattta	tccagcgtag	agaaaaatgg	tattgtctgaa	1320
ggaaatatct	ttactcctcc	agaattgaga	atcatagaca	ctactacaag	tggaagcggg	1380
ggaaccccat	ctacagatag	tgaaagtaac	cagaatagtg	atgataccaa	ggagcaaaat	1440
aataatgacg	cctcgaatca	aggagaaaagc	gcgaatggat	cgtcttctcc	tgcaagtact	1500
gctgcacaca	catctcgtac	aagaaaacttt	gcccgtgcag	ctacagccac	acctacgaca	1560
acaccaacgg	ctacaactac	aacaagcaac	caagtaatcc	taggaggaga	aatcaaaactc	1620
atcgatccta	atgggacctt	cttccagaac	cctgcattaa	gatccgacca	acaaatctcc	1680
ttgttagtgc	tccctacaga	ctcatcaaaa	atgcaagctc	agaaaatagt	actgacgggt	1740
gatattgtct	ctcagaaaag	atatacagga	acactcactc	tggatcctga	tcaactacaa	1800
aatggaacga	tctcagcgct	ctggaaaattt	gactcttata	gacaatgggc	ttatgtacct	1860
agagacaatc	atttctatgc	gaactcgatt	ctgggatctc	aaatgtcaat	ggtcacagtc	1920
aaacaaggct	tgctcaacga	taaaatgaat	ctagctcgct	ttgatgaagt	tagctataac	1980
aacctgtgga	tatcaggact	aggaaacgatg	ctatcgcaag	taggaacacc	tacttctgaa	2040
gaattcactt	attacagcag	aggagcttct	gttgcccttag	atgctaaacc	agcccatgat	2100
gtgattgttg	gagctgcatt	tagtaagatg	atcgggaaaa	caaaatcctt	gaaaagagag	2160
aataactaca	ctcaciaaag	atccgaatat	tcttaccag	catcggtata	cggaggcaaa	2220
ccattccact	ttgtaataca	taaaaaacg	gaaaaatcgc	taccgctatt	gttacaagga	2280
gtcatctctt	acggatatat	caaacatgat	acagtgactc	actatccaac	gatccgtgaa	2340
cgaaccaag	gagaatggga	agacttagga	tggctgacag	ctctccgtgt	ctcctctgtc	2400

ttaagaactc	ctgcacaagg	ggatactaaa	cgtatcactg	tttacggaga	attggaatac	2460
tccagtatcc	gtcagaaaca	attcacagaa	acagaatacg	atcctcgtta	cttcgacaac	2520
tgcacctata	gaaacttagc	aattcctatg	gggttagcat	tcgaaggaga	gctctctggg	2580
aacgatattt	tgatgtacaa	cagattctct	gtagcataca	tgccatcaat	ctatcgaaat	2640
tctccaacat	gcaaatacca	agtgtctctt	tcaggagaag	gcggagaaat	tattt.gtgg	2700
gtaccgacaa	gaaactcagc	tcgaggagaa	tacagcacgc	agctgtaccc	gggacctttg	2760
tggactctgt	atggatccta	cacgatagaa	gcagacgcac	atacactagc	tcatatgatg	2820
aactgcgggtg	ctcgtatgac	attctaa				2847

<210> 187

<211> 2466

<212> DNA

<213> Chlamydia

<400> 187

atgcatcacc	atcaccatca	cgaggcgagc	tcgatccaag	atcaaataaa	gaataccgac	60
tgcaatgtta	gcaaagtagg	atattcaact	tctcaagcat	ttactgatat	gatgctagca	120
gacaacacag	agtatcgagc	tgtgatagt	gtttcattct	atgacttttc	gacatcttcc	180
ggattaccta	gaaaacatct	tagtagtagt	agtgaagctt	ctccaacgac	agaaggagtg	240
tcttcatctt	catctggaga	aaatactgag	aattcacaag	attcagctcc	ctctcttgga	300
gaaactgata	agaaaacaga	agaagaacta	gacaatggcg	gaatcattta	tgctagagag	360
aaactaacta	tctcagaatc	tcaggactct	ctctcraatc	caagcataga	actccatgac	420
aatagttttt	tcttcggaga	aggtgaagtt	atctttgatc	acagagttgc	cctcaaaaac	480
ggaggagcta	tttatggaga	gaaagaggta	gtctttgaaa	acataaaaatc	tctactagta	540
gaagtaaata	tctcggtcga	gaaagggggt	agcgtctatg	caaaagaacy	agtatcttta	600
gaaaatgtta	ccgaagcaac	cttctcctcc	aatgggtggg	aacaagggtg	tgggtggaatc	660
tattcagaac	aagatatgtt	aatcagtgat	tgcaacaatg	tacatttcca	agggaatgct	720
gcaggagcaa	cagcagtaaa	acaatgtctg	gatgaagaaa	tgatcgtatt	gctcacagaa	780
tgcgttgata	gcttatccga	agatacactg	gatagcactc	cagaaacgga	acagactaag	840
tcaaatggaa	atcaagatgg	tctgtctgaa	acaaaagata	cacaagtatc	agaatcacca	900
gaatcaactc	ctagccccga	cgatgtttta	ggtaaagggtg	gtggtatcta	tacagaaaaa	960
tctttgacca	tcactggaat	tacagggact	atagattttg	tcagtaacat	agctaccgat	1020
tctggagcag	gtgtattcac	taaagaaaac	ttgtcttgca	ccaacacgaa	tagcctacag	1080
tttttgaaaa	actcggcagg	tcaacatgga	ggaggagcct	acgttactca	aacctatgct	1140
gttactaata	caactagtga	aagtataact	actccccctc	tcgtaggaga	agtgattttc	1200
tctgaaaata	cagctaaaag	gcacgggtgt	ggtatctgca	ctaacaaact	ttctttatct	1260
aatttaaaaa	cgggtgactct	cactaaaaac	tctgcaaagg	agtctggagg	agctattttt	1320
acagatctag	cgtctatacc	aacaacagat	accccagagt	cttctacccc	ctcttctctc	1380
tcgctgcaa	gcactcccga	agtagttgct	tctgctaata	taaatcgatt	ctttgcctct	1440
acggcagaac	cggcagcccc	ttctctaaca	gaggctgagt	ctgatcaaac	ggatcaaaaa	1500
gaaacttctg	atactaatag	cgatatagac	gtgtcgattg	agaacatttt	gaatgtcgtc	1560
atcaatcaaa	acacttctgc	gaaaaaagg	ggggctattt	acgggaaaaa	agctaaactt	1620
tcccgtatta	acaatcttga	actttcaggg	aattcatccc	aggatgtagg	aggaggtctc	1680
tgtttaactg	aaagcgtaga	atttgatgca	attggatcgc	tcttatccca	ctataactct	1740
gctgctaaa	aagggtgggt	tattcattct	aaaacggtta	ctctatctaa	cctcaagtct	1800
accttcactt	ttgcagataa	cactgttaaa	gcaatagtag	aaagcactcc	tgaagctcca	1860
gaagagattc	ctccagtaga	aggagaagag	tctacagcaa	cagaaaatcc	gaattctaat	1920
acagaaggaa	gttcggctaa	cactaacctt	gaaggatctc	aaggggatac	tgctgatata	1980
gggactgggtg	ttgttaacaa	tgagtctcaa	gacacatcag	atactggaaa	cgctgaatct	2040
ggagaacaac	tacaagattc	tacacaatct	aatgaagaaa	atacccttcc	caatagtagt	2100
attgatcaat	ctaacgaaaa	cacagacgaa	tcatctgata	gccacactga	ggaaataact	2160
gacgagagtg	tctcatcgtc	ctctaaaagt	ggatcatcta	ctcctcaaga	tggaggagca	2220
gcttcttcag	gggctccctc	aggagatcaa	tctatctctg	caaacgcttg	tttagctaaa	2280
agctatgctg	cgagtactga	tagctccctt	gtatctaatt	cttcagggtt	agacgttact	2340
gcactcttctg	ataatccaga	ctcttctctca	tctggagata	gcgctggaga	ctctgaagg	2400

ccgactgagc cagaagctgg ttctacaaca gaaactccta ctttaatagg aggaggtgct 2460
atctga 2466

<210> 188

<211> 1578

<212> DNA

<213> Chlamydia

<400> 188

atgcatcacc atcaccatca cacggccgcg tccgataact tccagctgtc ccaggggtggg 60
cagggattcg ccattccgat cgggcaggcg atggcgatcg cgggccagat caagcttccc 120
accgttcata tcgggcctac cgccttcctc ggcttggtg ttgtcgacaa caacggcaac 180
ggcgacagag tccaacgcgt ggtcgggagc gctccggcgg caagtctcgg catctccacc 240
ggcgacgtga tcaccgcgt cgacggcgct ccgatcaact cggccaccgc gatggcggac 300
gcgcttaacg ggcacatcc cggtgacgtc atctcgggtga cctggcaaac caagtcgggc 360
ggcacgcgta cagggaaacgt gacattggcc gagggacccc cggccgaatt cccgctagta 420
cctagagggtt caccgctgcc tgtggggaat ccagctgaac caagtttatt aatcgatggc 480
actatgtggg aaggtgcttc aggagatcct tgcgatcctt gcgctacttg gtgtgacgcc 540
attagcatcc gcgcaggata ctacggagat tatgttttcg atcgtgtatt aaaagttgat 600
gtgaataaaa cttttagcgg catggctgca actcctacgc aggttatagg taacgcaagt 660
aatactaate agccagaagc aaatggcaga ccgaacatcg cttacggaag gcatatgcaa 720
gatgcagagt ggtttttcaa tgcagccttc ctagccttaa acatttgga tcgcttcgac 780
attttctgca ccttaggggc atccaatgga tacttcaaag caagttcggc tgcattcaac 840
ttggttgggt taatagggtt ttcagctgca agtcaatct ctaccgatct tccaatgcaa 900
cttcctaacg taggcattac ccaagggtgt gtggaatttt atacagacac atcattttct 960
tggagcgtag gtgcacgtgg agctttatgg gaatgtggtt gtgcaacttt aggagctgag 1020
ttccaatacg ctcaatctaa tctaagatt gagatgctca acgtcacttc aagcccagca 1080
caattttgtga ttcacaaacc aagaggctat aaaggagcta gctcgaattt tcctttacct 1140
ataacggctg gaacaacaga agctacagac accaaatcag ctacaattaa ataccatgaa 1200
tggcaagtag gcctcgccct gtcttacaga ttgaatatgc ttgttcata tattggcgta 1260
aactggtcaa gagcaacttt tgatgctgat actatccgca ttgctcaacc taaattaaaa 1320
tcggagattc ttaacattac tacatggaac ccaagcctta taggatcaac cactgctttg 1380
cccaataata gtggttaagga tgttctatct gatgtcttgc aaattgcttc gattcagatc 1440
aacaaaatga agtctagaaa agcttggtgt gtagctgttg gtgcaacgtt aatcgacgtc 1500
gacaaatggt caatcactgg tgaagcacgc ttaatcaatg aaagagctgc tcacatgaat 1560
gcacaattcc gcttctaa 1578

<210> 189

<211> 866

<212> PRT

<213> Chlamydia

<220>

<221> VARIANT

<222> (1) ... (866)

<223> Xaa = Any Amino Acid

<400> 189

Met Ala Ser His His His His His His Leu Phe Gly Gln Asp Pro Leu
1 5 10 15
Gly Glu Thr Ala Leu Leu Thr Lys Asn Pro Asn His Val Val Cys Thr
20 25 30
Phe Phe Glu Asp Cys Thr Met Glu Ser Leu Phe Pro Ala Leu Cys Ala
35 40 45
His Ala Ser Gln Asp Asp Pro Leu Tyr Val Leu Gly Asn Ser Tyr Cys

50 55 60
 Trp Phe Val Ser Lys Leu His Ile Thr Asp Pro Lys Glu Ala Leu Phe
 65 70 75 80
 Lys Glu Lys Gly Asp Leu Ser Ile Gln Asn Phe Arg Phe Leu Ser Phe
 85 90 95
 Thr Asp Cys Ser Ser Lys Glu Ser Ser Pro Ser Ile Ile His Gln Lys
 100 105 110
 Asn Gly Gln Leu Ser Leu Arg Asn Asn Gly Ser Met Ser Phe Cys Arg
 115 120 125
 Asn His Ala Glu Gly Ser Gly Gly Ala Ile Ser Ala Asp Ala Phe Ser
 130 135 140
 Leu Gln His Asn Tyr Leu Phe Thr Ala Phe Glu Glu Asn Ser Ser Lys
 145 150 155 160
 Gly Asn Gly Gly Ala Ile Gln Ala Gln Thr Phe Ser Leu Ser Arg Asn
 165 170 175
 Val Ser Pro Ile Ser Phe Ala Arg Asn Arg Ala Asp Leu Asn Gly Gly
 180 185 190
 Ala Ile Cys Cys Ser Asn Leu Ile Cys Ser Gly Asn Val Asn Pro Leu
 195 200 205
 Phe Phe Thr Gly Asn Ser Ala Thr Asn Gly Gly Xaa Ile Cys Cys Ile
 210 215 220
 Ser Asp Leu Asn Thr Ser Glu Lys Gly Ser Leu Ser Leu Ala Cys Asn
 225 230 235 240
 Gln Xaa Thr Leu Phe Ala Ser Asn Ser Ala Lys Glu Lys Gly Gly Ala
 245 250 255
 Ile Tyr Ala Lys His Met Val Leu Arg Tyr Asn Gly Pro Val Ser Phe
 260 265 270
 Ile Asn Asn Ser Ala Lys Ile Gly Gly Ala Ile Ala Ile Gln Ser Gly
 275 280 285
 Gly Ser Leu Ser Ile Leu Ala Gly Glu Gly Ser Val Leu Phe Gln Asn
 290 295 300
 Asn Ser Gln Arg Thr Ser Asp Gln Gly Leu Val Arg Asn Ala Ile Tyr
 305 310 315 320
 Leu Glu Lys Asp Ala Ile Leu Ser Ser Leu Glu Ala Arg Asn Gly Asp
 325 330 335
 Ile Leu Phe Phe Asp Pro Ile Val Gln Glu Ser Ser Ser Lys Glu Ser
 340 345 350
 Pro Leu Pro Ser Ser Leu Gln Ala Ser Val Thr Ser Pro Thr Pro Ala
 355 360 365
 Thr Ala Ser Pro Leu Val Ile Gln Thr Ser Ala Asn Arg Ser Val Ile
 370 375 380
 Phe Ser Ser Glu Arg Leu Ser Glu Glu Glu Lys Thr Pro Asp Asn Leu
 385 390 395 400
 Thr Ser Gln Leu Gln Gln Pro Ile Glu Leu Lys Ser Gly Arg Leu Val
 405 410 415
 Leu Lys Asp Arg Ala Val Leu Ser Xaa Pro Ser Leu Ser Gln Asp Pro
 420 425 430
 Gln Ala Leu Leu Ile Met Glu Ala Gly Thr Ser Leu Lys Thr Ser Xaa
 435 440 445
 Asp Leu Lys Leu Xaa Thr Xaa Ser Ile Pro Leu His Ser Leu Asp Thr
 450 455 460
 Glu Lys Ser Val Thr Ile His Ala Pro Asn Leu Ser Ile Gln Lys Ile
 465 470 475 480
 Phe Leu Ser Asn Ser Gly Asp Glu Asn Phe Tyr Glu Asn Val Glu Leu
 485 490 495

Leu Ser Lys Glu Gln Asn Asn Ile Pro Leu Leu Thr Leu Pro Lys Glu
 500 505 510
 Gln Ser His Leu His Leu Pro Asp Gly Asn Leu Ser Ser His Phe Gly
 515 520 525
 Tyr Gln Gly Asp Trp Thr Phe Ser Trp Lys Asp Ser Asp Glu Gly His
 530 535 540
 Ser Leu Ile Ala Asn Trp Thr Pro Lys Asn Tyr Val Pro His Pro Glu
 545 550 555 560
 Arg Gln Ser Thr Leu Val Ala Asn Thr Leu Trp Asn Thr Tyr Ser Asp
 565 570 575
 Met Gln Ala Val Gln Ser Met Ile Asn Thr Thr Ala His Gly Gly Ala
 580 585 590
 Tyr Leu Phe Gly Thr Trp Gly Ser Ala Val Ser Asn Leu Phe Tyr Val
 595 600 605
 His Asp Ser Ser Gly Lys Pro Ile Asp Asn Trp His His Arg Ser Leu
 610 615 620
 Gly Tyr Leu Phe Gly Ile Ser Thr His Ser Leu Asp Asp His Ser Phe
 625 630 635 640
 Cys Leu Ala Ala Gly Gln Leu Leu Gly Lys Ser Ser Asp Ser Phe Ile
 645 650 655
 Thr Ser Thr Glu Thr Thr Ser Tyr Ile Ala Thr Val Gln Ala Gln Leu
 660 665 670
 Ala Thr Ser Leu Met Lys Ile Ser Ala Gln Ala Cys Tyr Asn Glu Ser
 675 680 685
 Ile His Glu Leu Lys Thr Lys Tyr Arg Ser Phe Ser Lys Glu Gly Phe
 690 695 700
 Gly Ser Trp His Ser Val Ala Val Ser Gly Glu Val Cys Ala Ser Ile
 705 710 715 720
 Pro Ile Val Ser Asn Gly Ser Gly Leu Phe Ser Ser Phe Ser Ile Phe
 725 730 735
 Ser Lys Leu Gln Gly Phe Ser Gly Thr Gln Asp Gly Phe Glu Glu Ser
 740 745 750
 Ser Gly Glu Ile Arg Ser Phe Ser Ala Ser Ser Phe Arg Asn Ile Ser
 755 760 765
 Leu Pro Ile Gly Ile Thr Phe Glu Lys Lys Ser Gln Lys Thr Arg Thr
 770 775 780
 Tyr Tyr Tyr Phe Leu Gly Ala Tyr Ile Gln Asp Leu Lys Arg Asp Val
 785 790 795 800
 Glu Ser Gly Pro Val Val Leu Leu Lys Asn Ala Val Ser Trp Asp Ala
 805 810 815
 Pro Met Ala Asn Leu Asp Ser Arg Ala Tyr Met Phe Arg Leu Thr Asn
 820 825 830
 Gln Arg Ala Leu His Arg Leu Gln Thr Leu Leu Asn Val Ser Cys Val
 835 840 845
 Leu Arg Gly Gln Ser His Ser Tyr Ser Leu Asp Leu Gly Thr Thr Tyr
 850 855 860
 Arg Phe
 865

<210> 190

<211> 1006

<212> PRT

<213> Chlamydia

<400> 190

Met Ala Ser Met Thr Gly Gly Gln Gln Met Gly Arg Asp Ser Ser Leu
 1 5 10 15
 Val Pro His His His His His Met Ile Pro Gln Gly Ile Tyr Asp
 20 25 30
 Gly Glu Thr Leu Thr Val Ser Phe Pro Tyr Thr Val Ile Gly Asp Pro
 35 40 45
 Ser Gly Thr Thr Val Phe Ser Ala Gly Glu Leu Thr Leu Lys Asn Leu
 50 55 60
 Asp Asn Ser Ile Ala Ala Leu Pro Leu Ser Cys Phe Gly Asn Leu Leu
 65 70 75 80
 Gly Ser Phe Thr Val Leu Gly Arg Gly His Ser Leu Thr Phe Glu Asn
 85 90 95
 Ile Arg Thr Ser Thr Asn Gly Ala Ala Leu Ser Asn Ser Ala Ala Asp
 100 105 110
 Gly Leu Phe Thr Ile Glu Gly Phe Lys Glu Leu Ser Phe Ser Asn Cys
 115 120 125
 Asn Ser Leu Leu Ala Val Leu Pro Ala Ala Thr Thr Asn Lys Gly Ser
 130 135 140
 Gln Thr Pro Thr Thr Thr Ser Thr Pro Ser Asn Gly Thr Ile Tyr Ser
 145 150 155 160
 Lys Thr Asp Leu Leu Leu Leu Asn Asn Glu Lys Phe Ser Phe Tyr Ser
 165 170 175
 Asn Leu Val Ser Gly Asp Gly Gly Ala Ile Asp Ala Lys Ser Leu Thr
 180 185 190
 Val Gln Gly Ile Ser Lys Leu Cys Val Phe Gln Glu Asn Thr Ala Gln
 195 200 205
 Ala Asp Gly Gly Ala Cys Gln Val Val Thr Ser Phe Ser Ala Met Ala
 210 215 220
 Asn Glu Ala Pro Ile Ala Phe Val Ala Asn Val Ala Gly Val Arg Gly
 225 230 235 240
 Gly Gly Ile Ala Ala Val Gln Asp Gly Gln Gln Gly Val Ser Ser Ser
 245 250 255
 Thr Ser Thr Glu Asp Pro Val Val Ser Phe Ser Arg Asn Thr Ala Val
 260 265 270
 Glu Phe Asp Gly Asn Val Ala Arg Val Gly Gly Gly Ile Tyr Ser Tyr
 275 280 285
 Gly Asn Val Ala Phe Leu Asn Asn Gly Lys Thr Leu Phe Leu Asn Asn
 290 295 300
 Val Ala Ser Pro Val Tyr Ile Ala Ala Lys Gln Pro Thr Ser Gly Gln
 305 310 315 320
 Ala Ser Asn Thr Ser Asn Asn Tyr Gly Asp Gly Gly Ala Ile Phe Cys
 325 330 335
 Lys Asn Gly Ala Gln Ala Gly Ser Asn Asn Ser Gly Ser Val Ser Phe
 340 345 350
 Asp Gly Glu Gly Val Val Phe Phe Ser Ser Asn Val Ala Ala Gly Lys
 355 360 365
 Gly Gly Ala Ile Tyr Ala Lys Lys Leu Ser Val Ala Asn Cys Gly Pro
 370 375 380
 Val Gln Phe Leu Arg Asn Ile Ala Asn Asp Gly Gly Ala Ile Tyr Leu
 385 390 395 400
 Gly Glu Ser Gly Glu Ser Leu Ser Ala Asp Tyr Gly Asp Ile Ile
 405 410 415
 Phe Asp Gly Asn Leu Lys Arg Thr Ala Lys Glu Asn Ala Ala Asp Val
 420 425 430
 Asn Gly Val Thr Val Ser Ser Gln Ala Ile Ser Met Gly Ser Gly Gly

435 440 445
 Lys Ile Thr Thr Leu Arg Ala Lys Ala Gly His Gln Ile Leu Phe Asn
 450 455 460
 Asp Pro Ile Glu Met Ala Asn Gly Asn Asn Gln Pro Ala Gln Ser Ser
 465 470 475 480
 Lys Leu Leu Lys Ile Asn Asp Gly Glu Gly Tyr Thr Gly Asp Ile Val
 485 490 495
 Phe Ala Asn Gly Ser Ser Thr Leu Tyr Gln Asn Val Thr Ile Glu Gln
 500 505 510
 Gly Arg Ile Val Leu Arg Glu Lys Ala Lys Leu Ser Val Asn Ser Leu
 515 520 525
 Ser Gln Thr Gly Gly Ser Leu Tyr Met Glu Ala Gly Ser Thr Leu Asp
 530 535 540
 Phe Val Thr Pro Gln Pro Gln Gln Pro Pro Ala Ala Asn Gln Leu
 545 550 555 560
 Ile Thr Leu Ser Asn Leu His Leu Ser Leu Ser Ser Leu Leu Ala Asn
 565 570 575
 Asn Ala Val Thr Asn Pro Pro Thr Asn Pro Pro Ala Gln Asp Ser His
 580 585 590
 Pro Ala Val Ile Gly Ser Thr Thr Ala Gly Ser Val Thr Ile Ser Gly
 595 600 605
 Pro Ile Phe Phe Glu Asp Leu Asp Asp Thr Ala Tyr Asp Arg Tyr Asp
 610 615 620
 Trp Leu Gly Ser Asn Gln Lys Ile Asn Val Leu Lys Leu Gln Leu Gly
 625 630 635 640
 Thr Lys Pro Pro Ala Asn Ala Pro Ser Asp Leu Thr Leu Gly Asn Glu
 645 650 655
 Met Pro Lys Tyr Gly Tyr Gln Gly Ser Trp Lys Leu Ala Trp Asp Pro
 660 665 670
 Asn Thr Ala Asn Asn Gly Pro Tyr Thr Leu Lys Ala Thr Trp Thr Lys
 675 680 685
 Thr Gly Tyr Asn Pro Gly Pro Glu Arg Val Ala Ser Leu Val Pro Asn
 690 695 700
 Ser Leu Trp Gly Ser Ile Leu Asp Ile Arg Ser Ala His Ser Ala Ile
 705 710 715 720
 Gln Ala Ser Val Asp Gly Arg Ser Tyr Cys Arg Gly Leu Trp Val Ser
 725 730 735
 Gly Val Ser Asn Phe Phe Tyr His Asp Arg Asp Ala Leu Gly Gln Gly
 740 745 750
 Tyr Arg Tyr Ile Ser Gly Gly Tyr Ser Leu Gly Ala Asn Ser Tyr Phe
 755 760 765
 Gly Ser Ser Met Phe Gly Leu Ala Phe Thr Glu Val Phe Gly Arg Ser
 770 775 780
 Lys Asp Tyr Val Val Cys Arg Ser Asn His His Ala Cys Ile Gly Ser
 785 790 795 800
 Val Tyr Leu Ser Thr Gln Gln Ala Leu Cys Gly Ser Tyr Leu Phe Gly
 805 810 815
 Asp Ala Phe Ile Arg Ala Ser Tyr Gly Phe Gly Asn Gln His Met Lys
 820 825 830
 Thr Ser Tyr Thr Phe Ala Glu Glu Ser Asp Val Arg Trp Asp Asn Asn
 835 840 845
 Cys Leu Ala Gly Glu Ile Gly Ala Gly Leu Pro Ile Val Ile Thr Pro
 850 855 860
 Ser Lys Leu Tyr Leu Asn Glu Leu Arg Pro Phe Val Gln Ala Glu Phe
 865 870 875 880

Ser	Tyr	Ala	Asp	His	Glu	Ser	Phe	Thr	Glu	Glu	Gly	Asp	Gln	Ala	Arg		
				885					890					895			
Ala	Phe	Lys	Ser	Gly	His	Leu	Leu	Asn	Leu	Ser	Val	Pro	Val	Gly	Val		
				900					905					910			
Lys	Phe	Asp	Arg	Cys	Ser	Ser	Thr	His	Pro	Asn	Lys	Tyr	Ser	Phe	Met		
				915					920					925			
Ala	Ala	Tyr	Ile	Cys	Asp	Ala	Tyr	Arg	Thr	Ile	Ser	Gly	Thr	Glu	Thr		
				930					935					940			
Thr	Leu	Leu	Ser	His	Gln	Glu	Thr	Trp	Thr	Thr	Asp	Ala	Phe	His	Leu		
945					950					955					960		
Ala	Arg	His	Gly	Val	Val	Val	Arg	Gly	Ser	Met	Tyr	Ala	Ser	Leu	Thr		
				965					970					975			
Ser	Asn	Ile	Glu	Val	Tyr	Gly	His	Gly	Arg	Tyr	Glu	Tyr	Arg	Asp	Ala		
				980					985					990			
Ser	Arg	Gly	Tyr	Gly	Leu	Ser	Ala	Gly	Ser	Lys	Val	Arg	Phe				
				995					1000					1005			

<210> 191

<211> 977

<212> PRT

<213> Chlamydia

<400> 191

Met	Ala	Ser	Met	Thr	Gly	Gly	Gln	Gln	Met	Gly	Arg	Asp	Ser	Ser	Leu
1				5					10					15	
Val	Pro	Ser	Ser	Asp	Pro	His	His	His	His	His	His	Gly	Leu	Ala	Arg
			20					25					30		
Glu	Val	Pro	Ser	Arg	Ile	Phe	Leu	Met	Pro	Asn	Ser	Val	Pro	Asp	Pro
		35					40					45			
Thr	Lys	Glu	Ser	Leu	Ser	Asn	Lys	Ile	Ser	Leu	Thr	Gly	Asp	Thr	His
	50					55					60				
Asn	Leu	Thr	Asn	Cys	Tyr	Leu	Asp	Asn	Leu	Arg	Tyr	Ile	Leu	Ala	Ile
65				70						75					80
Leu	Gln	Lys	Thr	Pro	Asn	Glu	Gly	Ala	Ala	Val	Thr	Ile	Thr	Asp	Tyr
			85					90						95	
Leu	Ser	Phe	Phe	Asp	Thr	Gln	Lys	Glu	Gly	Ile	Tyr	Phe	Ala	Lys	Asn
			100					105					110		
Leu	Thr	Pro	Glu	Ser	Gly	Gly	Ala	Ile	Gly	Tyr	Ala	Ser	Pro	Asn	Ser
		115					120					125			
Pro	Thr	Val	Glu	Ile	Arg	Asp	Thr	Ile	Gly	Pro	Val	Ile	Phe	Glu	Asn
	130					135					140				
Asn	Thr	Cys	Cys	Arg	Leu	Phe	Thr	Trp	Arg	Asn	Pro	Tyr	Ala	Ala	Asp
145				150						155					160
Lys	Ile	Arg	Glu	Gly	Gly	Ala	Ile	His	Ala	Gln	Asn	Leu	Tyr	Ile	Asn
				165					170					175	
His	Asn	His	Asp	Val	Val	Gly	Phe	Met	Lys	Asn	Phe	Ser	Tyr	Val	Gln
			180					185					190		
Gly	Gly	Ala	Ile	Ser	Thr	Ala	Asn	Thr	Phe	Val	Val	Ser	Glu	Asn	Gln
		195					200					205			
Ser	Cys	Phe	Leu	Phe	Met	Asp	Asn	Ile	Cys	Ile	Gln	Thr	Asn	Thr	Ala
	210					215					220				
Gly	Lys	Gly	Gly	Ala	Ile	Tyr	Ala	Gly	Thr	Ser	Asn	Ser	Phe	Glu	Ser
225				230						235					240
Asn	Asn	Cys	Asp	Leu	Phe	Phe	Ile	Asn	Asn	Ala	Cys	Cys	Ala	Gly	Gly
				245					250					255	

Ala Ile Phe Ser Pro Ile Cys Ser Leu Thr Gly Asn Arg Gly Asn Ile
 260 265 270
 Val Phe Tyr Asn Asn Arg Cys Phe Lys Asn Val Glu Thr Ala Ser Ser
 275 280 285
 Glu Ala Ser Asp Gly Gly Ala Ile Lys Val Thr Thr Arg Leu Asp Val
 290 295 300
 Thr Gly Asn Arg Gly Arg Ile Phe Phe Ser Asp Asn Ile Thr Lys Asn
 305 310 315 320
 Tyr Gly Gly Ala Ile Tyr Ala Pro Val Val Thr Leu Val Asp Asn Gly
 325 330 335
 Pro Thr Tyr Phe Ile Asn Asn Ile Ala Asn Asn Lys Gly Gly Ala Ile
 340 345 350
 Tyr Ile Asp Gly Thr Ser Asn Ser Lys Ile Ser Ala Asp Arg His Ala
 355 360 365
 Ile Ile Phe Asn Glu Asn Ile Val Thr Asn Val Thr Asn Ala Asn Gly
 370 375 380
 Thr Ser Thr Ser Ala Asn Pro Pro Arg Arg Asn Ala Ile Thr Val Ala
 385 390 395 400
 Ser Ser Ser Gly Glu Ile Leu Leu Gly Ala Gly Ser Ser Gln Asn Leu
 405 410 415
 Ile Phe Tyr Asp Pro Ile Glu Val Ser Asn Ala Gly Val Ser Val Ser
 420 425 430
 Phe Asn Lys Glu Ala Asp Gln Thr Gly Ser Val Val Phe Ser Gly Ala
 435 440 445
 Thr Val Asn Ser Ala Asp Phe His Gln Arg Asn Leu Gln Thr Lys Thr
 450 455 460
 Pro Ala Pro Leu Thr Leu Ser Asn Gly Phe Leu Cys Ile Glu Asp His
 465 470 475 480
 Ala Gln Leu Thr Val Asn Arg Phe Thr Gln Thr Gly Gly Val Val Ser
 485 490 495
 Leu Gly Asn Gly Ala Val Leu Ser Cys Tyr Lys Asn Gly Thr Gly Asp
 500 505 510
 Ser Ala Ser Asn Ala Ser Ile Thr Leu Lys His Ile Gly Leu Asn Leu
 515 520 525
 Ser Ser Ile Leu Lys Ser Gly Ala Glu Ile Pro Leu Leu Trp Val Glu
 530 535 540
 Pro Thr Asn Asn Ser Asn Asn Tyr Thr Ala Asp Thr Ala Ala Thr Phe
 545 550 555 560
 Ser Leu Ser Asp Val Lys Leu Ser Leu Ile Asp Asp Tyr Gly Asn Ser
 565 570 575
 Pro Tyr Glu Ser Thr Asp Leu Thr His Ala Leu Ser Ser Gln Pro Met
 580 585 590
 Leu Ser Ile Ser Glu Ala Ser Asp Asn Gln Leu Gln Ser Glu Asn Ile
 595 600 605
 Asp Phe Ser Gly Leu Asn Val Pro His Tyr Gly Trp Gln Gly Leu Trp
 610 615 620
 Thr Trp Gly Trp Ala Lys Thr Gln Asp Pro Glu Pro Ala Ser Ser Ala
 625 630 635 640
 Thr Ile Thr Asp Pro Gln Lys Ala Asn Arg Phe His Arg Thr Leu Leu
 645 650 655
 Leu Thr Trp Leu Pro Ala Gly Tyr Val Pro Ser Pro Lys His Arg Ser
 660 665 670
 Pro Leu Ile Ala Asn Thr Leu Trp Gly Asn Met Leu Leu Ala Thr Glu
 675 680 685
 Ser Leu Lys Asn Ser Ala Glu Leu Thr Pro Ser Gly His Pro Phe Trp

```

        690                695                700
Gly Ile Thr Gly Gly Gly Leu Gly Met Met Val Tyr Gln Asp Pro Arg
705                710                715                720
Glu Asn His Pro Gly Phe His Met Arg Ser Ser Gly Tyr Ser Ala Gly
        725                730                735
Met Ile Ala Gly Gln Thr His Thr Phe Ser Leu Lys Phe Ser Gln Thr
        740                745                750
Tyr Thr Lys Leu Asn Glu Arg Tyr Ala Lys Asn Asn Val Ser Ser Lys
        755                760                765
Asn Tyr Ser Cys Gln Gly Glu Met Leu Phe Ser Leu Gln Glu Gly Phe
        770                775                780
Leu Leu Thr Lys Leu Val Gly Leu Tyr Ser Tyr Gly Asp His Asn Cys
785                790                795                800
His His Phe Tyr Thr Gln Gly Glu Asn Leu Thr Ser Gln Gly Thr Phe
        805                810                815
Arg Ser Gln Thr Met Gly Gly Ala Val Phe Phe Asp Leu Pro Met Lys
        820                825                830
Pro Phe Gly Ser Thr His Ile Leu Thr Ala Pro Phe Leu Gly Ala Leu
        835                840                845
Gly Ile Tyr Ser Ser Leu Ser His Phe Thr Glu Val Gly Ala Tyr Pro
        850                855                860
Arg Ser Phe Ser Thr Lys Thr Pro Leu Ile Asn Val Leu Val Pro Ile
865                870                875                880
Gly Val Lys Gly Ser Phe Met Asn Ala Thr His Arg Pro Gln Ala Trp
        885                890                895
Thr Val Glu Leu Ala Tyr Gln Pro Val Leu Tyr Arg Gln Glu Pro Gly
        900                905                910
Ile Ala Thr Gln Leu Leu Ala Ser Lys Gly Ile Trp Phe Gly Ser Gly
        915                920                925
Ser Pro Ser Ser Arg His Ala Met Ser Tyr Lys Ile Ser Gln Gln Thr
        930                935                940
Gln Pro Leu Ser Trp Leu Thr Leu His Phe Gln Tyr His Gly Phe Tyr
945                950                955                960
Ser Ser Ser Thr Phe Cys Asn Tyr Leu Asn Gly Glu Ile Ala Leu Arg
        965                970                975
Phe

```

<210> 192

<211> 848

<212> PRT

<213> Chlamydia

<400> 192

```

Met Ala Ser His His His His His His Gly Ala Ile Ser Cys Leu Arg
1                5                10                15
Gly Asp Val Val Ile Ser Gly Asn Lys Gly Arg Val Glu Phe Lys Asp
        20                25                30
Asn Ile Ala Thr Arg Leu Tyr Val Glu Glu Thr Val Glu Lys Val Glu
        35                40                45
Glu Val Glu Pro Ala Pro Glu Gln Lys Asp Asn Asn Glu Leu Ser Phe
        50                55                60
Leu Gly Ser Val Glu Gln Ser Phe Ile Thr Ala Ala Asn Gln Ala Leu
65                70                75                80
Phe Ala Ser Glu Asp Gly Asp Leu Ser Pro Glu Ser Ser Ile Ser Ser

```


				85					90					95			
Glu	Glu	Leu	Ala	Lys	Arg	Arg	Glu	Cys	Ala	Gly	Gly	Ala	Ile	Phe	Ala		
			100					105					110				
Lys	Arg	Val	Arg	Ile	Val	Asp	Asn	Gln	Glu	Ala	Val	Val	Phe	Ser	Asn		
		115					120					125					
Asn	Phe	Ser	Asp	Ile	Tyr	Gly	Gly	Ala	Ile	Phe	Thr	Gly	Ser	Leu	Arg		
		130				135					140						
Glu	Glu	Asp	Lys	Leu	Asp	Gly	Gln	Ile	Pro	Glu	Val	Leu	Ile	Ser	Gly		
145				150						155					160		
Asn	Ala	Gly	Asp	Val	Val	Phe	Ser	Gly	Asn	Ser	Ser	Lys	Arg	Asp	Glu		
			165						170					175			
His	Leu	Pro	His	Thr	Gly	Gly	Gly	Ala	Ile	Cys	Thr	Gln	Asn	Leu	Thr		
		180						185					190				
Ile	Ser	Gln	Asn	Thr	Gly	Asn	Val	Leu	Phe	Tyr	Asn	Asn	Val	Ala	Cys		
		195				200						205					
Ser	Gly	Gly	Ala	Val	Arg	Ile	Glu	Asp	His	Gly	Asn	Val	Leu	Leu	Glu		
		210				215					220						
Ala	Phe	Gly	Gly	Asp	Ile	Val	Phe	Lys	Gly	Asn	Ser	Ser	Phe	Arg	Ala		
225				230						235					240		
Gln	Gly	Ser	Asp	Ala	Ile	Tyr	Phe	Ala	Gly	Lys	Glu	Ser	His	Ile	Thr		
			245						250					255			
Ala	Leu	Asn	Ala	Thr	Glu	Gly	His	Ala	Ile	Val	Phe	His	Asp	Ala	Leu		
		260						265					270				
Val	Phe	Glu	Asn	Leu	Lys	Glu	Arg	Lys	Ser	Ala	Glu	Val	Leu	Leu	Ile		
		275					280					285					
Asn	Ser	Arg	Glu	Asn	Pro	Gly	Tyr	Thr	Gly	Ser	Ile	Arg	Phe	Leu	Glu		
		290				295					300						
Ala	Glu	Ser	Lys	Val	Pro	Gln	Cys	Ile	His	Val	Gln	Gln	Gly	Ser	Leu		
305				310						315					320		
Glu	Leu	Leu	Asn	Gly	Ala	Thr	Leu	Cys	Ser	Tyr	Gly	Phe	Lys	Gln	Asp		
			325						330					335			
Ala	Gly	Ala	Lys	Leu	Val	Leu	Ala	Ala	Gly	Ser	Lys	Leu	Lys	Ile	Leu		
		340						345					350				
Asp	Ser	Gly	Thr	Pro	Val	Gln	Gly	His	Ala	Ile	Ser	Lys	Pro	Glu	Ala		
		355					360					365					
Glu	Ile	Glu	Ser	Ser	Ser	Glu	Pro	Glu	Gly	Ala	His	Ser	Leu	Trp	Ile		
		370				375					380						
Ala	Lys	Asn	Ala	Gln	Thr	Thr	Val	Pro	Met	Val	Asp	Ile	His	Thr	Ile		
385				390						395					400		
Ser	Val	Asp															

Gly Ala Leu Val Phe Asn Ala Leu Trp Glu Glu Gly Ala Val Leu Ser
 530 535 540
 Ala Leu Lys Asn Ala Arg Phe Ala His Asn Leu Thr Ala Gln Arg Met
 545 550 555 560
 Glu Phe Asp Tyr Ser Thr Asn Val Trp Gly Phe Ala Phe Gly Gly Phe
 565 570 575
 Arg Thr Leu Ser Ala Glu Asn Leu Val Ala Ile Asp Gly Tyr Lys Gly
 580 585 590
 Ala Tyr Gly Gly Ala Ser Ala Gly Val Asp Ile Gln Leu Met Glu Asp
 595 600 605
 Phe Val Leu Gly Val Ser Gly Ala Ala Phe Leu Gly Lys Met Asp Ser
 610 615 620
 Gln Lys Phe Asp Ala Glu Val Ser Arg Lys Gly Val Val Gly Ser Val
 625 630 635 640
 Tyr Thr Gly Phe Leu Ala Gly Ser Trp Phe Phe Lys Gly Gln Tyr Ser
 645 650 655
 Leu Gly Glu Thr Gln Asn Asp Met Lys Thr Arg Tyr Gly Val Leu Gly
 660 665 670
 Glu Ser Ser Ala Ser Trp Thr Ser Arg Gly Val Leu Ala Asp Ala Leu
 675 680 685
 Val Glu Tyr Arg Ser Leu Val Gly Pro Val Arg Pro Thr Phe Tyr Ala
 690 695 700
 Leu His Phe Asn Pro Tyr Val Glu Val Ser Tyr Ala Ser Met Lys Phe
 705 710 715 720
 Pro Gly Phe Thr Glu Gln Gly Arg Glu Ala Arg Ser Phe Glu Asp Ala
 725 730 735
 Ser Leu Thr Asn Ile Thr Ile Pro Leu Gly Met Lys Phe Glu Leu Ala
 740 745 750
 Phe Ile Lys Gly Gln Phe Ser Glu Val Asn Ser Leu Gly Ile Ser Tyr
 755 760 765
 Ala Trp Glu Ala Tyr Arg Lys Val Glu Gly Gly Ala Val Gln Leu Leu
 770 775 780
 Glu Ala Gly Phe Asp Trp Glu Gly Ala Pro Met Asp Leu Pro Arg Gln
 785 790 795 800
 Glu Leu Arg Val Ala Leu Glu Asn Asn Thr Glu Trp Ser Ser Tyr Phe
 805 810 815
 Ser Thr Val Leu Gly Leu Thr Ala Phe Cys Gly Gly Phe Thr Ser Thr
 820 825 830
 Asp Ser Lys Leu Gly Tyr Glu Ala Asn Thr Gly Leu Arg Leu Ile Phe
 835 840 845

<210> 193

<211> 778

<212> PRT

<213> Chlamydia

<400> 193

Met His His His His His His Gly Leu Ala Ser Cys Val Asp Leu His
 1 5 10 15
 Ala Gly Gly Gln Ser Val Asn Glu Leu Val Tyr Val Gly Pro Gln Ala
 20 25 30
 Val Leu Leu Leu Asp Gln Ile Arg Asp Leu Phe Val Gly Ser Lys Asp
 35 40 45
 Ser Gln Ala Glu Gly Gln Tyr Arg Leu Ile Val Gly Asp Pro Ser Ser
 50 55 60

Phe Gln Glu Lys Asp Ala Asp Thr Leu Pro Gly Lys Val Glu Gln Ser
 65 70 75 80
 Thr Leu Phe Ser Val Thr Asn Pro Val Val Phe Gln Gly Val Asp Gln
 85 90 95
 Gln Asp Gln Val Ser Ser Gln Gly Leu Ile Cys Ser Phe Thr Ser Ser
 100 105 110
 Asn Leu Asp Ser Pro Arg Asp Gly Glu Ser Phe Leu Gly Ile Ala Phe
 115 120 125
 Val Gly Asp Ser Ser Lys Ala Gly Ile Thr Leu Thr Asp Val Lys Ala
 130 135 140
 Ser Leu Ser Gly Ala Ala Leu Tyr Ser Thr Glu Asp Leu Ile Phe Glu
 145 150 155 160
 Lys Ile Lys Gly Gly Leu Glu Phe Ala Ser Cys Ser Ser Leu Glu Gln
 165 170 175
 Gly Gly Ala Cys Ala Ala Gln Ser Ile Leu Ile His Asp Cys Gln Gly
 180 185 190
 Leu Gln Val Lys His Cys Thr Thr Ala Val Asn Ala Glu Gly Ser Ser
 195 200 205
 Ala Asn Asp His Leu Gly Phe Gly Gly Gly Ala Phe Phe Val Thr Gly
 210 215 220
 Ser Leu Ser Gly Glu Lys Ser Leu Tyr Met Pro Ala Gly Asp Met Val
 225 230 235 240
 Val Ala Asn Cys Asp Gly Ala Ile Ser Phe Glu Gly Asn Ser Ala Asn
 245 250 255
 Phe Ala Asn Gly Gly Ala Ile Ala Ala Ser Gly Lys Val Leu Phe Val
 260 265 270
 Ala Asn Asp Lys Lys Thr Ser Phe Ile Glu Asn Arg Ala Leu Ser Gly
 275 280 285
 Gly Ala Ile Ala Ala Ser Ser Asp Ile Ala Phe Gln Asn Cys Ala Glu
 290 295 300
 Leu Val Phe Lys Gly Asn Cys Ala Ile Gly Thr Glu Asp Lys Gly Ser
 305 310 315 320
 Leu Gly Gly Gly Ala Ile Ser Ser Leu Gly Thr Val Leu Leu Gln Gly
 325 330 335
 Asn His Gly Ile Thr Cys Asp Lys Asn Glu Ser Ala Ser Gln Gly Gly
 340 345 350
 Ala Ile Phe Gly Lys Asn Cys Gln Ile Ser Asp Asn Glu Gly Pro Val
 355 360 365
 Val Phe Arg Asp Ser Thr Ala Cys Leu Gly Gly Gly Ala Ile Ala Ala
 370 375 380
 Gln Glu Ile Val Ser Ile Gln Asn Asn Gln Ala Gly Ile Ser Phe Glu
 385 390 395 400
 Gly Gly Lys Ala Ser Phe Gly Gly Gly Ile Ala Cys Gly Ser Phe Ser
 405 410 415
 Ser Ala Gly Gly Ala Ser Val Leu Gly Thr Ile Asp Ile Ser Lys Asn
 420 425 430
 Leu Gly Ala Ile Ser Phe Ser Arg Thr Leu Cys Thr Thr Ser Asp Leu
 435 440 445
 Gly Gln Met Glu Tyr Gln Gly Gly Gly Ala Leu Phe Gly Glu Asn Ile
 450 455 460
 Ser Leu Ser Glu Asn Ala Gly Val Leu Thr Phe Lys Asp Asn Ile Val
 465 470 475 480
 Lys Thr Phe Ala Ser Asn Gly Lys Ile Leu Gly Gly Gly Ala Ile Leu
 485 490 495
 Ala Thr Gly Lys Val Glu Ile Thr Asn Asn Ser Gly Gly Ile Ser Phe

500 505 510
 Thr Gly Asn Ala Arg Ala Pro Gln Ala Leu Pro Thr Gln Glu Glu Phe
 515 520 525
 Pro Leu Phe Ser Lys Lys Glu Gly Arg Pro Leu Ser Ser Gly Tyr Ser
 530 535 540
 Gly Gly Gly Ala Ile Leu Gly Arg Glu Val Ala Ile Leu His Asn Ala
 545 550 555 560
 Ala Val Val Phe Glu Gln Asn Arg Leu Gln Cys Ser Glu Glu Glu Ala
 565 570 575
 Thr Leu Leu Gly Cys Cys Gly Gly Gly Ala Val His Gly Met Asp Ser
 580 585 590
 Thr Ser Ile Val Gly Asn Ser Ser Val Arg Phe Gly Asn Asn Tyr Ala
 595 600 605
 Met Gly Gln Gly Val Ser Gly Gly Ala Leu Leu Ser Lys Thr Val Gln
 610 615 620
 Leu Ala Gly Asn Gly Ser Val Asp Phe Ser Arg Asn Ile Ala Ser Leu
 625 630 635 640
 Gly Gly Gly Ala Leu Gln Ala Ser Glu Gly Asn Cys Glu Leu Val Asp
 645 650 655
 Asn Gly Tyr Val Leu Phe Arg Asp Asn Arg Gly Arg Val Tyr Gly Gly
 660 665 670
 Ala Ile Ser Cys Leu Arg Gly Asp Val Val Ile Ser Gly Asn Lys Gly
 675 680 685
 Arg Val Glu Phe Lys Asp Asn Ile Ala Thr Arg Leu Tyr Val Glu Glu
 690 695 700
 Thr Val Glu Lys Val Glu Glu Val Glu Pro Ala Pro Glu Gln Lys Asp
 705 710 715 720
 Asn Asn Glu Leu Ser Phe Leu Gly Ser Val Glu Gln Ser Phe Ile Thr
 725 730 735
 Ala Ala Asn Gln Ala Leu Phe Ala Ser Glu Asp Gly Asp Leu Ser Pro
 740 745 750
 Glu Ser Ser Ile Ser Ser Glu Glu Leu Ala Lys Arg Arg Glu Cys Ala
 755 760 765
 Gly Gly Ala Asp Ser Ser Arg Ser Gly Cys
 770 775

<210> 194

<211> 948

<212> PRT

<213> Chlamydia

<400> 194

Met Ala Ser Met His His His His His His Val Lys Ile Glu Asn Phe
 1 5 10 15
 Ser Gly Gln Gly Ile Phe Ser Gly Asn Lys Ala Ile Asp Asn Thr Thr
 20 25 30
 Glu Gly Ser Ser Ser Lys Ser Asn Val Leu Gly Gly Ala Val Tyr Ala
 35 40 45
 Lys Thr Leu Phe Asn Leu Asp Ser Gly Ser Ser Arg Arg Thr Val Thr
 50 55 60
 Phe Ser Gly Asn Thr Val Ser Ser Gln Ser Thr Thr Gly Gln Val Ala
 65 70 75 80
 Gly Gly Ala Ile Tyr Ser Pro Thr Val Thr Ile Ala Thr Pro Val Val
 85 90 95
 Phe Ser Lys Asn Ser Ala Thr Asn Asn Ala Asn Asn Ala Thr Asp Thr

			100					105					110				
Gln	Arg	Lys	Asp	Thr	Phe	Gly	Gly	Ala	Ile	Gly	Ala	Thr	Ser	Ala	Val		
		115					120					125					
Ser	Leu	Ser	Gly	Gly	Ala	His	Phe	Leu	Glu	Asn	Val	Ala	Asp	Leu	Gly		
	130					135					140						
Ser	Ala	Ile	Gly	Leu	Val	Pro	Asp	Thr	Gln	Asn	Thr	Glu	Thr	Val	Lys		
145				150						155					160		
Leu	Glu	Ser	Gly	Ser	Tyr	Tyr	Phe	Glu	Lys	Asn	Lys	Ala	Leu	Lys	Arg		
			165						170					175			
Ala	Thr	Ile	Tyr	Ala	Pro	Val	Val	Ser	Ile	Lys	Ala	Tyr	Thr	Ala	Thr		
			180					185					190				
Phe	Asn	Gln	Asn	Arg	Ser	Leu	Glu	Glu	Gly	Ser	Ala	Ile	Tyr	Phe	Thr		
	195						200					205					
Lys	Glu	Ala	Ser	Ile	Glu	Ser	Leu	Gly	Ser	Val	Leu	Phe	Thr	Gly	Asn		
	210					215					220						
Leu	Val	Thr	Pro	Thr	Leu	Ser	Thr	Thr	Thr	Glu	Gly	Thr	Pro	Ala	Thr		
225				230						235					240		
Thr	Ser	Gly	Asp	Val	Thr	Lys	Tyr	Gly	Ala	Ala	Ile	Phe	Gly	Gln	Ile		
			245						250					255			
Ala	Ser	Ser	Asn	Gly	Ser	Gln	Thr	Asp	Asn	Leu	Pro	Leu	Lys	Leu	Ile		
	260							265					270				
Ala	Ser	Gly	Gly	Asn	Ile	Cys	Phe	Arg	Asn	Asn	Glu	Tyr	Arg	Pro	Thr		
	275					280						285					
Ser	Ser	Asp	Thr	Gly	Thr	Ser	Thr	Phe	Cys	Ser	Ile	Ala	Gly	Asp	Val		
	290					295					300						
Lys	Leu	Thr	Met	Gln	Ala	Ala	Lys	Gly	Lys	Thr	Ile	Ser	Phe	Phe	Asp		
305				310						315					320		
Ala	Ile	Arg	Thr	Ser	Thr	Lys	Lys	Thr	Gly	Thr	Gln	Ala	Thr	Ala	Tyr		
			325						330					335			
Asp	Thr	Leu	Asp	Ile	Asn	Lys	Ser	Glu	Asp	Ser	Glu	Thr	Val	Asn	Ser		
		340						345					350				
Ala	Phe	Thr	Gly	Thr	Ile	Leu	Phe	Ser	Ser	Glu	Leu	His	Glu	Asn	Lys		
	355						360					365					
Ser	Tyr	Ile	Pro	Gln	Asn	Val	Val	Leu	His	Ser	Gly	Ser	Leu	Val	Leu		
	370					375					380						
Lys	Pro	Asn	Thr	Glu	Leu	His	Val	Ile	Ser	Phe	Glu	Gln	Lys	Glu	Gly		
385				390						395					400		
Ser	Ser	Leu	Val	Met	Thr	Pro	Gly	Ser	Val	Leu	Ser	Asn	Gln	Thr	Val		
			405						410					415			
Ala	Asp	Gly	Ala														

Gly Thr Phe Phe Gln Asn Pro Ala Leu Arg Ser Asp Gln Gln Ile Ser
 545 550 555 560
 Leu Leu Val Leu Pro Thr Asp Ser Ser Lys Met Gln Ala Gln Lys Ile
 565 570 575
 Val Leu Thr Gly Asp Ile Ala Pro Gln Lys Gly Tyr Thr Gly Thr Leu
 580 585 590
 Thr Leu Asp Pro Asp Gln Leu Gln Asn Gly Thr Ile Ser Ala Leu Trp
 595 600 605
 Lys Phe Asp Ser Tyr Arg Gln Trp Ala Tyr Val Pro Arg Asp Asn His
 610 615 620
 Phe Tyr Ala Asn Ser Ile Leu Gly Ser Gln Met Ser Met Val Thr Val
 625 630 635 640
 Lys Gln Gly Leu Leu Asn Asp Lys Met Asn Leu Ala Arg Phe Asp Glu
 645 650 655
 Val Ser Tyr Asn Asn Leu Trp Ile Ser Gly Leu Gly Thr Met Leu Ser
 660 665 670
 Gln Val Gly Thr Pro Thr Ser Glu Glu Phe Thr Tyr Tyr Ser Arg Gly
 675 680 685
 Ala Ser Val Ala Leu Asp Ala Lys Pro Ala His Asp Val Ile Val Gly
 690 695 700
 Ala Ala Phe Ser Lys Met Ile Gly Lys Thr Lys Ser Leu Lys Arg Glu
 705 710 715 720
 Asn Asn Tyr Thr His Lys Gly Ser Glu Tyr Ser Tyr Gln Ala Ser Val
 725 730 735
 Tyr Gly Gly Lys Pro Phe His Phe Val Ile Asn Lys Lys Thr Glu Lys
 740 745 750
 Ser Leu Pro Leu Leu Leu Gln Gly Val Ile Ser Tyr Gly Tyr Ile Lys
 755 760 765
 His Asp Thr Val Thr His Tyr Pro Thr Ile Arg Glu Arg Asn Gln Gly
 770 775 780
 Glu Trp Glu Asp Leu Gly Trp Leu Thr Ala Leu Arg Val Ser Ser Val
 785 790 795 800
 Leu Arg Thr Pro Ala Gln Gly Asp Thr Lys Arg Ile Thr Val Tyr Gly
 805 810 815
 Glu Leu Glu Tyr Ser Ser Ile Arg Gln Lys Gln Phe Thr Glu Thr Glu
 820 825 830
 Tyr Asp Pro Arg Tyr Phe Asp Asn Cys Thr Tyr Arg Asn Leu Ala Ile
 835 840 845
 Pro Met Gly Leu Ala Phe Glu Gly Glu Leu Ser Gly Asn Asp Ile Leu
 850 855 860
 Met Tyr Asn Arg Phe Ser Val Ala Tyr Met Pro Ser Ile Tyr Arg Asn
 865 870 875 880
 Ser Pro Thr Cys Lys Tyr Gln Val Leu Ser Ser Gly Glu Gly Gly Glu
 885 890 895
 Ile Ile Cys Gly Val Pro Thr Arg Asn Ser Ala Arg Gly Glu Tyr Ser
 900 905 910
 Thr Gln Leu Tyr Pro Gly Pro Leu Trp Thr Leu Tyr Gly Ser Tyr Thr
 915 920 925
 Ile Glu Ala Asp Ala His Thr Leu Ala His Met Met Asn Cys Gly Ala
 930 935 940
 Arg Met Thr Phe
 945

<210> 195

<211> 821

<212> PRT

<213> Chlamydia

<400> 195

```

Met His His His His His His Glu Ala Ser Ser Ile Gln Asp Gln Ile
 1          5          10          15
Lys Asn Thr Asp Cys Asn Val Ser Lys Val Gly Tyr Ser Thr Ser Gln
 20          25          30
Ala Phe Thr Asp Met Met Leu Ala Asp Asn Thr Glu Tyr Arg Ala Ala
 35          40          45
Asp Ser Val Ser Phe Tyr Asp Phe Ser Thr Ser Ser Gly Leu Pro Arg
 50          55          60
Lys His Leu Ser Ser Ser Ser Glu Ala Ser Pro Thr Thr Glu Gly Val
 65          70          75          80
Ser Ser Ser Ser Ser Gly Glu Asn Thr Glu Asn Ser Gln Asp Ser Ala
 85          90          95
Pro Ser Ser Gly Glu Thr Asp Lys Lys Thr Glu Glu Glu Leu Asp Asn
100          105          110
Gly Gly Ile Ile Tyr Ala Arg Glu Lys Leu Thr Ile Ser Glu Ser Gln
115          120          125
Asp Ser Leu Ser Asn Pro Ser Ile Glu Leu His Asp Asn Ser Phe Phe
130          135          140
Phe Gly Glu Gly Glu Val Ile Phe Asp His Arg Val Ala Leu Lys Asn
145          150          155          160
Gly Gly Ala Ile Tyr Gly Glu Lys Glu Val Val Phe Glu Asn Ile Lys
165          170          175
Ser Leu Leu Val Glu Val Asn Ile Ser Val Glu Lys Gly Gly Ser Val
180          185          190
Tyr Ala Lys Glu Arg Val Ser Leu Glu Asn Val Thr Glu Ala Thr Phe
195          200          205
Ser Ser Asn Gly Gly Glu Gln Gly Gly Gly Gly Ile Tyr Ser Glu Gln
210          215          220
Asp Met Leu Ile Ser Asp Cys Asn Asn Val His Phe Gln Gly Asn Ala
225          230          235          240
Ala Gly Ala Thr Ala Val Lys Gln Cys Leu Asp Glu Glu Met Ile Val
245          250          255
Leu Leu Thr Glu Cys Val Asp Ser Leu Ser Glu Asp Thr Leu Asp Ser
260          265          270
Thr Pro Glu Thr Glu Gln Thr Lys Ser Asn Gly Asn Gln Asp Gly Ser
275          280          285
Ser Glu Thr Lys Asp Thr Gln Val Ser Glu Ser Pro Glu Ser Thr Pro
290          295          300
Ser Pro Asp Asp Val Leu Gly Lys Gly Gly Gly Ile Tyr Thr Glu Lys
305          310          315          320
Ser Leu Thr Ile Thr Gly Ile Thr Gly Thr Ile Asp Phe Val Ser Asn
325          330          335
Ile Ala Thr Asp Ser Gly Ala Gly Val Phe Thr Lys Glu Asn Leu Ser
340          345          350
Cys Thr Asn Thr Asn Ser Leu Gln Phe Leu Lys Asn Ser Ala Gly Gln
355          360          365
His Gly Gly Gly Ala Tyr Val Thr Gln Thr Met Ser Val Thr Asn Thr
370          375          380
Thr Ser Glu Ser Ile Thr Thr Pro Pro Leu Val Gly Glu Val Ile Phe
385          390          395          400
Ser Glu Asn Thr Ala Lys Gly His Gly Gly Gly Ile Cys Thr Asn Lys

```

405 410 415
 Leu Ser Leu Ser Asn Leu Lys Thr Val Thr Leu Thr Lys Asn Ser Ala
 420 425 430
 Lys Glu Ser Gly Gly Ala Ile Phe Thr Asp Leu Ala Ser Ile Pro Thr
 435 440 445
 Thr Asp Thr Pro Glu Ser Ser Thr Pro Ser Ser Ser Ser Pro Ala Ser
 450 455 460
 Thr Pro Glu Val Val Ala Ser Ala Lys Ile Asn Arg Phe Phe Ala Ser
 465 470 475 480
 Thr Ala Glu Pro Ala Ala Pro Ser Leu Thr Glu Ala Glu Ser Asp Gln
 485 490 495
 Thr Asp Gln Thr Glu Thr Ser Asp Thr Asn Ser Asp Ile Asp Val Ser
 500 505 510
 Ile Glu Asn Ile Leu Asn Val Ala Ile Asn Gln Asn Thr Ser Ala Lys
 515 520 525
 Lys Gly Gly Ala Ile Tyr Gly Lys Lys Ala Lys Leu Ser Arg Ile Asn
 530 535 540
 Asn Leu Glu Leu Ser Gly Asn Ser Ser Gln Asp Val Gly Gly Gly Leu
 545 550 555 560
 Cys Leu Thr Glu Ser Val Glu Phe Asp Ala Ile Gly Ser Leu Leu Ser
 565 570 575
 His Tyr Asn Ser Ala Ala Lys Glu Gly Val Ile His Ser Lys Thr
 580 585 590
 Val Thr Leu Ser Asn Leu Lys Ser Thr Phe Thr Phe Ala Asp Asn Thr
 595 600 605
 Val Lys Ala Ile Val Glu Ser Thr Pro Glu Ala Pro Glu Glu Ile Pro
 610 615 620
 Pro Val Glu Gly Glu Glu Ser Thr Ala Thr Glu Asn Pro Asn Ser Asn
 625 630 635 640
 Thr Glu Gly Ser Ser Ala Asn Thr Asn Leu Glu Gly Ser Gln Gly Asp
 645 650 655
 Thr Ala Asp Thr Gly Thr Gly Val Val Asn Asn Glu Ser Gln Asp Thr
 660 665 670
 Ser Asp Thr Gly Asn Ala Glu Ser Gly Glu Gln Leu Gln Asp Ser Thr
 675 680 685
 Gln Ser Asn Glu Glu Asn Thr Leu Pro Asn Ser Ser Ile Asp Gln Ser
 690 695 700
 Asn Glu Asn Thr Asp Glu Ser Ser Asp Ser His Thr Glu Glu Ile Thr
 705 710 715 720
 Asp Glu Ser Val Ser Ser Ser Ser Lys Ser Gly Ser Ser Thr Pro Gln
 725 730 735
 Asp Gly Gly Ala Ala Ser Ser Gly Ala Pro Ser Gly Asp Gln Ser Ile
 740 745 750
 Ser Ala Asn Ala Cys Leu Ala Lys Ser Tyr Ala Ala Ser Thr Asp Ser
 755 760 765
 Ser Pro Val Ser Asn Ser Ser Gly Ser Asp Val Thr Ala Ser Ser Asp
 770 775 780
 Asn Pro Asp Ser Ser Ser Ser Gly Asp Ser Ala Gly Asp Ser Glu Gly
 785 790 795 800
 Pro Thr Glu Pro Glu Ala Gly Ser Thr Thr Glu Thr Pro Thr Leu Ile
 805 810 815
 Gly Gly Gly Ala Ile
 820

<211> 525

<212> PRT

<213> Chlamydia

<400> 196

```

Met His His His His His His Thr Ala Ala Ser Asp Asn Phe Gln Leu
 1          5          10          15
Ser Gln Gly Gly Gln Gly Phe Ala Ile Pro Ile Gly Gln Ala Met Ala
      20          25          30
Ile Ala Gly Gln Ile Lys Leu Pro Thr Val His Ile Gly Pro Thr Ala
      35          40          45
Phe Leu Gly Leu Gly Val Val Asp Asn Asn Gly Asn Gly Ala Arg Val
      50          55          60
Gln Arg Val Val Gly Ser Ala Pro Ala Ala Ser Leu Gly Ile Ser Thr
      65          70          75          80
Gly Asp Val Ile Thr Ala Val Asp Gly Ala Pro Ile Asn Ser Ala Thr
      85          90          95
Ala Met Ala Asp Ala Leu Asn Gly His His Pro Gly Asp Val Ile Ser
      100          105          110
Val Thr Trp Gln Thr Lys Ser Gly Gly Thr Arg Thr Gly Asn Val Thr
      115          120          125
Leu Ala Glu Gly Pro Pro Ala Glu Phe Pro Leu Val Pro Arg Gly Ser
      130          135          140
Pro Leu Pro Val Gly Asn Pro Ala Glu Pro Ser Leu Leu Ile Asp Gly
      145          150          155          160
Thr Met Trp Glu Gly Ala Ser Gly Asp Pro Cys Asp Pro Cys Ala Thr
      165          170          175
Trp Cys Asp Ala Ile Ser Ile Arg Ala Gly Tyr Tyr Gly Asp Tyr Val
      180          185          190
Phe Asp Arg Val Leu Lys Val Asp Val Asn Lys Thr Phe Ser Gly Met
      195          200          205
Ala Ala Thr Pro Thr Gln Ala Ile Gly Asn Ala Ser Asn Thr Asn Gln
      210          215          220
Pro Glu Ala Asn Gly Arg Pro Asn Ile Ala Tyr Gly Arg His Met Gln
      225          230          235          240
Asp Ala Glu Trp Phe Ser Asn Ala Ala Phe Leu Ala Leu Asn Ile Trp
      245          250          255
Asp Arg Phe Asp Ile Phe Cys Thr Leu Gly Ala Ser Asn Gly Tyr Phe
      260          265          270
Lys Ala Ser Ser Ala Ala Phe Asn Leu Val Gly Leu Ile Gly Phe Ser
      275          280          285
Ala Ala Ser Ser Ile Ser Thr Asp Leu Pro Met Gln Leu Pro Asn Val
      290          295          300
Gly Ile Thr Gln Gly Val Val Glu Phe Tyr Thr Asp Thr Ser Phe Ser
      305          310          315          320
Trp Ser Val Gly Ala Arg Gly Ala Leu Trp Glu Cys Gly Cys Ala Thr
      325          330          335
Leu Gly Ala Glu Phe Gln Tyr Ala Gln Ser Asn Pro Lys Ile Glu Met
      340          345          350
Leu Asn Val Thr Ser Ser Pro Ala Gln Phe Val Ile His Lys Pro Arg
      355          360          365
Gly Tyr Lys Gly Ala Ser Ser Asn Phe Pro Leu Pro Ile Thr Ala Gly
      370          375          380
Thr Thr Glu Ala Thr Asp Thr Lys Ser Ala Thr Ile Lys Tyr His Glu
      385          390          395          400

```

Trp	Gln	Val	Gly	Leu	Ala	Leu	Ser	Tyr	Arg	Leu	Asn	Met	Leu	Val	Pro
				405					410					415	
Tyr	Ile	Gly	Val	Asn	Trp	Ser	Arg	Ala	Thr	Phe	Asp	Ala	Asp	Thr	Ile
			420					425					430		
Arg	Ile	Ala	Gln	Pro	Lys	Leu	Lys	Ser	Glu	Ile	Leu	Asn	Ile	Thr	Thr
			435				440					445			
Trp	Asn	Pro	Ser	Leu	Ile	Gly	Ser	Thr	Thr	Ala	Leu	Pro	Asn	Asn	Ser
			450			455					460				
Gly	Lys	Asp	Val	Leu	Ser	Asp	Val	Leu	Gln	Ile	Ala	Ser	Ile	Gln	Ile
465					470					475					480
Asn	Lys	Met	Lys	Ser	Arg	Lys	Ala	Cys	Gly	Val	Ala	Val	Gly	Ala	Thr
				485					490					495	
Leu	Ile	Asp	Ala	Asp	Lys	Trp	Ser	Ile	Thr	Gly	Glu	Ala	Arg	Leu	Ile
			500					505					510		
Asn	Glu	Arg	Ala	Ala	His	Met	Asn	Ala	Gln	Phe	Arg	Phe			
		515					520					525			

<210> 197
<211> 43
<212> DNA
<213> Chlamydia

<400> 197
gataggcgcg cgcgaatcat gaaatttatg tcagctactg ctg 43

<210> 198
<211> 34
<212> DNA
<213> Chlamydia

<400> 198
cagaacgcgt ttagaatgtc atacgagcac cgca

```
<210> 199
<211> 6
<212> DNA
<213> Chlamydia
```

<400> 199
gcaatc

```
<210> 200
<211> 34
<212> DNA
<213> Chlamydia
```

<400> 200
tgcaatcatg agttcgcaga aagatataaa aagc

```
<210> 201
<211> 38
<212> DNA
<213> Chlamydia
```

<400> 201

cagagctagc ttaaaagatc aatcgcaatc cagtattc 38

<210> 202
<211> 5
<212> DNA
<213> Chlamydia

<400> 202
caatc 5

<210> 203
<211> 31
<212> DNA
<213> Chlamydia

<400> 203
tgcaatcatg aaaaaagcgt ttttcttttt c 31

<210> 204
<211> 31
<212> DNA
<213> Chlamydia

<400> 204
cagaacgcgt ctagaatcgc agagcaattt c 31

<210> 205
<211> 30
<212> DNA
<213> Chlamydia

<400> 205
gtgcaatcat gattcctcaa ggaatttacg 30

<210> 206
<211> 31
<212> DNA
<213> Chlamydia

<400> 206
cagaacgcgt ttagaaccgg actttacttc c 31

<210> 207
<211> 50
<212> DNA
<213> Chlamydia

<400> 207
cagacatatg catcaccatc accatcacga ggcgagctcg atccaagatc 50

<210> 208
<211> 40
<212> DNA
<213> Chlamydia

<400> 208
cagaggtacc tcagatagca ctctctccta ttaaagtagg 40

<210> 209
<211> 55
<212> DNA
<213> Chlamydia

<400> 209
cagagctagc atgcatcacc atcaccatca cgtaaagatt gagaacttct ctggc 55

<210> 210
<211> 35
<212> DNA
<213> Chlamydia

<400> 210
cagaggtacc ttagaatgtc atacgagcac cgcag 35

<210> 211
<211> 36
<212> DNA
<213> Chlamydia

<400> 211
cagacatatg catcaccatc accatcacgg gttagc 36

<210> 212
<211> 35
<212> DNA
<213> Chlamydia

<400> 212
cagaggtacc tcagctcttc cagcacactc tcttc 35

<210> 213
<211> 51
<212> DNA
<213> Chlamydia

<400> 213
cagagctagc catcaccatc accatcacgg tgctatttct tgcttacgtg g 51

<210> 214
<211> 38
<212> DNA
<213> Chlamydia

<400> 214
cagaggtact taaaagatca atcgcaatcc agtattcg 38

<210> 215
<211> 48
<212> DNA
<213> Chlamydia

<400> 215
cagaggatcc acatcaccat caccatcacg gactagctag agaggttc 48

<210> 216
<211> 31
<212> DNA
<213> Chlamydia

<400> 216
cagagaattc ctagaatcgc agagcaattt c 31

<210> 217
<211> 7
<212> DNA
<213> Chlamydia

<400> 217
tgcaatc 7

<210> 218
<211> 22
<212> PRT
<213> Chlamydia

<400> 218
Met Ala Ser Met Thr Gly Gly Gln Gln Met Gly Arg Asp Ser Ser Leu
1 5 10 15
Val Pro Ser Ser Asp Pro
20

<210> 219
<211> 51
<212> DNA
<213> Chlamydia

<400> 219
cagaggtacc gcacacccat caccatcaca tgattcctca aggaatttac g 51

<210> 220
<211> 33
<212> DNA
<213> Chlamydia

<400> 220
cagagcggcc gcttagaacc ggactttact tcc 33

<210> 221
<211> 24
<212> PRT
<213> Chlamydia

<400> 221
Met Ala Ser Met Thr Gly Gly Gln Gln Asn Gly Arg Asp Ser Ser Leu
1 5 10 15

Val Pro His His His His His His
20

<210> 222

<211> 46

<212> DNA

<213> Chlamydia

<400> 222

cagagctagc catcaccatc accatcacct ctttggccag gatccc

46

<210> 223

<211> 30

<212> DNA

<213> Chlamydia

<400> 223

cagaactagt ctagaacctg taagtgggtcc

30

<210> 224

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 224

Met Ser Gln Lys Asn Lys Asn Ser Ala Phe Met His Pro Val Asn Ile
1 5 10 15

Ser Thr Asp Leu
20

<210> 225

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 225

Lys Asn Ser Ala Phe Met His Pro Val Asn Ile Ser Thr Asp Leu Ala
1 5 10 15

Val Ile Val Gly
20

<210> 226

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 226

His Pro Val Asn Ile Ser Thr Asp Leu Ala Val Ile Val Gly Lys Gly
1 5 10 15
Pro Met Pro Arg
20

<210> 227

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 227

Ser Thr Asp Leu Ala Val Ile Val Gly Lys Gly Pro Met Pro Arg Thr
1 5 10 15
Glu Ile Val Lys
20

<210> 228

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 228

Val Ile Val Gly Lys Gly Pro Met Pro Arg Thr Glu Ile Val Lys Lys
1 5 10 15
Val Trp Glu Tyr
20

<210> 229

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 229

Gly Pro Met Pro Arg Thr Glu Ile Val Lys Lys Val Trp Glu Tyr Ile
1 5 10 15
Lys Lys His Asn
20

<210> 230

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 230
Ile Lys Lys His Asn Cys Gln Asp Gln Lys Asn Lys Arg Asn Ile Leu
1 5 10 15
Pro Asp Ala Asn
20

<210> 231
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Made in a lab

<400> 231
Asn Cys Gln Asp Gln Lys Asn Lys Arg Asn Ile Leu Pro Asp Ala Asn
1 5 10 15
Leu Ala Lys Val
20

<210> 232
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Made in a lab

<400> 232
Lys Asn Lys Arg Asn Ile Leu Pro Asp Ala Asn Leu Ala Lys Val Phe
1 5 10 15
Gly Ser Ser Asp
20

<210> 233
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Made in a lab

<400> 233
Ile Leu Pro Asp Ala Asn Leu Ala Lys Val Phe Gly Ser Ser Asp Pro
1 5 10 15
Ile Asp Met Phe
20

<210> 234
<211> 20
<212> PRT
<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 234

Asn Leu Ala Lys Val Phe Gly Ser Ser Asp Pro Ile Asp Met Phe Gln
1 5 10 15
Met Thr Lys Ala
20

<210> 235

<211> 22

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 235

Phe Gly Ser Ser Asp Pro Ile Asp Met Phe Gln Met Thr Lys Ala Leu
1 5 10 15
Ser Lys His Ile Val Lys
20

<210> 236

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 236

Val Glu Ile Thr Gln Ala Val Pro Lys Tyr Ala Thr Val Gly Ser Pro
1 5 10 15
Tyr Pro Val Glu
20

<210> 237

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 237

Ala Val Pro Lys Tyr Ala Thr Val Gly Ser Pro Tyr Pro Val Glu Ile
1 5 10 15
Thr Ala Thr Gly
20

<210> 238

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 238

Ala Thr Val Gly Ser Pro Tyr Pro Val Glu Ile Thr Ala Thr Gly Lys
1 5 10 15
Arg Asp Cys Val
20

<210> 239

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 239

Pro Tyr Pro Val Glu Ile Thr Ala Thr Gly Lys Arg Asp Cys Val Asp
1 5 10 15
Val Ile Ile Thr
20

<210> 240

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 240

Ile Thr Ala Thr Gly Lys Arg Asp Cys Val Asp Val Ile Ile Thr Gln
1 5 10 15
Gln Leu Pro Cys Glu
20

<210> 241

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 241

Lys Arg Asp Cys Val Asp Val Ile Ile Thr Gln Gln Leu Pro Cys Glu
1 5 10 15
Ala Glu Phe Val
20

<210> 242

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 242

Asp	Val	Ile	Ile	Thr	Gln	Gln	Leu	Pro	Cys	Glu	Ala	Glu	Phe	Val	Arg
1				5				10					15		
Ser	Asp	Pro	Ala												
				20											

<210> 243

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 243

Thr	Gln	Gln	Leu	Pro	Cys	Glu	Ala	Glu	Phe	Val	Arg	Ser	Asp	Pro	Ala
1				5				10					15		
Thr	Thr	Pro	Thr												
				20											

<210> 244

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 244

Cys	Glu	Ala	Glu	Phe	Val	Arg	Ser	Asp	Pro	Ala	Thr	Thr	Pro	Thr	Ala
1				5				10					15		
Asp	Gly	Lys	Leu												
				20											

<210> 245

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 245

Val	Arg	Ser	Asp	Pro	Ala	Thr	Thr	Pro	Thr	Ala	Asp	Gly	Lys	Leu	Val
1				5				10					15		
Trp	Lys	Ile	Asp												
				20											

<210> 246

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 246

Ala	Thr	Thr	Pro	Thr	Ala	Asp	Gly	Lys	Leu	Val	Trp	Lys	Ile	Asp	Arg
1				5					10					15	
Leu	Gly	Gln	Gly												
			20												

<210> 247

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 247

Ala	Asp	Gly	Lys	Leu	Val	Trp	Lys	Ile	Asp	Arg	Leu	Gly	Gln	Gly	Glu
1				5					10					15	
Lys	Ser	Lys	Ile												
			20												

<210> 248

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 248

Val	Trp	Lys	Ile	Asp	Arg	Leu	Gly	Gln	Gly	Glu	Lys	Ser	Lys	Ile	Thr
1				5					10					15	
Val	Trp	Val	Lys												
			20												

<210> 249

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 249

Arg	Leu	Gly	Gln	Gly	Glu	Lys	Ser	Lys	Ile	Thr	Val	Trp	Val	Lys	Pro
1				5					10					15	
Leu	Lys	Glu	Gly												
			20												

<210> 250

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 250

Gly	Glu	Lys	Ser	Lys	Ile	Thr	Val	Trp	Val	Lys	Pro	Leu	Lys	Glu	Gly
1				5				10					15		
Cys	Cys	Phe	Thr												
			20												

<210> 251

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 251

Gly	Glu	Lys	Ser	Lys	Ile	Thr	Val	Trp	Val	Lys	Pro	Leu	Lys	Glu	Gly
1				5				10					15		

<210> 252

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 252

Lys	Ile	Thr	Val	Trp	Val	Lys	Pro	Leu	Lys	Glu	Gly
1				5				10			

<210> 253

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 253

Gly	Asp	Lys	Cys	Lys	Ile	Thr	Val	Trp	Val	Lys	Pro	Leu	Lys	Glu	Gly
1				5				10					15		

<210> 254

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 254

Thr Glu Tyr Pro Leu Leu Ala Asp Pro Ser Phe Lys Ile Ser Glu Ala
1 5 10 15
Phe Gly Val Leu
20

<210> 255

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 255

Leu Ala Asp Pro Ser Phe Lys Ile Ser Glu Ala Phe Gly Val Leu Asn
1 5 10 15
Pro Glu Gly Ser
20

<210> 256

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 256

Phe Lys Ile Ser Glu Ala Phe Gly Val Leu Asn Pro Glu Gly Ser Leu
1 5 10 15
Ala Leu Arg Ala
20

<210> 257

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 257

Ala Phe Gly Val Leu Asn Pro Glu Gly Ser Leu Ala Leu Arg Ala Thr
1 5 10 15
Phe Leu Ile Asp
20

<210> 258

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 258

Asn Pro Glu Gly Ser Leu Ala Leu Arg Ala Thr Phe Leu Ile Asp Lys
1 5 10 15
His Gly Val Ile
20

<210> 259

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 259

Leu Ala Leu Arg Ala Thr Phe Leu Ile Asp Lys His Gly Val Ile Arg
1 5 10 15
His Ala Val Ile
20

<210> 260

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 260

Thr Phe Leu Ile Asp Lys His Gly Val Ile Arg His Ala Val Ile Asn
1 5 10 15
Asp Leu Pro Leu
20

<210> 261

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 261

Lys His Gly Val Ile Arg His Ala Val Ile Asn Asp Leu Pro Leu Gly
1 5 10 15
Arg Ser Ile Asp
20

<210> 262

<211> 20

<212> PRT

<213> Artificial Sequence

<220>

<223> Made in a lab

<400> 262

Arg His Ala Val Ile Asn Asp Leu Pro Leu Gly Arg Ser Ile Asp Glu
 1 5 10 15
 Glu Leu Arg Ile
 20

<210> 263

<211> 897

<212> DNA

<213> Chlamydia

<220>

<221> misc_feature

<222> (1)...(897)

<223> n = A,T,C or G

<400> 263

```

atggcttcta tatgcggacg tttagggctt ggtacaggga atgctctaaa agcttttttt 60
acacagccca acaataaaaat ggcaagggtg gtaaataaga cgaaggaggt ggataagact 120
attaagggtg ccaagtctgc tgccgaattg accgcaaata ttttgaaca agctggaggg 180
gcgggctctt ccgcacacat tacagcttcc caagtgtcca aaggattagg ggatgcgaga 240
actgttgtag ctttagggaa tgctttaac ggagcgttgc caggaacagt tcaaagtgcg 300
caaagcttct tctctcacat gaaagctgct agtcagaaaa cgcaagaagg ggatgagggg 360
ctcacagcag atctttgtgt gtctcataag cgcagagcgg ctgagggtgt ctgtagcatc 420
atcggaggaa ttacctacct cgcgacattc ggagctatcc gtccgattct gtttgtcaac 480
aaaatgctgg caaaaccgtt tctttcttcc caaactaaag caaataaggg atctttctgtt 540
agctatatta tggcgggctaa ccatgcagcg tctgtggtgg gtgctggaact cgctatcagt 600
gcgnaaagag cagattgcga agcccgtgc gtcgtattg cgagagaaga gtcgttactc 660
gaagtgcggg gagaggaaaa tgcttgcgag aagaaagtcg ctggagagaa agccaagacg 720
ttcacgcgca tcaagtatgc actcctcact atgctcgaga agtttttgga atgcgttccc 780
gacgttttca aattgggtgc gctgcctatt acaatgggta ttcgtgcgat tgtggctgct 840
ggatgtacgt tcacttctgc aattattgga ttgtgcactt tctgcgccag agcataa 897

```

<210> 264

<211> 298

<212> PRT

<213> Chlamydia

<220>

<221> VARIANT

<222> (1)...(298)

<223> Xaa = Any Amino Acid

<400> 264

Met Ala Ser Ile Cys Gly Arg Leu Gly Ser Gly Thr Gly Asn Ala Leu
 1 5 10 15
 Lys Ala Phe Phe Thr Gln Pro Asn Asn Lys Met Ala Arg Val Val Asn
 20 25 30
 Lys Thr Lys Gly Val Asp Lys Thr Ile Lys Val Ala Lys Ser Ala Ala
 35 40 45
 Glu Leu Thr Ala Asn Ile Leu Glu Gln Ala Gly Gly Ala Gly Ser Ser
 50 55 60

Ala His Ile Thr Ala Ser Gln Val Ser Lys Gly Leu Gly Asp Ala Arg
 65 70 75 80
 Thr Val Val Ala Leu Gly Asn Ala Phe Asn Gly Ala Leu Pro Gly Thr
 85 90 95
 Val Gln Ser Ala Gln Ser Phe Phe Ser His Met Lys Ala Ala Ser Gln
 100 105 110
 Lys Thr Gln Glu Gly Asp Glu Gly Leu Thr Ala Asp Leu Cys Val Ser
 115 120 125
 His Lys Arg Arg Ala Ala Ala Val Cys Ser Ile Ile Gly Gly Ile
 130 135 140
 Thr Tyr Leu Ala Thr Phe Gly Ala Ile Arg Pro Ile Leu Phe Val Asn
 145 150 155 160
 Lys Met Leu Ala Lys Pro Phe Leu Ser Ser Gln Thr Lys Ala Asn Met
 165 170 175
 Gly Ser Ser Val Ser Tyr Ile Met Ala Ala Asn His Ala Ala Ser Val
 180 185 190
 Val Gly Ala Gly Leu Ala Ile Ser Ala Xaa Arg Ala Asp Cys Glu Ala
 195 200 205
 Arg Cys Ala Arg Ile Ala Arg Glu Glu Ser Leu Leu Glu Val Pro Gly
 210 215 220
 Glu Glu Asn Ala Cys Glu Lys Lys Val Ala Gly Glu Lys Ala Lys Thr
 225 230 235 240
 Phe Thr Arg Ile Lys Tyr Ala Leu Leu Thr Met Leu Glu Lys Phe Leu
 245 250 255
 Glu Cys Val Ala Asp Val Phe Lys Leu Val Pro Leu Pro Ile Thr Met
 260 265 270
 Gly Ile Arg Ala Ile Val Ala Ala Gly Cys Thr Phe Thr Ser Ala Ile
 275 280 285
 Ile Gly Leu Cys Thr Phe Cys Ala Arg Ala
 290 295

<210> 265

<211> 897

<212> DNA

<213> Chlamydia

<220>

<221> misc_feature

<222> (1)...(897)

<223> n = A,T,C or G

<400> 265

atggcttcta tatgcggaacg tttaggggtct ggtacagggga atgctctaaa agctttttttt 60
 acacagccca acaataaaat ggcaagggta gtaaataaga cgaagggaat ggataagact 120
 attaaggttg ccaagtctgc tgccgaattg accgcaaata ttttggaaca agctggaggc 180
 gcgggtctt ccgcacacat tacagcttcc caagtgtcca aaggattagg ggaatgcgaga 240
 actgttgctg ctttagggaa tgcttttaac ggagcgttg caggaacagt tcaaagtgcg 300
 caaagcttct tctctcacat gaaagctgct agtcagaaaa cgcaagaagg ggaatgagggg 360
 ctcacagcag atctttgtgt gtctcataag cgcagagcgg ctgcggctgt ctgtagcatc 420
 atcggaggaa ttacctacct cgcgacattc ggagctatcc gtccgattct gtttgtcaac 480
 aaaatgctgg caaaaccgtt tctttcttcc caaactaaag caaatatggg atcttctgtt 540
 agctatatta tggcgggctaa ccatgcagcg tctgtggtgg gtgctggact cgctatcagt 600
 gcgnaaagag cagattgcga agcccgctgc gctcgtattg cgagagaaga gtcgttactc 660
 gaagtgccgg gagaggaaaa tgcttgcgag aagaaagtcg ctggagagaa agccaagacg 720
 ttcacgcgca tcaagtatgc actcctcact atgctcgaga agtttttggg atgcggttgcc 780

gacgttttca aattggtgcc gctgcctatt acaatgggta ttcgtgcgat tgtggctgct 840
 ggatgtacgt tcacttctgc aattattgga ttgtgcactt tctgcgccag agcataa 897

<210> 266

<211> 298

<212> PRT

<213> Chlamydia

<220>

<221> VARIANT

<222> (1)...(298)

<223> Xaa = Any Amino Acid

<400> 266

Met Ala Ser Ile Cys Gly Arg Leu Gly Ser Gly Thr Gly Asn Ala Leu
 1 5 10 15
 Lys Ala Phe Phe Thr Gln Pro Asn Asn Lys Met Ala Arg Val Val Asn
 20 25 30
 Lys Thr Lys Gly Met Asp Lys Thr Ile Lys Val Ala Lys Ser Ala Ala
 35 40 45
 Glu Leu Thr Ala Asn Ile Leu Glu Gln Ala Gly Gly Ala Gly Ser Ser
 50 55 60
 Ala His Ile Thr Ala Ser Gln Val Ser Lys Gly Leu Gly Asp Ala Arg
 65 70 75 80
 Thr Val Val Ala Leu Gly Asn Ala Phe Asn Gly Ala Leu Pro Gly Thr
 85 90 95
 Val Gln Ser Ala Gln Ser Phe Phe Ser His Met Lys Ala Ala Ser Gln
 100 105 110
 Lys Thr Gln Glu Gly Asp Glu Gly Leu Thr Ala Asp Leu Cys Val Ser
 115 120 125
 His Lys Arg Arg Ala Ala Ala Ala Val Cys Ser Ile Ile Gly Gly Ile
 130 135 140
 Thr Tyr Leu Ala Thr Phe Gly Ala Ile Arg Pro Ile Leu Phe Val Asn
 145 150 155 160
 Lys Met Leu Ala Lys Pro Phe Leu Ser Ser Gln Thr Lys Ala Asn Met
 165 170 175
 Gly Ser Ser Val Ser Tyr Ile Met Ala Ala Asn His Ala Ala Ser Val
 180 185 190
 Val Gly Ala Gly Leu Ala Ile Ser Ala Xaa Arg Ala Asp Cys Glu Ala
 195 200 205
 Arg Cys Ala Arg Ile Ala Arg Glu Glu Ser Leu Leu Glu Val Pro Gly
 210 215 220
 Glu Glu Asn Ala Cys Glu Lys Lys Val Ala Gly Glu Lys Ala Lys Thr
 225 230 235 240
 Phe Thr Arg Ile Lys Tyr Ala Leu Leu Thr Met Leu Glu Lys Phe Leu
 245 250 255
 Glu Cys Val Ala Asp Val Phe Lys Leu Val Pro Leu Pro Ile Thr Met
 260 265 270
 Gly Ile Arg Ala Ile Val Ala Ala Gly Cys Thr Phe Thr Ser Ala Ile
 275 280 285
 Ile Gly Leu Cys Thr Phe Cys Ala Arg Ala
 290 295

<210> 267

<211> 680

<212> DNA

<213> Chlamydia

<400> 267

tctatatcca	tattgatagg	aaaaaacgtc	gcagaaagat	tttagctatg	acgtttatcc	60
gagcttttagg	atattcaaca	gatgcagata	ttattgaaga	gttcttttct	gtagaggagc	120
gttccttacg	ttcagagaag	gattttgtcg	cgttagttgg	taaagtttta	gctgataacg	180
tagttgatgc	ggattcttca	ttagtttacg	ggaaagctgg	agagaagcta	agtactgcta	240
tgctaaaaag	catcttagat	acgggagtc	aatctttgaa	gattgctggt	ggcgcagatg	300
aaaatcacc	aattattaag	atgctcgcaa	aagatcctac	ggattcttac	gaagctgctc	360
ttaaagattt	ttatcgaga	ttacgaccag	gagagcctgc	aacttttagct	aatgctcgat	420
ccacaattat	gcgtttattc	ttcgatgcta	aacgttataa	tttaggccgc	gttggacggt	480
ataaattaaa	taaaaaatta	ggcttcccat	tagacgacga	aacattatct	caagtgactt	540
tgagaaaaga	agatgttatc	ggcgcgttga	aatatttgat	tcgtttgcga	atgggcgatg	600
agaagacatc	tatcgatgat	attgaccatt	tggcaaacgc	acgagttcgc	tctgttggag	660
aactaattca	gaatcactgt					680

<210> 268

<211> 359

<212> DNA

<213> Chlamydia

<400> 268

cttatgttct	ggagaatggt	gcaacaacat	attaatcgaa	ccagctcttc	ctagtaacat	60
agaaaccaag	cccttttgag	aaaaaacctg	tacttcgcat	cccttagcca	tttgttgaat	120
agctcctaac	aaagagctaa	ttttttcctc	ttccttggtt	ttctgaggcg	ctgtggactc	180
taaatatagc	aagtgtcttt	ggaacacctc	atcaacaatc	gtctgtccta	gattaggtat	240
agagactgtc	tctccatcaa	ttaaatggag	tttcaaagta	atatcccttc	ccgtcccttc	300
atcacaagac	tctatgaaag	ctatctgatt	ccatcgagca	gaaatgtatg	gggaaatac	359

<210> 269

<211> 124

<212> DNA

<213> Chlamydia

<400> 269

gatcgaatca	attgagggag	ctcattaaca	agaatagctg	cagtttcttt	gcgttcttct	60
ggaataacaa	gaaataggta	atcggtacca	ttgatagaac	gaacacgaca	aatcgcagaa	120
ggtt						124

<210> 270

<211> 219

<212> DNA

<213> Chlamydia

<400> 270

gatcctgttg	ggcctagtaa	taatacgttg	gatttcccat	aactcacttg	tttatcctgc	60
ataagagcac	ggatacgctt	atagtgggta	tagacggcaa	ccgaaatcgt	ttttttcgcg	120
cgctcttgtc	caatgacata	agagtcgatg	tggcgtttga	tttcttttagg	ggttaacact	180
ctcagacttg	ttggagagct	tgtggaagat	gttgcgatc			219

<210> 271

<211> 511

<212> DNA

<213> Chlamydia

<220>

<221> misc_feature

<222> (1)...(511)

<223> n = A,T,C or G

<400> 271

ggatccgaat	tcggcacgag	gagaaaatat	aggagggttcc	akcatcggaa	gatctaatag	60
acaaagaggt	tttggcatag	atggctcctc	cttgtaggtt	caacgatgat	tgggagggat	120
tggtatcgat	agcttggttc	ccagagaact	gacaagtccc	gctacattga	gagaatgtaa	180
cctgttctcc	atagatagct	cctcctacta	cacctgaata	agttggtgtt	gctggagatg	240
atggtgcggc	tgctgcggct	gcttgtaggg	aagcagcagc	tgacgcaggt	gctgaagctg	300
ttgttgcgac	tcctgtggat	gaggagtttg	ctttgttggt	cgagaaagag	aagcctgatt	360
tcagattaga	aatattttaca	gttttagcat	gtaagcctcc	accttctttc	ccaacaaggt	420
tctctgttac	agataaggag	actagangca	tctagtttta	aagatttttt	acagcagata	480
cctccaccta	tctctgtagc	ggagttctca	g			511

<210> 272

<211> 598

<212> DNA

<213> Chlamydia

<400> 272

ctcttctctt	cctcaatcta	gttctggagc	aactacagtc	tcgactcag	gagactctag	60
ctctggctca	aactcggata	cctcaaaaac	agttccagtc	acagctaaag	gcggtgggct	120
ttatactgat	aagaatcttt	cgattactaa	catcacagga	attatcgaaa	ttgcaaataa	180
caaagcgaca	gatgttggag	gtggtgctta	cgtaaaagga	acccttactt	gtaaaaactc	240
tcaccgtcta	caatttttga	aaaactcttc	cgataaacia	ggtggaggaa	tctacggaga	300
agacaacatc	accctatcta	atttgacagg	gaagactcta	ttccaagaga	atactgccaa	360
aaaagagggc	ggtggactct	tcataaaaagg	tacagataaa	gctcttacia	tgacaggact	420
ggatagtttc	tgtttaatta	ataacacatc	agaaaaacat	ggtgggtggga	gcctttgtta	480
ccaaagaaat	ctctcagact	tacacctctt	gatgtggaaa	caattccagg	aatcacgcct	540
gtacatggtg	aaacagtcac	tactggcaat	aaatctacag	gaggtaatgg	tggagggc	598

<210> 273

<211> 126

<212> DNA

<213> Chlamydia

<400> 273

ggatccgaat	tcggcacgag	atgagcctta	tagtttaaca	aaagcttctc	acattccttc	60
gatagctttt	tattagccgt	tttttagcatc	ctaagagat	ctcctcggtc	gtaacaaata	120
cgagag						126

<210> 274

<211> 264

<212> DNA

<213> Chlamydia

<400> 274

ggatccgaat	tcggcacgag	ctctttttaa	tcttaattac	aaaaagacaa	attaattcaa	60
tttttcaaaa	aagaatttaa	acattaattg	ttgtaaaaaa	acaatattta	ttctaaaata	120
ataaccatag	ttacggggga	atctctttca	tggtttattt	tagagctcat	caacctaggc	180
atagccttaa	aacatttctt	ttgaaagttc	accattcggt	ctccgataag	catcctcaaa	240
ttgctaaagc	tatgtggatt	acgg				264

<210> 275
 <211> 359
 <212> DNA
 <213> Chlamydia

<400> 275
 ggatccgaat tcggcacgag ataaaacctg aaccacaaca aagatctaaa acttcttgat 60
 tttcagctgc aaattctttt agataaatat caaccatttc ttcagtttca tatcttggaa 120
 ttaaaacttg ttctcttaaa ttaattctag tatttaagta ttcaacatag cccattatta 180
 attgaattgg ataattttgc cttaataatt cacattcttt ttcagtaatt ttaggttcta 240
 aaccgtaccg ctttttttct aaaattaatg tttcttcatt atccatttta taagccactt 300
 tccttttattt ttgattttg ttcttctggt agtaatgctt caataatagt taataattt 359

<210> 276
 <211> 357
 <212> DNA
 <213> Chlamydia

<400> 276
 aaaacaattg atataatttt ttttttcata acttccagac tcctttctag aaaagtcttt 60
 atgggtagta gtgactctaa cgttttttat tattaagacg atccccggag atccttttaa 120
 tgatgaaaac ggaaacatcc ttctgccaga aacttttagca ctattaaaga atcgttacgg 180
 gttagataag ccttttattca cccagtatct tatctatttg aaatgtctgc taacactaga 240
 tttcggggaa tctcttatct acaaagatcg aaatctcagc attattgctg ccgctcttcc 300
 atcttccgct attcttggac ttgaaagctt gtgtttactc gtgccgaatt cggatcc 357

<210> 277
 <211> 505
 <212> DNA
 <213> Chlamydia

<400> 277
 ggatccgaat tcggcacgag ctcggtccga ttgcttgctt cagtcacccc atcggtatag 60
 agcactaaaa gagactcttc ttcaagaacg agagtgtgag caggggtgagg aggaacttca 120
 ggtaaaaaatc ctaaggccat accaggatgc gacaggaaaag agatatctcc attaggagct 180
 cggagacacg ctgggttggt gccacaagaa tagtattcta gttctcgtgt tgcgtaatga 240
 taacaataaa tgcatagtgt tacaaacatc ccagattcag ctgtctgttg atagaagaga 300
 gcagctgttt gttgaacggc ttcttgaata gaggagagct cactcaaaaa ggtatgtaac 360
 atgtttttca ggaataagga gtaggcgcac gcattgactc ctttcccgga agcatcagca 420
 acgattagaa agagtttagc ttggggacct tcgcctataa caaagatatc aaagaaatct 480
 cctcctaccg taactgcagg aatat 505

<210> 278
 <211> 407
 <212> DNA
 <213> Chlamydia

<400> 278
 ggatccgaat tcggcacgag aactactgag caaattgggt atccaacttc ctctttacga 60
 aagaaaaaca gaaggcattc tccataccaa gatttggtgc atcgacaata aaactccaat 120
 ctttggctct gctaactgga gcggtgctgg tatgattaaa aactttgaag acctattcat 180
 ccttcgcccc attacagaga cacagcttca ggcttttatg gacgtctggt ctcttctaga 240
 aacaaatagc tcctatctgt ccccagagag cgtgcttacg gccctactc cttcaagtag 300
 acctactcaa caagatacag attctgatga cgaacaaccg agtaccagcc agcaagctat 360

ccgtatgaga aaataggatt agggaaacaa aacgacagca aaccaca

407

<210> 279

<211> 351

<212> DNA

<213> Chlamydia

<400> 279

ctcgtgccgc ttacaggagg cttgtatcct ttaaaataga gtttttctta tgaccccatg	60
tggcgatagg ccgggtctag cgccgatagt agaaatatcg gttgggtttt gtccttgagg	120
ggatcgtata ctttttcaaa gtatgggtccc cgtatcgatt atctggaggc tcttatgtct	180
ttttttcata ctagaaaata taagcttata ctcagaggac tcttgtgttt agcaggctgt	240
ttcttaatga acagctgttc ctctagtcga ggaaatcaac ccgctgatga gagcatctat	300
gtcttgtcta tgaatcgcat gatttgtgat tctcgtgccg aattcggatc c	351

<210> 280

<211> 522

<212> DNA

<213> Chlamydia

<400> 280

ggatccgaat tcggcacgag cagaggaaaa aggcgatact cctcttgaag atcgtttcac	60
agaagatctt tccgaagtct ctggagaaga ttttcgagga ttgaaaaatt cgttcgatga	120
tgattcttct tctgacgaaa ttctcgatgc gctcacaagt aaattttctg atcccacaat	180
aaaggatcta gctcttgatt atctaattca aatagctccc tctgatggga aacttaagtc	240
cgctctcatt caggcaaagc atcaactgat gagcagaat cctcaggcga ttgttgagg	300
acgcaatgtt ctgttagctt cagaaacctt tgtctccaga gcaaatacat ctcttccatc	360
gcttcgctcc ttatatttcc aagtaacctc atccccctct aattgcgcta atttacatca	420
aatgcttgct tcttactcgc catcagagaa aaccgctgtt atggagtttc tagtgaatgg	480
catggtagca gatttaaaat cggaggggccc ttccattcct cc	522

<210> 281

<211> 577

<212> DNA

<213> Chlamydia

<400> 281

ggatccgaat tcggcacgag atgcttctat tacaattggg ttggatgcgg aaaaagctta	60
ccagcttatt ctagaaaagt tgggagatca aattcttggg ggaattgctg atactattgt	120
tgatagtaca gtccaagata ttttagacaa aatcacacaa gaccttctc taggtttgtt	180
gaaagctttt aacaactttc caatcactaa taaaattcaa tgcaacgggt tattcactcc	240
caggaaacatt gaaactttat taggaggaac tgaaatagga aaattcacag tcacacccaa	300
aagctctggg agcatgttct tagtctcagc agatattatt gcatcaagaa tgggaaggcg	360
cgttggttcta gctttggtac gagaagggtga ttctaagccc tacgcgatta gttatggata	420
ctcatcaggc gttcctaatt tatgtagtct aagaaccaga attattaata caggattgac	480
tccgacaacg tattcattac gtgtaggcgg tttagaaagc ggtgtggtat gggttaatgc	540
ccttttctaatt ggcaatgata ttttaggaat aacaaat	577

<210> 282

<211> 607

<212> DNA

<213> Chlamydia

<400> 282

actmatcttc cccgggctcg agtgcggccg caagcttgct gacggagctc gatacaaaaa	60
---	----

tgtgtgcgtg tgaaccgctt cttcaaaagc ttgtcttaaa agatattgtc tcgcttccgg	120
attagttaca tgtttaaaaa ttgctagaac aatattattc ccaaccaagc tctctgcggg	180
gctgaaaaaa cctaaattca aaagaatgac tcgccgctca tcttcagaaa gacgatccga	240
cttccataat tcgatgtctt tccccatggg gatctctgta gggagccagt tatttgcgca	300
gccattcaaa taatgttccc aagccattt gtacttaata ggaacaagtt ggttgacatc	360
gacctgggtg cagttcacta gacgcttgct atttagatta acgctgttct gttttccatc	420
taaaatatct gcttgcataa gaaccgttaa ttttattgtt aatttatatg attaattact	480
gacatgcttc acacccttct tccaaagaac agacaggtgc tttcttcgct ctttcaacaa	540
taattcctgc cgaagcagac ttattcttca tccaacgagg ctgaattcct ctcttattaa	600
tatctac	607

<210> 283

<211> 1077

<212> DNA

<213> Chlamydia

<400> 283

ggatccgaat tcggcacgag aagttaacga tgacgatttg ttcctttggt agagaaggag	60
caatcgaaac taaatgtgcg agagcatgtg aagactccaa tgcaggaata atccccctcat	120
ttctagtaag caggaaaaaa gctcgtaacg cctcttcacg ggtggctaata gtataaaagg	180
ctcgtcctga ctcatgcatt tcggcatgat ctggcccaac tgaaggataa tctaatecag	240
cggaaatgga gtgagtttgt aatacttgct catcgtcacc ttgaagaaga tacgaataaa	300
atccgtggaa tactccaggt cgccctgttg caaacgtgc tgcattgttt cctgaagaaa	360
tgcccagtc tcccccttcc actccaatta attggacttt tggattcggg ataaaatgat	420
ggaaaaatcc aatagcgttg gagccacctc cgatacatgc aatcagaata tcaggatctc	480
ttcttgcaac tgcattgatt tgctctttca cttcagcgct tataacagac tgaaaaaatc	540
gaacgatatc gggataagggt aaaggctcta aggccgatcc taagcaatag tgagtaaagt	600
agtgtgttgt tgcccaatct tgtagagctt gattaactgc atctttgagt ccacaagatc	660
cttttgttac agaaacgact tcagcaccta aaaagcgcat tttctctaca tttggtttct	720
gtcgttccac atcttttgct cccatgtata ctacacaatc taatcctaga taagcacacg	780
ctgttgctgt tgctactcca tgttgctccg cactgtttc agctacaaca cgtgttttcc	840
caagatattt agcaagcaaa cactgaccaa gagcattatt cagtttatgt gctcctgtat	900
gcaaaaagatc ttgcgcgttta agaaatactc tagggccatc aatagctcga gcaaaattct	960
taacttcagt cagaggagtt tgtctccccg catagttttt caaaatacaa tctagttcag	1020
ataaaaaact ttgctgagtt ttgagaatct cccattccgc ttttagattc tgtatag	1077

<210> 284

<211> 407

<212> DNA

<213> Chlamydia

<400> 284

ggatccgaat tcggcacgag aactactgag caaattgggt atccaacttc ctctttacga	60
aagaaaaaca gaaggcattc tccataccaa gatttggtgc atcgacaata aaactccaat	120
ctttggctct gctaactgga gcgggtgctgg tatgattaaa aactttgaag acctattcat	180
ccttcgcccc attacagaga cacagcttca ggcccttatg gacgtctggt ctcttctaga	240
aacaaatagc tcttatctgt ccccagagag cgtgcttacg gccctactc cttcaagtag	300
acctactcaa caagatacag attctgatga cgaacaaccg agtaccagcc agcaagctat	360
ccgtatgaga aaataggatt agggaaacaa aacgacagca aaccaca	407

<210> 285

<211> 802

<212> DNA

<213> Chlamydia

<400> 285

```

ggatccgaat tcggcacgag ttagcttaat gtctttgtca tctctaccta catttgacgc      60
taattctaca ggcacaattg gaatcgtaa ttacgtcgc tgcctagaag agtctgctct      120
tgggaaaaaa gaatctgctg aattcgaaaa gatgaaaaac caattctcta acagcatggg      180
gaagatggag gaagaactgt cttctatcta ttccaagctc caagacgacg attacatgga      240
aggtctatcc gagaccgag ctgccgaatt aagaaaaaaa ttcgaagatc tatctgcaga      300
atacaacaca gctcaagggc agtattacca aatattaaac caaagtaatc tcaagcgcat      360
gcaaaagatt atggaagaag tgaaaaaagc ttctgaaact gtgcgtattc aagaaggctt      420
gtcagtcctt cttaacgaag atattgtctt atctatcgat agttcggcag ataaaaccga      480
tgctgttatt aaagttcttg atgattcttt tcaaaataat taacatgcga agctagccga      540
ggagtgcgct atgtctcaat ccacttattc tcttgaaaca ttagctgatt ttttgaaagt      600
cgagtttcaa ggaaatggag ctactcttct ttccggagtt gaagagatcg aggaagcaaa      660
aacggcacac atcacattct tagataatga aaaatatgct aaacatttaa aatcatcgga      720
agctggcgct atcatcatat ctggaacaca gtttcaaaaa tatcgagact tgaataaaaa      780
ctttcttatc acttctgagt ct                                           802

```

<210> 286

<211> 588

<212> DNA

<213> Chlamydia

<400> 286

```

ggatccgaat tcggcacgag gcaatattta ctcccaacat tacggttcca aataagcgat      60
aaggctcttct aataaggaag ttaatgtaag aggctttttt attgcttttc gtaaggtagt      120
attgcaaccg cacgcgattg aatgatacgc aagccatttc catcatggaa aagaaccctt      180
ggacaaaaat acaaaggagg ttcaactccta accagaaaaa gggagagtta gtttccatgy      240
gttttcttta tataaccccg ttccacacaa ttaggagccg cgtctagtat ttggaatata      300
aattgtcccc aagcgaattt tgttcctggt tcagggattt ctctaattg tctgtcagc      360
catccgccta tggtaacgca attagctgta gtaggaagat caactccaaa caggtcatag      420
aaatcagaaa gctcataggt gcctgcagca ataacaacat tcttgtctga gtgagcgaat      480
tgtttaaaag atgggcgatt atgagctacc tcatcagaga ctattttaaa tagaccattt      540
tgggtaataca atccttctat agaccatata tcatcaatga taatctcg                    588

```

<210> 287

<211> 489

<212> DNA

<213> Chlamydia

<220>

<221> misc_feature

<222> (1)...(489)

<223> n = A,T,C or G

<400> 287

```

agtgcctatt gttttgcagg ctttgtctga tgatagcgat accgtacgtg agattgctgt      60
acaagtagct gttatgtatg gttctagtgt cttactgcgc gccgtgggag atttagcgaa      120
aaatgattct tctattcaag tacgcacac tgcttatcgt gctgcagccg tgttgagat      180
acaagatctt gtgcctcatt tacgagttgt agtccaaaat acacaattag atggaacgga      240
aagaagagaa gcttgagat ctttatgtgt tcttactcgg cctcatagtg gtgtattaac      300
tggcatagat caagctttaa tgacctgtga gatgttaaag gaatatcctg aaaagtgtac      360
ggaagaacag attcgtacat tattggctgc agatcatcca gaagtgcagg tagctacttt      420
acagatcatt ctgagaggag gtagagtatt ccgggtcatct tctataatgg aatcgggtct      480
cgtgccgnt                                           489

```

<210> 288

<211> 191
 <212> DNA
 <213> Chlamydia

<400> 288
 ggatccgaat tcaggatatg ctggtgggtt atcaataaaa aggggttttgc catttttttaa 60
 gacgactttg tagataacgc taggagctgt agcaataata tcgagatcaa attctctaga 120
 gattctctca aagatgattt ctaagtgcag cagtcctaaa aatccacagc ggaacccaaa 180
 tccgagagag t 191

<210> 289
 <211> 515
 <212> DNA
 <213> Chlamydia

<400> 289
 ggatccgaat tcggcacgag gagcgacgtg aaatagtggg atcttcccgt attcttatta 60
 cttctgcgtt gccttacgca aatggtcctt tgcattttgg acatattacc ggtgcttatt 120
 tgcctgcaga tgtttatgag cgttttcaga gactacaagg caaagagggt ttgtatattt 180
 gtggttctga tgaatacggg atcgcaatta cccttaatgc agagttggca ggcattgggt 240
 atcaagaata tgtcgacatg tatcataagc ttcataaaga taccttcaag aaattgggaa 300
 tttctgtaga tttcttttcc agaactacga acgcttatca tcctgctatt gtgcaagatt 360
 tctatcgaaa cttgcaggaa cgcggactgg tagagaatca ggtgaccgaa cagctgtatt 420
 ctgaggaaga agggaagttt ttagcggacc gttatgttgt aggtacttgt cccaagtgtg 480
 ggtttgatcg agctcgagga gatgagtgtc agcag 515

<210> 290
 <211> 522
 <212> DNA
 <213> Chlamydia

<400> 290
 ggatccgaat tcggcacgag ggaggaatgg aagggccctc cgattktama tctgctacca 60
 tgccattcac tagaaactcc ataacagcgg tttctcttga tggcgagtaa gaagcaagca 120
 tttgatgtaa attagcgcaa ttagaggggg atgaggttac ttggaaatat aaggagcgaa 180
 gcgatgaagg agatgtattt gctctggaag caaaggtttc tgaagctaac agaacttgc 240
 gtccccaac aatcgccctga ggattctggc tcatcagttg atgctttgcc tgaatgagag 300
 cggacttaag tttcccatca gagggagcta tttgaattag ataatacaaga gctagatcct 360
 ttattgtggg atcagaaaat ttacttgtga gcgcacagag aatttcgtca gaagaagaat 420
 catcatcgaa cgaatttttc aatcctcgaa aatcttctcc agagacttcg gaaagatcct 480
 ctgtgaaacg atcttcaaga ggagatcgc ctttttcctc tg 522

<210> 291
 <211> 1002
 <212> DNA
 <213> Chlamydia

<400> 291
 atggcgacta acgcaattag atcggcagga agtgcagcaa gtaagatgct gctgccagtt 60
 gccaaagaac cagcggctgt cagctccttt gctcagaaag ggatttattg tattcaacaa 120
 ttttttacia accctgggaa taagttagca aagttttagt gggcaacaaa aagtttagat 180
 aaatgcttta agctaagtaa ggcggtttct gactgtgtcg taggatcgct ggaagaggcg 240
 ggatgcacag gggacgcatt gacctccgcg agaaacgccc aggttatgtt aaaaacaact 300
 cgagaagttg ttgccttagc taatgtgtct aatggagctg ttccatctat cgtaaactcg 360
 actcagaggt gttaccaata cacacgtcaa gccttcgagt taggaagcaa gacaaaagaa 420

```

agaaaaacgc ctggggagta tagtaaaatg ctattaactc gaggtgatta cctattggca 480
gcttccaggg aagcttgtag ggcagtcggt gcaacgactt actcagcgac attcgggtgtt 540
ttacgtccgt taatgttaat caataaactc acagcaaaac cattcttaga caaagcgact 600
gtaggcaatt ttggcacggc tgttgctgga attatgacca ttaatcatat ggcaggagtt 660
gctggtgctg ttggcggaat cgcattagaa caaaagctgt tcaaacgtgc gaaggaatcc 720
ctatacaatg agagatgtgc cttagaaaac caacaatctc agttgagtgg ggacgtgatt 780
ctaagcgcgg aaagggcatt acgtaaagaa cacgttgcta ctctaaaaag aaatgtttta 840
actcttcttg aaaaagcttt agagttggta gtggatggag tcaaactcat tcctttaccg 900
attacagtgg cttgctccgc tgcaatttct ggagccttga cggcagcatc cgcaggaatt 960
ggcttatata gcatatggca gaaaacaaag tctggcaaat aa 1002

```

<210> 292

<211> 333

<212> PRT

<213> Chlamydia

<400> 292

```

Met Ala Thr Asn Ala Ile Arg Ser Ala Gly Ser Ala Ala Ser Lys Met
1           5           10           15
Leu Leu Pro Val Ala Lys Glu Pro Ala Ala Val Ser Ser Phe Ala Gln
20           25           30
Lys Gly Ile Tyr Cys Ile Gln Gln Phe Phe Thr Asn Pro Gly Asn Lys
35           40           45
Leu Ala Lys Phe Val Gly Ala Thr Lys Ser Leu Asp Lys Cys Phe Lys
50           55           60
Leu Ser Lys Ala Val Ser Asp Cys Val Val Gly Ser Leu Glu Glu Ala
65           70           75           80
Gly Cys Thr Gly Asp Ala Leu Thr Ser Ala Arg Asn Ala Gln Gly Met
85           90           95
Leu Lys Thr Thr Arg Glu Val Val Ala Leu Ala Asn Val Leu Asn Gly
100          105          110
Ala Val Pro Ser Ile Val Asn Ser Thr Gln Arg Cys Tyr Gln Tyr Thr
115          120          125
Arg Gln Ala Phe Glu Leu Gly Ser Lys Thr Lys Glu Arg Lys Thr Pro
130          135          140
Gly Glu Tyr Ser Lys Met Leu Leu Thr Arg Gly Asp Tyr Leu Leu Ala
145          150          155          160
Ala Ser Arg Glu Ala Cys Thr Ala Val Gly Ala Thr Thr Tyr Ser Ala
165          170          175
Thr Phe Gly Val Leu Arg Pro Leu Met Leu Ile Asn Lys Leu Thr Ala
180          185          190
Lys Pro Phe Leu Asp Lys Ala Thr Val Gly Asn Phe Gly Thr Ala Val
195          200          205
Ala Gly Ile Met Thr Ile Asn His Met Ala Gly Val Ala Gly Ala Val
210          215          220
Gly Gly Ile Ala Leu Glu Gln Lys Leu Phe Lys Arg Ala Lys Glu Ser
225          230          235          240
Leu Tyr Asn Glu Arg Cys Ala Leu Glu Asn Gln Gln Ser Gln Leu Ser
245          250          255
Gly Asp Val Ile Leu Ser Ala Glu Arg Ala Leu Arg Lys Glu His Val
260          265          270
Ala Thr Leu Lys Arg Asn Val Leu Thr Leu Leu Glu Lys Ala Leu Glu
275          280          285
Leu Val Val Asp Gly Val Lys Leu Ile Pro Leu Pro Ile Thr Val Ala
290          295          300

```

Cys Ser Ala Ala Ile Ser Gly Ala Leu Thr Ala Ala Ser Ala Gly Ile
 305 310 315 320
 Gly Leu Tyr Ser Ile Trp Gln Lys Thr Lys Ser Gly Lys
 325 330

<210> 293
 <211> 7
 <212> DNA
 <213> Chlamydia

<400> 293
 tgcaatc

7

<210> 294
 <211> 196
 <212> PRT
 <213> Chlamydia

<400> 294
 Thr Met Gly Ser Leu Val Gly Arg Gln Ala Pro Asp Phe Ser Gly Lys
 5 10 15
 Ala Val Val Cys Gly Glu Glu Lys Glu Ile Ser Leu Ala Asp Phe Arg
 20 25 30
 Gly Lys Tyr Val Val Leu Phe Phe Tyr Pro Lys Asp Phe Thr Tyr Val
 35 40 45
 Cys Pro Thr Glu Leu His Ala Phe Gln Asp Arg Leu Val Asp Phe Glu
 50 55 60
 Glu His Gly Ala Val Val Leu Gly Cys Ser Val Asp Asp Ile Glu Thr
 65 70 75 80
 His Ser Arg Trp Leu Thr Val Ala Arg Asp Ala Gly Gly Ile Glu Gly
 85 90 95
 Thr Glu Tyr Pro Leu Leu Ala Asp Pro Ser Phe Lys Ile Ser Glu Ala
 100 105 110
 Phe Gly Val Leu Asn Pro Glu Gly Ser Leu Ala Leu Arg Ala Thr Phe
 115 120 125
 Leu Ile Asp Lys His Gly Val Ile Arg His Ala Val Ile Asn Asp Leu
 130 135 140
 Pro Leu Gly Arg Ser Ile Asp Glu Glu Leu Arg Ile Leu Asp Ser Leu
 145 150 155 160
 Ile Phe Phe Glu Asn His Gly Met Val Cys Pro Ala Asn Trp Arg Ser
 165 170 175
 Gly Glu Arg Gly Met Val Pro Ser Glu Glu Gly Leu Lys Glu Tyr Phe
 180 185 190

Gln Thr Met Asp
195

<210> 295

<211> 181

<212> PRT

<213> Chlamydia

<400> 295

Lys Gly Gly Lys Met Ser Thr Thr Ile Ser Gly Asp Ala Ser Ser Leu
5 10 15

Pro Leu Pro Thr Ala Ser Cys Val Glu Thr Lys Ser Thr Ser Ser Ser
20 25 30

Thr Lys Gly Asn Thr Cys Ser Lys Ile Leu Asp Ile Ala Leu Ala Ile
35 40 45

Val Gly Ala Leu Val Val Val Ala Gly Val Leu Ala Leu Val Leu Cys
50 55 60

Ala Ser Asn Val Ile Phe Thr Val Ile Gly Ile Pro Ala Leu Ile Ile
65 70 75 80

Gly Ser Ala Cys Val Gly Ala Gly Ile Ser Arg Leu Met Tyr Arg Ser
85 90 95

Ser Tyr Ala Ser Leu Glu Ala Lys Asn Val Leu Ala Glu Gln Arg Leu
100 105 110

Arg Asn Leu Ser Glu Glu Lys Asp Ala Leu Ala Ser Val Ser Phe Ile
115 120 125

Asn Lys Met Phe Leu Arg Gly Leu Thr Asp Asp Leu Gln Ala Leu Glu
130 135 140

Ala Lys Val Met Glu Phe Glu Ile Asp Cys Leu Asp Arg Leu Glu Lys
145 150 155 160

Asn Glu Gln Ala Leu Leu Ser Asp Val Arg Leu Val Leu Ser Ser Tyr
165 170 175

Thr Arg Trp Leu Asp
180

<210> 296

<211> 124

<212> PRT

<213> Chlamydia

<400> 296

Ile Tyr Glu Val Met Asn Met Asp Leu Glu Thr Arg Arg Ser Phe Ala
5 10 15

Val Gln Gln Gly His Tyr Gln Asp Pro Arg Ala Ser Asp Tyr Asp Leu
 20 25 30
 Pro Arg Ala Ser Asp Tyr Asp Leu Pro Arg Ser Pro Tyr Pro Thr Pro
 35 40 45
 Pro Leu Pro Ser Arg Tyr Gln Leu Gln Asn Met Asp Val Glu Ala Gly
 50 55 60
 Phe Arg Glu Ala Val Tyr Ala Ser Phe Val Ala Gly Met Tyr Asn Tyr
 65 70 75 80
 Val Val Thr Gln Pro Gln Glu Arg Ile Pro Asn Ser Gln Gln Val Glu
 85 90 95
 Gly Ile Leu Arg Asp Met Leu Thr Asn Gly Ser Gln Thr Phe Ser Asn
 100 105 110
 Leu Met Gln Arg Trp Asp Arg Glu Val Asp Arg Glu
 115 120

<210> 297
 <211> 488
 <212> PRT
 <213> Chlamydia

<400> 297

Lys Gly Ser Leu Pro Ile Leu Gly Pro Phe Leu Asn Gly Lys Met Gly
 5 10 15
 Phe Trp Arg Thr Ser Ile Met Lys Met Asn Arg Ile Trp Leu Leu Leu
 20 25 30
 Leu Thr Phe Ser Ser Ala Ile His Ser Pro Val Arg Gly Glu Ser Leu
 35 40 45
 Val Cys Lys Asn Ala Leu Gln Asp Leu Ser Phe Leu Glu His Leu Leu
 50 55 60
 Gln Val Lys Tyr Ala Pro Lys Thr Trp Lys Glu Gln Tyr Leu Gly Trp
 65 70 75 80
 Asp Leu Val Gln Ser Ser Val Ser Ala Gln Gln Lys Leu Arg Thr Gln
 85 90 95
 Glu Asn Pro Ser Thr Ser Phe Cys Gln Gln Val Leu Ala Asp Phe Ile
 100 105 110
 Gly Gly Leu Asn Asp Phe His Ala Gly Val Thr Phe Phe Ala Ile Glu
 115 120 125
 Ser Ala Tyr Leu Pro Tyr Thr Val Gln Lys Ser Ser Asp Gly Arg Phe
 130 135 140

Tyr Phe Val Asp Ile Met Thr Phe Ser Ser Glu Ile Arg Val Gly Asp
 145 150 155 160
 Glu Leu Leu Glu Val Asp Gly Ala Pro Val Gln Asp Val Leu Ala Thr
 165 170 175
 Leu Tyr Gly Ser Asn His Lys Gly Thr Ala Ala Glu Glu Ser Ala Ala
 180 185 190
 Leu Arg Thr Leu Phe Ser Arg Met Ala Ser Leu Gly His Lys Val Pro
 195 200 205
 Ser Gly Arg Thr Thr Leu Lys Ile Arg Arg Pro Phe Gly Thr Thr Arg
 210 215 220
 Glu Val Arg Val Lys Trp Arg Tyr Val Pro Glu Gly Val Gly Asp Leu
 225 230 235 240
 Ala Thr Ile Ala Pro Ser Ile Arg Ala Pro Gln Leu Gln Lys Ser Met
 245 250 255
 Arg Ser Phe Phe Pro Lys Lys Asp Asp Ala Phe His Arg Ser Ser Ser
 260 265 270
 Leu Phe Tyr Ser Pro Met Val Pro His Phe Trp Ala Glu Leu Arg Asn
 275 280 285
 His Tyr Ala Thr Ser Gly Leu Lys Ser Gly Tyr Asn Ile Gly Ser Thr
 290 295 300
 Asp Gly Phe Leu Pro Val Ile Gly Pro Val Ile Trp Glu Ser Glu Gly
 305 310 315 320
 Leu Phe Arg Ala Tyr Ile Ser Ser Val Thr Asp Gly Asp Gly Lys Ser
 325 330 335
 His Lys Val Gly Phe Leu Arg Ile Pro Thr Tyr Ser Trp Gln Asp Met
 340 345 350
 Glu Asp Phe Asp Pro Ser Gly Pro Pro Pro Trp Glu Glu Phe Ala Lys
 355 360 365
 Ile Ile Gln Val Phe Ser Ser Asn Thr Glu Ala Leu Ile Ile Asp Gln
 370 375 380
 Thr Asn Asn Pro Gly Gly Ser Val Leu Tyr Leu Tyr Ala Leu Leu Ser
 385 390 395 400
 Met Leu Thr Asp Arg Pro Leu Glu Leu Pro Lys His Arg Met Ile Leu
 405 410 415
 Thr Gln Asp Glu Val Val Asp Ala Leu Asp Trp Leu Thr Leu Leu Glu
 420 425 430

Asn Val Asp Thr Asn Val Glu Ser Arg Leu Ala Leu Gly Asp Asn Met
 435 440 445

Glu Gly Tyr Thr Val Asp Leu Gln Val Ala Glu Tyr Leu Lys Ser Phe
 450 455 460

Gly Arg Gln Val Leu Asn Cys Trp Ser Lys Gly Asp Ile Glu Leu Ser
 465 470 475 480

Thr Pro Ile Pro Leu Phe Gly Phe
 485

<210> 298

<211> 140

<212> PRT

<213> Chlamydia

<400> 298

Arg Ile Asp Ile Ser Ser Val Thr Phe Phe Ile Gly Ile Leu Leu Ala
 5 10 15

Val Asn Ala Leu Thr Tyr Ser His Val Leu Arg Asp Leu Ser Val Ser
 20 25 30

Met Asp Ala Leu Phe Ser Arg Asn Thr Leu Ala Val Leu Leu Gly Leu
 35 40 45

Val Ser Ser Val Leu Asp Asn Val Pro Leu Val Ala Ala Thr Ile Gly
 50 55 60

Met Tyr Asp Leu Pro Met Asn Asp Pro Leu Trp Lys Leu Ile Ala Tyr
 65 70 75 80

Thr Ala Gly Thr Gly Gly Ser Ile Leu Ile Ile Gly Ser Ala Ala Gly
 85 90 95

Val Ala Tyr Met Gly Met Glu Lys Val Ser Phe Gly Trp Tyr Val Lys
 100 105 110

His Ala Ser Trp Ile Ala Leu Ala Ser Tyr Phe Gly Gly Leu Ala Val
 115 120 125

Tyr Phe Leu Met Glu Asn Cys Val Asn Leu Phe Val
 130 135 140

<210> 299

<211> 361

<212> PRT

<213> Chlamydia

<400> 299

His Gln Glu Ile Ala Asp Ser Pro Leu Val Lys Lys Ala Glu Glu Gln
 5 10 15

Ile Asn Gln Ala Gln Gln Asp Ile Gln Thr Ile Thr Pro Ser Gly Leu
 20 25 30
 Asp Ile Pro Ile Val Gly Pro Ser Gly Ser Ala Ala Ser Ala Gly Ser
 35 40 45
 Ala Ala Gly Ala Leu Lys Ser Ser Asn Asn Ser Gly Arg Ile Ser Leu
 50 55 60
 Leu Leu Asp Asp Val Asp Asn Glu Met Ala Ala Ile Ala Met Gln Gly
 65 70 75 80
 Phe Arg Ser Met Ile Glu Gln Phe Asn Val Asn Asn Pro Ala Thr Ala
 85 90 95
 Lys Glu Leu Gln Ala Met Glu Ala Gln Leu Thr Ala Met Ser Asp Gln
 100 105 110
 Leu Val Gly Ala Asp Gly Glu Leu Pro Ala Glu Ile Gln Ala Ile Lys
 115 120 125
 Asp Ala Leu Ala Gln Ala Leu Lys Gln Pro Ser Ala Asp Gly Leu Ala
 130 135 140
 Thr Ala Met Gly Gln Val Ala Phe Ala Ala Ala Lys Val Gly Gly Gly
 145 150 155 160
 Ser Ala Gly Thr Ala Gly Thr Val Gln Met Asn Val Lys Gln Leu Tyr
 165 170 175
 Lys Thr Ala Phe Ser Ser Thr Ser Ser Ser Ser Tyr Ala Ala Ala Leu
 180 185 190
 Ser Asp Gly Tyr Ser Ala Tyr Lys Thr Leu Asn Ser Leu Tyr Ser Glu
 195 200 205
 Ser Arg Ser Gly Val Gln Ser Ala Ile Ser Gln Thr Ala Asn Pro Ala
 210 215 220
 Leu Ser Arg Ser Val Ser Arg Ser Gly Ile Glu Ser Gln Gly Arg Ser
 225 230 235 240
 Ala Asp Ala Ser Gln Arg Ala Ala Glu Thr Ile Val Arg Asp Ser Gln
 245 250 255
 Thr Leu Gly Asp Val Tyr Ser Arg Leu Gln Val Leu Asp Ser Leu Met
 260 265 270
 Ser Thr Ile Val Ser Asn Pro Gln Ala Asn Gln Glu Glu Ile Met Gln
 275 280 285
 Lys Leu Thr Ala Ser Ile Ser Lys Ala Pro Gln Phe Gly Tyr Pro Ala
 290 295 300

Val Gln Asn Ser Val Asp Ser Leu Gln Lys Phe Ala Ala Gln Leu Glu
305 310 315 320

Arg Glu Phe Val Asp Gly Glu Arg Ser Leu Ala Glu Ser Gln Glu Asn
325 330 335

Ala Phe Arg Lys Gln Pro Ala Phe Ile Gln Gln Val Leu Val Asn Ile
340 345 350

Ala Ser Leu Phe Ser Gly Tyr Leu Ser
355 360

<210> 300

<211> 207

<212> PRT

<213> Chlamydia

<400> 300

Ser Ser Lys Ile Val Ser Leu Cys Glu Gly Ala Val Ala Asp Ala Arg
5 10 15

Met Cys Lys Ala Glu Leu Ile Lys Lys Glu Ala Asp Ala Tyr Leu Phe
20 25 30

Cys Glu Lys Ser Gly Ile Tyr Leu Thr Lys Lys Glu Gly Ile Leu Ile
35 40 45

Pro Ser Ala Gly Ile Asp Glu Ser Asn Thr Asp Gln Pro Phe Val Leu
50 55 60

Tyr Pro Lys Asp Ile Leu Gly Ser Cys Asn Arg Ile Gly Glu Trp Leu
65 70 75 80

Arg Asn Tyr Phe Arg Val Lys Glu Leu Gly Val Ile Ile Thr Asp Ser
85 90 95

His Thr Thr Pro Met Arg Arg Gly Val Leu Gly Ile Gly Leu Cys Trp
100 105 110

Tyr Gly Phe Ser Pro Leu His Asn Tyr Ile Gly Ser Leu Asp Cys Phe
115 120 125

Gly Arg Pro Leu Gln Met Thr Gln Ser Asn Leu Val Asp Ala Leu Ala
130 135 140

Val Ala Ala Val Val Cys Met Gly Glu Gly Asn Glu Gln Thr Pro Leu
145 150 155 160

Ala Val Ile Glu Gln Ala Pro Asn Met Val Tyr His Ser Tyr Pro Thr
165 170 175

Ser Arg Glu Glu Tyr Cys Ser Leu Arg Ile Asp Glu Thr Glu Asp Leu
180 185 190

Tyr Gly Pro Phe Leu Gln Ala Val Thr Trp Ser Gln Glu Lys Lys
 195 200 205

<210> 301

<211> 183

<212> PRT

<213> Chlamydia

<400> 301

Ile Pro Pro Ala Pro Arg Gly His Pro Gln Ile Glu Val Thr Phe Asp
 5 10 15

Ile Asp Ala Asn Gly Ile Leu His Val Ser Ala Lys Asp Ala Ala Ser
 20 25 30

Gly Arg Glu Gln Lys Ile Arg Ile Glu Ala Ser Ser Gly Leu Lys Glu
 35 40 45

Asp Glu Ile Gln Gln Met Ile Arg Asp Ala Glu Leu His Lys Glu Glu
 50 55 60

Asp Lys Gln Arg Lys Glu Ala Ser Asp Val Lys Asn Glu Ala Asp Gly
 65 70 75 80

Met Ile Phe Arg Ala Glu Lys Ala Val Lys Asp Tyr His Asp Lys Ile
 85 90 95

Pro Ala Glu Leu Val Lys Glu Ile Glu Glu His Ile Glu Lys Val Arg
 100 105 110

Gln Ala Ile Lys Glu Asp Ala Ser Thr Thr Ala Ile Lys Ala Ala Ser
 115 120 125

Asp Glu Leu Ser Thr Arg Met Gln Lys Ile Gly Glu Ala Met Gln Ala
 130 135 140

Gln Ser Ala Ser Ala Ala Ala Ser Ser Ala Ala Asn Ala Gln Gly Gly
 145 150 155 160

Pro Asn Ile Asn Ser Glu Asp Leu Lys Lys His Ser Phe Ser Thr Arg
 165 170 175

Pro Pro Ala Gly Gly Ser Ala
 180

<210> 302

<211> 232

<212> PRT

<213> Chlamydia

<400> 302

Met Thr Lys His Gly Lys Arg Ile Arg Gly Ile Gln Glu Thr Tyr Asp
 5 10 15

Leu Ala Lys Ser Tyr Ser Leu Gly Glu Ala Ile Asp Ile Leu Lys Gln
 20 25 30
 Cys Pro Thr Val Arg Phe Asp Gln Thr Val Asp Val Ser Val Lys Leu
 35 40 45
 Gly Ile Asp Pro Arg Lys Ser Asp Gln Gln Ile Arg Gly Ser Val Ser
 50 55 60
 Leu Pro His Gly Thr Gly Lys Val Leu Arg Ile Leu Val Phe Ala Ala
 65 70 75 80
 Gly Asp Lys Ala Ala Glu Ala Ile Glu Ala Gly Ala Asp Phe Val Gly
 85 90 95
 Ser Asp Asp Leu Val Glu Lys Ile Lys Gly Gly Trp Val Asp Phe Asp
 100 105 110
 Val Ala Val Ala Thr Pro Asp Met Met Arg Glu Val Gly Lys Leu Gly
 115 120 125
 Lys Val Leu Gly Pro Arg Asn Leu Met Pro Thr Pro Lys Ala Gly Thr
 130 135 140
 Val Thr Thr Asp Val Val Lys Thr Ile Ala Glu Leu Arg Lys Gly Lys
 145 150 155 160
 Ile Glu Phe Lys Ala Asp Arg Ala Gly Val Cys Asn Val Gly Val Ala
 165 170 175
 Lys Leu Ser Phe Asp Ser Ala Gln Ile Lys Glu Asn Val Glu Ala Leu
 180 185 190
 Cys Ala Ala Leu Val Lys Ala Lys Pro Ala Thr Ala Lys Gly Gln Tyr
 195 200 205
 Leu Val Asn Phe Thr Ile Ser Ser Thr Met Gly Pro Gly Val Thr Val
 210 215 220
 Asp Thr Arg Glu Leu Ile Ala Leu
 225 230

<210> 303
 <211> 238
 <212> PRT
 <213> chlamydia

<400> 303
 Ile Asn Ser Lys Leu Glu Thr Lys Asn Leu Ile Tyr Leu Lys Leu Lys
 5 10 15
 Ile Lys Lys Ser Phe Lys Met Gly Asn Ser Gly Phe Tyr Leu Tyr Asn
 20 25 30

Thr Gln Asn Cys Val Phe Ala Asp Asn Ile Lys Val Gly Gln Met Thr
35 40 45

Glu Pro Leu Lys Asp Gln Gln Ile Ile Leu Gly Thr Thr Ser Thr Pro
50 55 60

Val Ala Ala Lys Met Thr Ala Ser Asp Gly Ile Ser Leu Thr Val Ser
65 70 75 80

Asn Asn Pro Ser Thr Asn Ala Ser Ile Thr Ile Gly Leu Asp Ala Glu
85 90 95

Lys Ala Tyr Gln Leu Ile Leu Glu Lys Leu Gly Asp Gln Ile Leu Gly
100 105 110

Gly Ile Ala Asp Thr Ile Val Asp Ser Thr Val Gln Asp Ile Leu Asp
115 120 125

Lys Ile Thr Thr Asp Pro Ser Leu Gly Leu Leu Lys Ala Phe Asn Asn
130 135 140

Phe Pro Ile Thr Asn Lys Ile Gln Cys Asn Gly Leu Phe Thr Pro Arg
145 150 155 160

Asn Ile Glu Thr Leu Leu Gly Gly Thr Glu Ile Gly Lys Phe Thr Val
165 170 175

Thr Pro Lys Ser Ser Gly Ser Met Phe Leu Val Ser Ala Asp Ile Ile
180 185 190

Ala Ser Arg Met Glu Gly Gly Val Val Leu Ala Leu Val Arg Glu Gly
195 200 205

Asp Ser Lys Pro Tyr Ala Ile Ser Tyr Gly Tyr Ser Ser Gly Val Pro
210 215 220

Asn Leu Cys Ser Leu Arg Thr Arg Ile Ile Asn Thr Gly Leu
225 230 235